


	PART NAME : 4163-093_Combined		March 11, 2026	12:59
	REV NUMBER : G	SER NUMBER : 00	STATS COUNT : 1	

TRACEFIELD TECHNICIAN =
TRACEFIELD CMM # =
TRACEFIELD WO =
TRACEFIELD SN =

	IN	B_8 - CIR_5 TO DAT_A1 (ZAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	1.00000	1.00000	0.01000	0.01000	0.00000	0.00000		
B_13-CIR_9			IN	Ø 0.127 +0.002/-0.002 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	0.12700	0.12700	0.00200	0.00200	0.00000	0.00000		
Local Size	0.12700	0.12700	0.00200	0.00200	0.00000	0.00000		
B_15-CIR_5			IN	Ø 0.1275 +0.0075/-0.0075 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	0.12500	0.12750	0.00750	0.00750	-0.00250	0.00000		
Local Size	0.12500	0.12750	0.00750	0.00750	-0.00250	0.00000		
B_17-CIR_30			IN	Ø 0.2675 +0.0075/-0.0075 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	0.26500	0.26750	0.00750	0.00750	-0.00250	0.00000		
Local Size	0.26500	0.26750	0.00750	0.00750	-0.00250	0.00000		
	IN	B_18 - PLN_15 TO PLN_10 (XAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	0.05450	0.05450	0.00250	0.00250	0.00000	0.00000		
B_20_22 Size		IN	Ø 1 +0.01/-0.01 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_103	1.00000	1.00000	0.01000	0.01000	0.00000	0.00000		
CYL_103 - LS	1.00000	1.00000	0.01000	0.01000	0.00000	0.00000		
B_20_22		IN				DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_103 (END PT)	Y	0.86100	0.86100			0.00000		
	Z	-2.07900	-2.07900			-0.00000		
	TP	0.00000	0.00000	0.01000	0.00000	0.00000	0.00000	
	IN	B_23 - PLN_17 TO DAT_A1 (YAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	4.00000	4.00000	0.01000	0.01000	0.00000	0.00000		
	IN	B_29 - DAT_A1 TO CIR_5 (YAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	0.50000	0.50000	0.01000	0.01000	0.00000	0.00000		
	IN	B_30 - DAT_A1 TO CIR_6 (YAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	0.12000	0.12000	0.01000	0.01000	0.00000	0.00000		

↔	IN	B_36_1 - DAT_A1 TO PLN_1 (YAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	4.00000	4.00000	0.01000	0.01000	0.00000	0.00000		
↔	IN	B_36_2 - DAT_A1 TO PLN_2 (YAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	4.00000	4.00000	0.01000	0.01000	0.00000	0.00000		
B_37 is unable to measure due to probe length constraint								
B_40_42_43 Size		IN	⌀ 0.128 +0.0005/-0.0005 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CIR_8		0.12800	0.12800	0.00050	0.00050	0.00000	0.00000	
CIR_8 - LS		0.12800	0.12800	0.00050	0.00050	0.00000	0.00000	
CIR_7		0.12800	0.12800	0.00050	0.00050	0.00000	0.00000	
CIR_7 - LS		0.12800	0.12800	0.00050	0.00050	0.00000	0.00000	
B_40_42_43		IN	⊕ ⌀ 0.005 (M) A1 (M)			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CIR_8	Y	-0.37500	-0.37500			0.00000		
	Z	0.65600	0.65600			0.00000		
	TP	0.00000	0.00000	0.00500	0.00000	0.00000	0.00000	
CIR_7	Y	1.37500	1.37500			0.00000		
	Z	0.65600	0.65600			0.00000		
	TP	0.00000	0.00000	0.00500	0.00000	0.00000	0.00000	
B_40_42_43		IN	⊕ ⌀ 0 (M)			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CIR_8	Y	-0.37500	-0.37500			0.00000		
	Z	0.65600	0.65600			0.00000		
	TP	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	
CIR_7	Y	1.37500	1.37500			0.00000		
	Z	0.65600	0.65600			0.00000		
	TP	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	
B_44-CIR_6			IN	⌀ 0.1275 +0.0075/-0.0075 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	0.12500	0.12750	0.00750	0.00750	-0.00250	0.00000		
Local Size	0.12500	0.12750	0.00750	0.00750	-0.00250	0.00000		
B_46-CIR_31			IN	⌀ 0.2675 +0.0075/-0.0075 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	0.26500	0.26750	0.00750	0.00750	-0.00250	0.00000		
Local Size	0.26500	0.26750	0.00750	0.00750	-0.00250	0.00000		
↔	IN	B_47 - PLN_19 TO PLN_15 (XAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	0.05450	0.05450	0.00250	0.00250	0.00000	0.00000		
↔	IN	B_51 - DAT_A1 TO CIR_6 (ZAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	0.76600	0.76600	0.01000	0.01000	0.00000	0.00000		

↔		IN	B_54 - DAT_A1 TO CYL_101 (ZAXIS)					
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
M		1.12500	1.12500	0.01000	0.01000	0.00000	0.00000	
⊕		IN	B_57 - CYL_105					
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
R		1.31250	1.31250	0.00250	0.00250	0.00000	0.00000	
B_58 Size			IN	∅ 2.625 +0.005/-0.005 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_105		2.62500	2.62500	0.00500	0.00500	0.00000	0.00000	
CYL_105 - LS		2.62500	2.62500	0.00500	0.00500	0.00000	0.00000	
B_58		IN	⊕ ∅ 0.014 Ⓜ A1 Ⓜ			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_105 (START PT)	Y	0.50000	0.50000			0.00000		
	Z	0.00000	0.00000			0.00000		
	TP	0.00000	0.00000	0.01400	0.00000	0.00000	0.00000	
B_59_65 Size			IN	∅ 0.4515 +0.0055/-0.0055 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_121		0.45150	0.45150	0.00550	0.00550	0.00000	0.00000	
CYL_121 - LS		0.45150	0.45150	0.00550	0.00550	0.00000	0.00000	
CYL_122		0.45150	0.45150	0.00550	0.00550	0.00000	0.00000	
CYL_122 - LS		0.45150	0.45150	0.00550	0.00550	0.00000	0.00000	
CYL_123		0.45150	0.45150	0.00550	0.00550	0.00000	0.00000	
CYL_123 - LS		0.45150	0.45150	0.00550	0.00550	0.00000	0.00000	
CYL_124		0.45150	0.45150	0.00550	0.00550	0.00000	0.00000	
CYL_124 - LS		0.45150	0.45150	0.00550	0.00550	0.00000	0.00000	
CYL_125		0.45150	0.45150	0.00550	0.00550	0.00000	0.00000	
CYL_125 - LS		0.45150	0.45150	0.00550	0.00550	0.00000	0.00000	
CYL_126		0.45150	0.45150	0.00550	0.00550	0.00000	0.00000	
CYL_126 - LS		0.45150	0.45150	0.00550	0.00550	0.00000	0.00000	
CYL_127		0.45150	0.45150	0.00550	0.00550	0.00000	0.00000	
CYL_127 - LS		0.45150	0.45150	0.00550	0.00550	0.00000	0.00000	
CYL_128		0.45150	0.45150	0.00550	0.00550	0.00000	0.00000	
CYL_128 - LS		0.45150	0.45150	0.00550	0.00550	0.00000	0.00000	
B_59_65		IN	⊕ ∅ 0.013 Ⓜ Ⓟ 1.332 A1 Ⓜ			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_121 (START PT)	Y	0.48700	0.48700			0.00000		
	Z	3.46600	3.46600			0.00000		
	TP	0.00000	0.00000	0.01300	0.00000	0.00000	0.00000	
CYL_122 (START PT)	Y	2.79500	2.79500			0.00000		
	Z	2.10600	2.10600			0.00000		
	TP	0.00000	0.00000	0.01300	0.00000	0.00000	0.00000	
CYL_123 (START PT)	Y	3.41000	3.41000			0.00000		
	Z	-0.78700	-0.78700			0.00000		
	TP	0.00000	0.00000	0.01300	0.00000	0.00000	0.00000	





CYL_124 (START PT)	Y	2.10600	2.10600			0.00000				
	Z	-2.79500	-2.79500			0.00000				
	TP	0.00000	0.00000	0.01300	0.00000	0.00000	0.00000	0.00550		
CYL_125 (START PT)	Y	-0.48700	-0.48700			-0.00000				
	Z	-3.46600	-3.46600			0.00000				
	TP	0.00000	0.00000	0.01300	0.00000	0.00000	0.00000	0.00550		
CYL_126 (START PT)	Y	-2.79500	-2.79500			0.00000				
	Z	-2.10600	-2.10600			0.00000				
	TP	0.00000	0.00000	0.01300	0.00000	0.00000	0.00000	0.00550		
CYL_127 (START PT)	Y	-3.46600	-3.46600			0.00000				
	Z	0.48700	0.48700			0.00000				
	TP	0.00000	0.00000	0.01300	0.00000	0.00000	0.00000	0.00550		
CYL_128 (START PT)	Y	-2.10600	-2.10600			0.00000				
	Z	2.79500	2.79500			0.00000				
	TP	0.00000	0.00000	0.01300	0.00000	0.00000	0.00000	0.00550		
B_66-CYL_140				IN		Ø 0.6265 +0.0085/-0.0085 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL		-TOL		DEV	OUTTOL	
UAME		0.62500	0.62650	0.00850		0.00850		-0.00150	0.00000	
Local Size		0.62500	0.62650	0.00850		0.00850		-0.00150	0.00000	
B_69-CYL_101				IN		Ø 0.65695 +0.00075/-0.00075 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL		-TOL		DEV	OUTTOL	
UAME		0.65695	0.65695	0.00075		0.00075		0.00000	0.00000	
Local Size		0.65695	0.65695	0.00075		0.00075		0.00000	0.00000	
B_72-DAT_A1				IN		Ø 1.16705 +0.00025/-0.00025 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL		-TOL		DEV	OUTTOL	
UAME		1.16705	1.16705	0.00025		0.00025		0.00000	0.00000	
Local Size		1.16705	1.16705	0.00025		0.00025		0.00000	0.00000	
	IN	B_73 - DAT_A1 TO CYL_101 (YAXIS)								
AX		MEAS	NOMINAL	+TOL		-TOL		DEV	OUTTOL	
M		2.65600	2.65600	0.01000		0.01000		0.00000	0.00000	
	IN	B_77 - DAT_A1 TO CIR_9 (YAXIS)								
AX		MEAS	NOMINAL	+TOL		-TOL		DEV	OUTTOL	
M		1.00000	1.00000	0.01000		0.01000		0.00000	0.00000	
B_79_83 Size		IN	Ø 0.20045 +0.00365/-0.00365 CIRCULAR ELEMENTS					DEFAULT	ASME Y14.5	
Feature		MEAS	NOMINAL	+TOL		-TOL		DEV	OUTTOL	
CYL_129		0.20045	0.20045	0.00365		0.00365		0.00000	0.00000	
CYL_129 - LS		0.20045	0.20045	0.00365		0.00365		0.00000	0.00000	
CYL_130		0.20045	0.20045	0.00365		0.00365		0.00000	0.00000	
CYL_130 - LS		0.20045	0.20045	0.00365		0.00365		0.00000	0.00000	
CYL_131		0.20045	0.20045	0.00365		0.00365		0.00000	0.00000	
CYL_131 - LS		0.20045	0.20045	0.00365		0.00365		0.00000	0.00000	
CYL_132		0.20045	0.20045	0.00365		0.00365		0.00000	0.00000	
CYL_132 - LS		0.20045	0.20045	0.00365		0.00365		0.00000	0.00000	

B_79_83		IN	∅ 0.028 M A1 M			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_129 (START PT)	Y	-0.03100	-0.03100			0.00000		0.00365
	Z	0.87500	0.87500			0.00000		
	TP	0.00000	0.00000	0.02800	0.00000	0.00000	0.00000	
CYL_130 (START PT)	Y	1.03100	1.03100			0.00000		0.00365
	Z	0.87500	0.87500			0.00000		
	TP	0.00000	0.00000	0.02800	0.00000	0.00000	0.00000	
CYL_131 (START PT)	Y	1.03100	1.03100			0.00000		0.00365
	Z	-0.87500	-0.87500			0.00000		
	TP	0.00000	0.00000	0.02800	0.00000	0.00000	0.00000	
CYL_132 (END PT)	Y	-0.18800	-0.18800			-0.00000		0.00365
	Z	-0.87500	-0.87500			0.00000		
	TP	0.00000	0.00000	0.02800	0.00000	0.00000	0.00000	
	IN	B_85 - DAT_E1 TO DAT_A1 (YAXIS)						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
M		2.16705	2.16700	0.00100	0.00100	0.00005	0.00000	
B_87_89 Size		IN	∅ 1.25 +0.01/-0.01 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_102		1.25000	1.25000	0.01000	0.01000	0.00000	0.00000	
CYL_102 - LS		1.25000	1.25000	0.01000	0.01000	0.00000	0.00000	
B_87_89		IN	∅ 0.01 M A1 M			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_102 (START PT)	Y	-0.86100	-0.86100			0.00000		0.01000
	Z	2.07900	2.07900			0.00000		
	TP	0.00000	0.00000	0.01000	0.00000	0.00000	0.00000	
	IN	B_90_1 - CYL_141						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
R		0.50000	0.50000	0.01000	0.01000	0.00000	0.00000	
	IN	B_90_2 - CYL_142						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
R		0.50000	0.50000	0.00000	0.00000	0.00000	0.00000	
B_91-CYL_133				IN	∅ 0.2525 +0.0075/-0.0075 CIRCULAR ELEMENTS			
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.25000	0.25250	0.00750	0.00750	-0.00250	0.00000	
Local Size		0.25000	0.25250	0.00750	0.00750	-0.00250	0.00000	
B_93_1-CIR_12				IN	∅ 1.425 +0.005/-0.005 CIRCULAR ELEMENTS			
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		1.42500	1.42500	0.00500	0.00500	0.00000	0.00000	
Local Size		1.42500	1.42500	0.00500	0.00500	0.00000	0.00000	
B_93_2-CIR_13				IN	∅ 1.425 +0.005/-0.005 CIRCULAR ELEMENTS			
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		1.42500	1.42500	0.00500	0.00500	0.00000	0.00000	
Local Size		1.42500	1.42500	0.00500	0.00500	0.00000	0.00000	

B_93_3-CIR_14			IN	Ø 1.425 +0.005/-0.005 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		1.42500	1.42500	0.00500	0.00500	0.00000	0.00000	
Local Size		1.42500	1.42500	0.00500	0.00500	0.00000	0.00000	
B_93_4-CIR_15			IN	Ø 1.425 +0.005/-0.005 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		1.42500	1.42500	0.00500	0.00500	0.00000	0.00000	
Local Size		1.42500	1.42500	0.00500	0.00500	0.00000	0.00000	
B_94-DAT_E1			IN	Ø 1.16705 +0.00025/-0.00025 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		1.16705	1.16705	0.00025	0.00025	0.00000	0.00000	
Local Size		1.16705	1.16705	0.00025	0.00025	0.00000	0.00000	
↔	IN	B_97 - DAT_A1 TO PLN_16 (ZAXIS)						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
M		4.31200	4.31200	0.01000	0.01000	0.00000	0.00000	
↔	IN	B_100 - DAT_A1 TO PLN_13 (ZAXIS)						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
M		1.19500	1.19500	0.01000	0.01000	0.00000	0.00000	
↔	IN	B_102 - DAT_A1 TO CIR_9 (ZAXIS)						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
M		0.43800	0.43800	0.01000	0.01000	0.00000	0.00000	
B_109		IN	▱ 0.003			DEFAULT	ASME Y14.5	
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
DAT_C1		0.00000	0.00000	0.00300		0.00000	0.00000	
B_113_117 Size		IN	Ø 0.9864 +0.005/-0.005 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_113		0.98640	0.98640	0.00500	0.00500	0.00000	0.00000	
CYL_113 - LS		0.98640	0.98640	0.00500	0.00500	0.00000	0.00000	
B_113_117		IN	⊕ Ø 0.02 Ⓜ			ASME Y14.5		
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_113 (END PT)	X	-2.12500	-2.12500			0.00000		
	Y	0.50000	0.50000			-0.00000		
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	
↔	IN	B_124 - PLN_4 TO PLN_12 (XAXIS)						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
M		1.50000	1.50000	0.02000	0.02000	0.00000	0.00000	
⊕	IN	B_127 - CIR_32						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
R		0.62500	0.62500	0.02000	0.02000	0.00000	0.00000	

B_128_132 Size		IN	Ø 0.5125 +0.0041/-0.0041 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_119	0.51250	0.51250	0.00410	0.00410	0.00000	0.00000		
CYL_119 - LS	0.51250	0.51250	0.00410	0.00410	0.00000	0.00000		
B_128_132		IN	⊕ Ø 0.028 (M) C1 A1 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_119 (END PT)	X	3.37500	3.37500			0.00000		
	Z	-2.68800	-2.68800			-0.00000		
	TP	0.00000	0.00000	0.02800	0.00000	0.00000	0.00000	
↔	IN	B_133 - CYL_120 TO PNT1 (ZAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	0.62500	0.62500	0.02000	0.02000	0.00000	0.00000		
B_134-CIR_3			IN	Ø 0.4855 +0.0085/-0.0085 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	0.48400	0.48550	0.00850	0.00850	-0.00150	0.00000		
Local Size	0.48400	0.48550	0.00850	0.00850	-0.00150	0.00000		
B_136_140 Size		IN	Ø 0.5125 +0.0041/-0.0041 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_120	0.51250	0.51250	0.00410	0.00410	0.00000	0.00000		
CYL_120 - LS	0.51250	0.51250	0.00410	0.00410	0.00000	0.00000		
B_136_140		IN	⊕ Ø 0.028 (M) C1 A1 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_120 (START PT)	X	2.12500	2.12500			0.00000		
	Z	-3.00000	-3.00000			0.00000		
	TP	0.00000	0.00000	0.02800	0.00000	0.00000	0.00000	
B_142_144 Size		IN	Ø 0.375 +0.016/-0.016 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_110	0.37500	0.37500	0.01600	0.01600	0.00000	0.00000		
CYL_110 - LS	0.37500	0.37500	0.01600	0.01600	0.00000	0.00000		
B_142_144		IN	⊕ Ø 0.015 (L) C1 A1 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_110 (START PT)	X	3.37500	3.37500			0.00000		
	Z	-1.62500	-1.62500			0.00000		
	TP	0.00000	0.00000	0.01500	0.00000	0.00000	0.00000	
B_145-CYL_109			IN	Ø 0.656 +0.01/-0.01 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	0.65600	0.65600	0.01000	0.01000	0.00000	0.00000		
Local Size	0.65600	0.65600	0.01000	0.01000	0.00000	0.00000		
B_147_151 Size		IN	Ø 0.69345 +0.00425/-0.00425 CIRCULAR ELEMEI				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_118	0.69345	0.69345	0.00425	0.00425	0.00000	0.00000		
CYL_118 - LS	0.69345	0.69345	0.00425	0.00425	0.00000	0.00000		


B_147_151		IN	$\varnothing$ 0.028 (M) C1 A1 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_118 (START PT)	X	3.37500	3.37500			0.00000		
	Z	-1.49000	-1.49000			0.00000		
	TP	0.00000	0.00000	0.02800	0.00000	0.00000	0.00000	0.00425
B_155-CYL_107			IN	$\varnothing$ 0.781 +0.01/-0.01 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.78100	0.78100	0.01000	0.01000	0.00000	0.00000	
Local Size		0.78100	0.78100	0.01000	0.01000	0.00000	0.00000	
B_157_161 Size		IN	$\varnothing$ 0.81035 +0.00485/-0.00485 CIRCULAR ELEMEI				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_115		0.81035	0.81035	0.00485	0.00485	0.00000	0.00000	
CYL_115 - LS		0.81035	0.81035	0.00485	0.00485	0.00000	0.00000	
B_157_161		IN	$\varnothing$ 0.028 (M) C1 A1 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_115 (START PT)	X	-2.12500	-2.12500			0.00000		
	Z	1.81200	1.81200			0.00000		
	TP	0.00000	0.00000	0.02800	0.00000	0.00000	0.00000	0.00485
B_162-CYL_108			IN	$\varnothing$ 0.875 +0.01/-0.01 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.87500	0.87500	0.01000	0.01000	0.00000	0.00000	
Local Size		0.87500	0.87500	0.01000	0.01000	0.00000	0.00000	
B_164_168 Size		IN	$\varnothing$ 0.9864 +0.005/-0.005 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_114		0.98640	0.98640	0.00500	0.00500	0.00000	0.00000	
CYL_114 - LS		0.98640	0.98640	0.00500	0.00500	0.00000	0.00000	
B_164_168		IN	$\varnothing$ 0.028 (M) C1 A1 (M)				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_114 (START PT)	X	2.12500	2.12500			0.00000		
	Z	3.31200	3.31200			-0.00000		
	TP	0.00000	0.00000	0.02800	0.00000	0.00000	0.00000	0.00500
↔	IN	B_170 - PLN_12 TO DAT_C1 (XAXIS)						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
M		4.25000	4.25000	0.00500	0.00500	0.00000	0.00000	
B_172_176 Size		IN	$\varnothing$ 0.20045 +0.00365/-0.00365 CIRCULAR ELEMEI				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_116		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_116 - LS		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_117		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_117 - LS		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	

B_172_176		IN	$\varnothing$ 0.016 $\text{\textcircled{M}}$				ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_116 (START PT)	X	3.37500	3.37500			0.00000		
	Z	1.18800	1.18800			-0.00000		
	TP	0.00000	0.00000	0.01600	0.00000	0.00000	0.00000	0.00365
CYL_117 (START PT)	X	3.37500	3.37500			0.00000		
	Z	0.00000	0.00000			0.00000		
	TP	0.00000	0.00000	0.01600	0.00000	0.00000	0.00000	0.00365
B 177 is unable to measure due to probe length constraint								
B_179-CYL_112			IN	$\varnothing$ 0.68325 +0.00525/-0.00525 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.68325	0.68325	0.00525	0.00525	0.00000	0.00000	
Local Size		0.68325	0.68325	0.00525	0.00525	0.00000	0.00000	
B_181-CYL_111			IN	$\varnothing$ 0.6875 +0.001/-0.001 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.68750	0.68750	0.00100	0.00100	0.00000	0.00000	
Local Size		0.68750	0.68750	0.00100	0.00100	0.00000	0.00000	
B_184-CYL_106			IN	$\varnothing$ 0.75 +0.001/-0.001 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.75000	0.75000	0.00100	0.00100	0.00000	0.00000	
Local Size		0.75000	0.75000	0.00100	0.00100	0.00000	0.00000	
	IN	B_193 - DAT_A1 TO CYL_106 (ZAXIS)						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
M		1.62500	1.62500	0.01000	0.01000	0.00000	0.00000	
	IN	B_194_1 - CYL_106 TO CYL_116 (ZAXIS)						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
M		0.59400	0.59400	0.01000	0.01000	0.00000	0.00000	
	IN	B_194_2 - CYL_106 TO CYL_117 (ZAXIS)						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
M		0.59400	0.59400	0.01000	0.01000	0.00000	0.00000	
	IN	B_227 - DAT_A1 TO PLN_3 (YAXIS)						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
M		1.00000	1.00000	0.01500	0.01500	0.00000	0.00000	
B_228_229 Size		IN	$\varnothing$ 4.124 +0.0005/-0.0005 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_147		4.12400	4.12400	0.00050	0.00050	0.00000	0.00000	
CYL_147 - LS		4.12400	4.12400	0.00050	0.00050	0.00000	0.00000	
B_228_229		IN	$\varnothing$ 0.002 $\text{\textcircled{M}}$ F1 $\text{\textcircled{M}}$				DEFAULT	ASME Y14.5
Feature		AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
CYL_147 (START PT)	Y		0.00000	0.00000			0.00000	
	Z		0.00000	0.00000			0.00000	
	TP		0.00000	0.00000	0.00200	0.00000	0.00000	0.00050

B_230 Size		IN	Ø 4.124 +0.0005/-0.0005 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_147	4.12400	4.12400	0.00050	0.00050	0.00000	0.00000		
CYL_147 - LS	4.12400	4.12400	0.00050	0.00050	0.00000	0.00000		
B_230		IN	 Ø 0.001  C1				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS	
CYL_147	0.00000	0.00000	0.00100	0.00000	0.00000	0.00000	0.00050	
	IN	B_234 - PLN_18 TO DAT_C1 (XAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	0.40500	0.40500	0.01000	0.01000	0.00000	0.00000		
B_250		IN	 0.0005				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
PLN_14	0.00000	0.00000	0.00050		0.00000	0.00000		
	IN	B_251 - PLN_14 TO DAT_C1 (XAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	1.03100	1.03100	0.01000	0.01000	0.00000	0.00000		
B_254_255 Size		IN	Ø 1.25 +0.001/-0.001 OPPOSED POINTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_B1	1.25000	1.25000	0.00100	0.00100	0.00000	0.00000		
DAT_B1 - LS	1.25000	1.25000	0.00100	0.00100	0.00000	0.00000		
B_254_255		IN	 Ø 0.001  F1 				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
	Y	0.00000	0.00000			0.00000		
	Z	0.00000	0.00000			0.00000		
DAT_B1	TP	0.00000	0.00000	0.00100	0.00000	0.00000	0.00000	0.00100
B_257-CIR_11			IN	Ø 0.906 +0.031/-0.031 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	0.90600	0.90600	0.03100	0.03100	0.00000	0.00000		
Local Size	0.90600	0.90600	0.03100	0.03100	0.00000	0.00000		
B_258-CYL_136			IN	Ø 2.5 +0.01/-0.01 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	2.50000	2.50000	0.01000	0.01000	0.00000	0.00000		
Local Size	2.50000	2.50000	0.01000	0.01000	0.00000	0.00000		
B_260_261 Size		IN	Ø 1.12525 +0.00025/-0.00025 OPPOSED POINTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_F1	1.12525	1.12525	0.00025	0.00025	0.00000	0.00000		
DAT_F1 - LS	1.12525	1.12525	0.00025	0.00025	0.00000	0.00000		
B_260_261		IN	 Ø 0.002 A1 				DEFAULT	ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
	Y	0.00000	0.00000			0.00000		
	Z	0.00000	0.00000			0.00000		
DAT_F1	TP	0.00000	0.00000	0.00200	0.00000	0.00000	0.00000	0.00000

↔	IN	B_264 - PLN_5 TO DAT_C1 (XAXIS)						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
M		0.35900	0.35900	0.01000	0.01000	0.00000	0.00000	
↔	IN	B_266 - PLN_6 TO DAT_C1 (XAXIS)						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
M		0.87500	0.87500	0.00500	0.00500	0.00000	0.00000	
B_273		IN	// 0.005 C1			DEFAULT		ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
PLN_12		0.00000	0.00000	0.00500	0.00000	0.00000	0.00000	
B_274		IN	▱ 0.005			DEFAULT		ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
PLN_15		0.00000	0.00000	0.00500		0.00000	0.00000	
↔	IN	B_275 - PLN_15 TO PLN_14 (XAXIS)						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
M		2.12550	2.12550	0.00250	0.00250	0.00000	0.00000	
B_290_294 Size		IN	∅ 0.20045 +0.00365/-0.00365 CIRCULAR ELEMEI			DEFAULT		ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_137		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_137 - LS		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_138		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_138 - LS		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_139		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
CYL_139 - LS		0.20045	0.20045	0.00365	0.00365	0.00000	0.00000	
B_290_294		IN	⊕ ∅ 0.022 Ⓜ B1			DEFAULT		ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_137 (START PT)	Y	0.40600	0.40600			0.00000		
	Z	0.70300	0.70300			0.00000		
	TP	0.00000	0.00000	0.02200	0.00000	0.00000	0.00000	
CYL_138 (END PT)	Y	-0.81200	-0.81200			0.00000		
	Z	-0.00000	-0.00000			-0.00000		
	TP	0.00000	0.00000	0.02200	0.00000	0.00000	0.00000	
CYL_139 (START PT)	Y	0.40600	0.40600			0.00000		
	Z	-0.70300	-0.70300			0.00000		
	TP	0.00000	0.00000	0.02200	0.00000	0.00000	0.00000	
B_299_303 Size		IN	∅ 0.9864 +0.005/-0.005 CIRCULAR ELEMENTS			DEFAULT		ASME Y14.5
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
CYL_134		0.98640	0.98640	0.00500	0.00500	0.00000	0.00000	
CYL_134 - LS		0.98640	0.98640	0.00500	0.00500	0.00000	0.00000	
B_299_303		IN	⊕ ∅ 0.028 Ⓜ C1 A1 Ⓜ			DEFAULT		ASME Y14.5
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_134 (START PT)	X	3.06200	3.06200			0.00000		
	Z	-2.06200	-2.06200			0.00000		
	TP	0.00000	0.00000	0.02800	0.00000	0.00000	0.00000	

S_1-CIR_16			IN	Ø 0.1185 +0.0075/-0.0075 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		0.11600	0.11850	0.00750	0.00750	-0.00250	0.00000	
Local Size		0.11600	0.11850	0.00750	0.00750	-0.00250	0.00000	
	DEG	B_2_1 - LIN1 TO ZAXIS						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
A		45.00000	45.00000	2.00000	2.00000	0.00000	0.00000	
	DEG	B_2_2 - LIN2 TO ZAXIS						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
A		45.00000	45.00000	2.00000	2.00000	0.00000	0.00000	
	IN	B_3_1 - PLN_25 TO PLN_26						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
M		0.50000	0.50000	0.01000	0.01000	0.00000	0.00000	
	IN	B_3_2 - PLN_22 TO PLN_23						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
M		0.50000	0.50000	0.01000	0.01000	0.00000	0.00000	
B_4_1-CIR_28			IN	Ø 4.156 +0.01/-0.01 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		4.15600	4.15600	0.01000	0.01000	0.00000	0.00000	
Local Size		4.15600	4.15600	0.01000	0.01000	0.00000	0.00000	
B_4_2-CIR_29			IN	Ø 4.156 +0.01/-0.01 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
UAME		4.15600	4.15600	0.01000	0.01000	0.00000	0.00000	
Local Size		4.15600	4.15600	0.01000	0.01000	0.00000	0.00000	
	IN	B_112_1 - CIR_20						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
R		0.13500	0.13500	0.01000	0.01000	0.00000	0.00000	
	IN	B_112_2 - CIR_27						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
R		0.13500	0.13500	0.01000	0.01000	0.00000	0.00000	
	IN	B_122 - DAT_F2 TO PLN_24 (YAXIS)						
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
M		5.09400	5.09400	0.01000	0.01000	0.00000	0.00000	
B_202_204 Size		IN	Ø 1.438 +0.031/-0.031 CIRCULAR ELEMENTS			DEFAULT	ASME Y14.5	
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
DAT_H2		1.43800	1.43800	0.03100	0.03100	0.00000	0.00000	
DAT_H2 - LS		1.43800	1.43800	0.03100	0.03100	0.00000	0.00000	
B_202_204		IN	Ø 0.02 G2			DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_H2	X	0.00000	0.00000			0.00000		
	Z	2.12500	2.12500			0.00000		
(START PT)	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	



↔	IN	B_208 - PLN_32 TO PLN_31 (XAXIS)							
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M		3.40300	3.40300	0.20300	0.20300	0.00000	0.00000		
↔	IN	B_210_1 - DAT_G2 TO PLN_31 (XAXIS)							
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M		1.70300	1.70000	0.01000	0.01000	0.00300	0.00000		
↔	IN	B_210_2 - DAT_G2 TO PLN_32 (XAXIS)							
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M		1.70000	1.70000	0.01000	0.01000	0.00000	0.00000		
B_212_216_217 Size		IN	Ø 0.32515 +0.00365/-0.00365 CIRCULAR ELEMENT				DEFAULT	ASME Y14.5	
Feature		AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	
DAT_J2			0.32515	0.32515	0.00365	0.00365	0.00000	0.00000	
DAT_J2 - LS			0.32515	0.32515	0.00365	0.00365	0.00000	0.00000	
CYL_204			0.32515	0.32515	0.00365	0.00365	0.00000	0.00000	
CYL_204 - LS			0.32515	0.32515	0.00365	0.00365	0.00000	0.00000	
CYL_205			0.32515	0.32515	0.00365	0.00365	0.00000	0.00000	
CYL_205 - LS			0.32515	0.32515	0.00365	0.00365	0.00000	0.00000	
CYL_206			0.32515	0.32515	0.00365	0.00365	0.00000	0.00000	
CYL_206 - LS			0.32515	0.32515	0.00365	0.00365	0.00000	0.00000	
B_212_216_217		IN	⊕ Ø 0.026 (M) G2-H2 (M)				DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS	
DAT_J2 (START PT)	X	-1.27800	-1.27800			0.00000			
	Z	1.06200	1.06200			0.00000			
	TP	0.00000	0.00000	0.02600	0.00000	0.00000	0.00000	0.00365	
CYL_204 (START PT)	X	-0.90600	-0.90600			0.00000			
	Z	3.03100	3.03100			-0.00000			
	TP	0.00000	0.00000	0.02600	0.00000	0.00000	0.00000	0.00365	
CYL_205 (START PT)	X	0.90600	0.90600			0.00000			
	Z	3.03100	3.03100			0.00000			
	TP	0.00000	0.00000	0.02600	0.00000	0.00000	0.00000	0.00365	
CYL_206 (END PT)	X	1.27800	1.27800			0.00000			
	Z	1.06200	1.06200			0.00000			
	TP	0.00000	0.00000	0.02600	0.00000	0.00000	0.00000	0.00365	
B_212_216_217		IN	⊕ Ø 0.015 (M)				DEFAULT	ASME Y14.5	
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS	
DAT_J2 (START PT)	X	-1.27800	-1.27800			0.00000			
	Z	1.06200	1.06200			0.00000			
	TP	0.00000	0.00000	0.01500	0.00000	0.00000	0.00000	0.00365	
CYL_204 (START PT)	X	-0.90600	-0.90600			0.00000			
	Z	3.03100	3.03100			-0.00000			
	TP	0.00000	0.00000	0.01500	0.00000	0.00000	0.00000	0.00365	
CYL_205 (START PT)	X	0.90600	0.90600			0.00000			
	Z	3.03100	3.03100			0.00000			
	TP	0.00000	0.00000	0.01500	0.00000	0.00000	0.00000	0.00365	
CYL_206 (END PT)	X	1.27800	1.27800			0.00000			
	Z	1.06200	1.06200			0.00000			
	TP	0.00000	0.00000	0.01500	0.00000	0.00000	0.00000	0.00365	

	DEG	B_218 - LIN_22 TO DAT_C2						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
A	20.00000	20.00000	0.50000	0.50000	0.00000	0.00000		
	IN	B_222 - PLN_33 TO PLN_34 (ZAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	4.88650	4.88650	0.13650	0.13650	0.00000	0.00000		
B_223-CIR_33			IN	Ø 5.825 +0.01/-0.01 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	5.82500	5.82500	0.01000	0.01000	0.00000	0.00000		
Local Size	5.82500	5.82500	0.01000	0.01000	0.00000	0.00000		
	IN	B_224 - CIR_34						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
D	5.67500	5.67500	0.01000	0.01000	0.00000	0.00000		
B_225 Size		IN	Ø 5.675 +0.01/-0.01					ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CIR_34	5.67500	5.67500	0.01000	0.01000	0.00000	0.00000		
B_225		IN	Ø0.005 D2		AXIS	DEFAULT	ASME Y14.5	
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CIR_34	0.00000	0.00000	0.00500	0.00000	0.00000	0.00000		
B_226-CIR_35			IN	Ø 4.97 +0.01/-0.01 CIRCULAR ELEMENTS				
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME	4.97000	4.97000	0.01000	0.01000	0.00000	0.00000		
Local Size	4.97000	4.97000	0.01000	0.01000	0.00000	0.00000		
B_231_233 Size		IN	Ø 0.3525 +0.0115/-0.0115 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5
Feature	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_210	0.35250	0.35250	0.01150	0.01150	0.00000	0.00000		
CYL_210 - LS	0.35250	0.35250	0.01150	0.01150	0.00000	0.00000		
CYL_202	0.35250	0.35250	0.01150	0.01150	0.00000	0.00000		
CYL_202 - LS	0.35250	0.35250	0.01150	0.01150	0.00000	0.00000		
B_231_233		IN	Ø 0.015 M J2 M		DEFAULT	ASME Y14.5		
Feature	AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_210 (START PT)	X	2.18400	2.18400			-0.00000		
	Z	-1.96800	-1.96800			0.00000		
	TP	0.00000	0.00000	0.01500	0.00000	0.00000	0.00000	
CYL_202 (START PT)	X	0.37200	0.37200			0.00000		
	Z	-1.96800	-1.96800			0.00000		
	TP	0.00000	0.00000	0.01500	0.00000	0.00000	0.00000	
	IN	B_236 - CIR_34 TO DAT_C2 (XAXIS)						
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M	0.23500	0.23500	0.00500	0.00500	0.00000	0.00000		

B_238-CYL_203				IN	Ø 0.4855 +0.0085/-0.0085 CIRCULAR ELEMENTS				
MODIFIER		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
UAME		0.48400	0.48550	0.00850	0.00850	-0.00150	0.00000		
Local Size		0.48400	0.48550	0.00850	0.00850	-0.00150	0.00000		
B_240_244 Size		IN	Ø 0.5125 +0.0041/-0.0041 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5	
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_207		0.51250	0.51250	0.00410	0.00410	0.00000	0.00000		
CYL_207 - LS		0.51250	0.51250	0.00410	0.00410	0.00000	0.00000		
B_240_244		IN	⊕ Ø 0.028 Ⓜ C2 A2 Ⓜ				DEFAULT	ASME Y14.5	
Feature		AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_207 (START PT)	X	-3.37500	-3.37500			0.00000			
	Z	-2.25000	-2.25000			0.00000			
	TP	0.00000	0.00000	0.02800	0.00000	0.00000	0.00000	0.00410	
B_245_247 Size		IN	Ø 1.438 +0.031/-0.031 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5	
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
DAT_G2		1.43800	1.43800	0.03100	0.03100	0.00000	0.00000		
DAT_G2 - LS		1.43800	1.43800	0.03100	0.03100	0.00000	0.00000		
B_245_247		IN	⊕ Ø 0.02 Ⓜ					ASME Y14.5	
Feature		AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
DAT_G2 (START PT)	X	-0.25000	-0.25000			0.00000			
	Z	0.50000	0.50000			0.00000			
	TP	0.00000	0.00000	0.02000	0.00000	0.00000	0.00000	0.03100	
	IN	B_280 - PLN_24 TO PLN_22 (YAXIS)							
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M		0.50000	0.50000	0.01000	0.01000	0.00000	0.00000		
B_282		IN	▱ 0.002				DEFAULT	ASME Y14.5	
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
PLN_24		0.00000	0.00000	0.00200		0.00000	0.00000		
B_283_287 Size		IN	Ø 0.3125 +0.0005/-0.0005 CIRCULAR ELEMENTS				DEFAULT	ASME Y14.5	
Feature		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
CYL_201		0.31250	0.31250	0.00050	0.00050	0.00000	0.00000		
CYL_201 - LS		0.31250	0.31250	0.00050	0.00050	0.00000	0.00000		
B_283_287		IN	⊕ Ø 0.002 Ⓜ C2 D2 Ⓜ				DEFAULT	ASME Y14.5	
Feature		AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL	BONUS
CYL_201 (END PT)	Y	0.00000	0.00000			0.00000			
	Z	2.28100	2.28100			0.00000			
	TP	0.00000	0.00000	0.00200	0.00000	0.00000	0.00000	0.00050	
	IN	B_306 - DAT_C2 TO CIR_24 (XAXIS)							
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M		3.39100	3.39100	0.01000	0.01000	0.00000	0.00000		
	IN	B_307 - CIR_25 TO CIR_24 (XAXIS)							
AX		MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL		
M		2.03100	2.03100	0.01000	0.01000	0.00000	0.00000		

B_308_1-CIR_24			IN	Ø 0.0875 +0.00035/-0.00035 CIRCULAR ELEMENTS		
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
UAME	0.08750	0.08750	0.00035	0.00035	0.00000	0.00000
Local Size	0.08750	0.08750	0.00035	0.00035	0.00000	0.00000
B_308_2-CIR_25			IN	Ø 0.0875 +0.00035/-0.00035 CIRCULAR ELEMENTS		
MODIFIER	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
UAME	0.08750	0.08750	0.00035	0.00035	0.00000	0.00000
Local Size	0.08750	0.08750	0.00035	0.00035	0.00000	0.00000
↔	IN	B_310_1 - PLN_24 TO CIR_24 (YAXIS)				
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M	0.46800	0.46800	0.01000	0.01000	0.00000	0.00000
↔	IN	B_310_2 - PLN_24 TO CIR_25 (YAXIS)				
AX	MEAS	NOMINAL	+TOL	-TOL	DEV	OUTTOL
M	0.46800	0.46800	0.01000	0.01000	0.00000	0.00000