

NM DATA ANALYTICS ASSIGNMENT 3 House Price dataset of India

DONE BY Surya Prakash P

Importing the necessary libraries for EDA and data preprocessing

```
In [2]: import pandas as pd  
import numpy as np  
import matplotlib.pyplot as plt  
import seaborn as sns  
import folium  
from scipy import stats
```

Converting csv file into dataframe

```
In [3]: df=pd.read_csv('C:/Users/Reshma/Downloads/House Price India.csv')
```

```
In [4]: df=df.drop(['Date'],axis=1)
```

```
In [5]: df
```

Out[5]:

	id	number of bedrooms	number of bathrooms	living area	lot area	number of floors	waterfront present	number of views	condition of the house	grade of the house	...	Built Year	Renovatio n Year
0	6762810145	5	2.50	3650	9050	2.0	0	4	5	10	...	1921	
1	6762810635	4	2.50	2920	4000	1.5	0	0	5	8	...	1909	
2	6762810998	5	2.75	2910	9480	1.5	0	0	3	8	...	1939	
3	6762812605	4	2.50	3310	42998	2.0	0	0	3	9	...	2001	
4	6762812919	3	2.00	2710	4500	1.5	0	0	4	8	...	1929	
...
14615	6762830250	2	1.50	1556	20000	1.0	0	0	4	7	...	1957	
14616	6762830339	3	2.00	1680	7000	1.5	0	0	4	7	...	1968	
14617	6762830618	2	1.00	1070	6120	1.0	0	0	3	6	...	1962	
14618	6762830709	4	1.00	1030	6621	1.0	0	0	4	6	...	1955	
14619	6762831463	3	1.00	900	4770	1.0	0	0	3	6	...	1969	200

14620 rows × 22 columns

In [6]: `df.head()`

Out[6]:

	id	number of bedrooms	number of bathrooms	living area	lot area	number of floors	waterfront present	number of views	condition of the house	grade of the house	...	Built Year	Renovation Year	F
0	6762810145	5	2.50	3650	9050	2.0	0	4	5	10	...	1921		0 1:
1	6762810635	4	2.50	2920	4000	1.5	0	0	5	8	...	1909		0 1:
2	6762810998	5	2.75	2910	9480	1.5	0	0	3	8	...	1939		0 1:
3	6762812605	4	2.50	3310	42998	2.0	0	0	3	9	...	2001		0 1:
4	6762812919	3	2.00	2710	4500	1.5	0	0	4	8	...	1929		0 1:

5 rows × 22 columns

◀	▶
---	---

In [7]: `df.tail()`

Out[7]:

	id	number of bedrooms	number of bathrooms	living area	lot area	number of floors	waterfront present	number of views	condition of the house	grade of the house	...	Built Year	Renovation Year	F
14615	6762830250	2	1.5	1556	20000	1.0	0	0	4	7	...	1957		
14616	6762830339	3	2.0	1680	7000	1.5	0	0	4	7	...	1968		
14617	6762830618	2	1.0	1070	6120	1.0	0	0	3	6	...	1962		
14618	6762830709	4	1.0	1030	6621	1.0	0	0	4	6	...	1955		
14619	6762831463	3	1.0	900	4770	1.0	0	0	3	6	...	1969	200	

5 rows × 22 columns

◀	▶
---	---

Checking for null and duplicated values

```
In [8]: df.isna().sum()
```

```
Out[8]: id                      0  
number of bedrooms              0  
number of bathrooms              0  
living area                     0  
lot area                        0  
number of floors                 0  
waterfront present              0  
number of views                  0  
condition of the house          0  
grade of the house               0  
Area of the house(excluding basement) 0  
Area of the basement             0  
Built Year                       0  
Renovation Year                  0  
Postal Code                       0  
Latitude                          0  
Longitude                         0  
living_area_renov                0  
lot_area_renov                   0  
Number of schools nearby         0  
Distance from the airport        0  
Price                             0  
dtype: int64
```

```
In [9]: df.duplicated().sum()
```

```
Out[9]: 0
```

```
In [10]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 14620 entries, 0 to 14619
Data columns (total 22 columns):
 #   Column           Non-Null Count  Dtype  
 --- 
 0   id               14620 non-null   int64  
 1   number of bedrooms 14620 non-null   int64  
 2   number of bathrooms 14620 non-null   float64 
 3   living area       14620 non-null   int64  
 4   lot area          14620 non-null   int64  
 5   number of floors   14620 non-null   float64 
 6   waterfront present 14620 non-null   int64  
 7   number of views    14620 non-null   int64  
 8   condition of the house 14620 non-null   int64  
 9   grade of the house 14620 non-null   int64  
 10  Area of the house(excluding basement) 14620 non-null   int64  
 11  Area of the basement 14620 non-null   int64  
 12  Built Year        14620 non-null   int64  
 13  Renovation Year   14620 non-null   int64  
 14  Postal Code       14620 non-null   int64  
 15  Latitude          14620 non-null   float64 
 16  Longitude         14620 non-null   float64 
 17  living_area_renov 14620 non-null   int64  
 18  lot_area_renov    14620 non-null   int64  
 19  Number of schools nearby 14620 non-null   int64  
 20  Distance from the airport 14620 non-null   int64  
 21  Price              14620 non-null   int64  
dtypes: float64(4), int64(18)
memory usage: 2.5 MB
```

In [11]: df.describe()

Out[11]:

	id	number of bedrooms	number of bathrooms	living area	lot area	number of floors	waterfront present	number of views	condition
count	1.462000e+04	14620.000000	14620.000000	14620.000000	1.462000e+04	14620.000000	14620.000000	14620.000000	14620.000000
mean	6.762821e+09	3.379343	2.129583	2098.262996	1.509328e+04	1.502360	0.007661	0.233105	3.000000
std	6.237575e+03	0.938719	0.769934	928.275721	3.791962e+04	0.540239	0.087193	0.766259	0.000000
min	6.762810e+09	1.000000	0.500000	370.000000	5.200000e+02	1.000000	0.000000	0.000000	1.000000
25%	6.762815e+09	3.000000	1.750000	1440.000000	5.010750e+03	1.000000	0.000000	0.000000	3.000000
50%	6.762821e+09	3.000000	2.250000	1930.000000	7.620000e+03	1.500000	0.000000	0.000000	3.000000
75%	6.762826e+09	4.000000	2.500000	2570.000000	1.080000e+04	2.000000	0.000000	0.000000	4.000000
max	6.762832e+09	33.000000	8.000000	13540.000000	1.074218e+06	3.500000	1.000000	4.000000	5.000000


8 rows × 22 columns

UNIVARIATE ANALYSIS

Checking for outliers

In [12]: `sns.boxplot(df['number of bedrooms'])`

Out[12]: <AxesSubplot:>



```
In [13]: z=np.abs(stats.zscore(df['number of bedrooms']))
```

```
In [14]: threshold=3  
print(np.where(z>3),len(np.where(z>3)[0]))
```

```
(array([ 76, 243, 268, 275, 624, 785, 1512, 1519, 1553,  
       1706, 2814, 3109, 3114, 3322, 3532, 3600, 4207, 4486,  
       4658, 4680, 6591, 6596, 6730, 6982, 6998, 7003, 7454,  
       8559, 8650, 9282, 9629, 9810, 9955, 10168, 10177, 10676,  
      10748, 10916, 10944, 11247, 11441, 11547, 11877, 12273, 13048,  
     13444, 13825, 14220, 14481]),) 49
```

```
In [15]: print(np.where(z<-3))
```


```
(array([], dtype=int64),)
```

There are 138 outliers in number of bedrooms as proved from the boxplot and the fact that there are observations whose z-score is beyond 3

```
In [16]: df1=df[(z< 3)]
```

```
In [17]: sns.boxplot(df1['number of bedrooms'])
```

```
Out[17]: <AxesSubplot:>
```



```
In [18]: df1
```


Out[18]:

	id	number of bedrooms	number of bathrooms	living area	lot area	number of floors	waterfront present	number of views	condition of the house	grade of the house	...	Built Year	Renovatio n Year
0	6762810145	5	2.50	3650	9050	2.0	0	4	5	10	...	1921	
1	6762810635	4	2.50	2920	4000	1.5	0	0	5	8	...	1909	
2	6762810998	5	2.75	2910	9480	1.5	0	0	3	8	...	1939	
3	6762812605	4	2.50	3310	42998	2.0	0	0	3	9	...	2001	
4	6762812919	3	2.00	2710	4500	1.5	0	0	4	8	...	1929	
...
14615	6762830250	2	1.50	1556	20000	1.0	0	0	4	7	...	1957	
14616	6762830339	3	2.00	1680	7000	1.5	0	0	4	7	...	1968	
14617	6762830618	2	1.00	1070	6120	1.0	0	0	3	6	...	1962	
14618	6762830709	4	1.00	1030	6621	1.0	0	0	4	6	...	1955	
14619	6762831463	3	1.00	900	4770	1.0	0	0	3	6	...	1969	200

14571 rows × 22 columns

In [19]: `sns.boxplot(df1['number of bathrooms'])`

Out[19]: <AxesSubplot:>



```
In [20]: z=np.abs(stats.zscore(df1['number of bathrooms']))
```

```
In [21]: len(np.where(z>3)[0])
```

```
Out[21]: 124
```


```
In [22]: print(np.where(z<-3))
```

```
(array([], dtype=int64),)
```

```
In [23]: df1=df1[(z< 3)]
```

```
In [24]: sns.boxplot(df1['number of bathrooms'])
```

```
Out[24]: <AxesSubplot:>
```



```
In [25]: df1
```

Out[25]:


	id	number of bedrooms	number of bathrooms	living area	lot area	number of floors	waterfront present	number of views	condition of the house	grade of the house	...	Built Year	Renovatio n Year
0	6762810145	5	2.50	3650	9050	2.0	0	4	5	10	...	1921	
1	6762810635	4	2.50	2920	4000	1.5	0	0	5	8	...	1909	
2	6762810998	5	2.75	2910	9480	1.5	0	0	3	8	...	1939	
3	6762812605	4	2.50	3310	42998	2.0	0	0	3	9	...	2001	
4	6762812919	3	2.00	2710	4500	1.5	0	0	4	8	...	1929	
...
14615	6762830250	2	1.50	1556	20000	1.0	0	0	4	7	...	1957	
14616	6762830339	3	2.00	1680	7000	1.5	0	0	4	7	...	1968	
14617	6762830618	2	1.00	1070	6120	1.0	0	0	3	6	...	1962	
14618	6762830709	4	1.00	1030	6621	1.0	0	0	4	6	...	1955	
14619	6762831463	3	1.00	900	4770	1.0	0	0	3	6	...	1969	200

14447 rows × 22 columns

There are 124 outliers in number of bathrooms as proved from the boxplot and the fact that there are observations whose z-score is beyond 3

In [26]: `sns.boxplot(df1['living area'])`

Out[26]: <AxesSubplot:>



```
In [27]: z=np.abs(stats.zscore(df1['living area']))
```

```
In [28]: len(np.where(z>3)[0])
```

```
Out[28]: 136
```


```
In [29]: len(np.where(z<-3)[0])
```

```
Out[29]: 0
```

```
In [30]: df1=df1[(z<3)]
```

```
In [31]: sns.boxplot(df1['living area'])
```

```
Out[31]: <AxesSubplot:>
```



```
In [32]: z=np.abs(stats.zscore(df1['living area']))
```


```
In [33]: len(np.where(z>3)[0])
```

```
Out[33]: 67
```

```
In [34]: df1=df1[(z<3)]
```

```
In [35]: sns.boxplot(df1['living area'])
```

```
Out[35]: <AxesSubplot: >
```



In [36]: df1

Out[36]:


	id	number of bedrooms	number of bathrooms	living area	lot area	number of floors	waterfront present	number of views	condition of the house	grade of the house	...	Built Year	Renovation Year
0	6762810145	5	2.50	3650	9050	2.0	0	4	5	10	...	1921	
1	6762810635	4	2.50	2920	4000	1.5	0	0	5	8	...	1909	
2	6762810998	5	2.75	2910	9480	1.5	0	0	3	8	...	1939	
3	6762812605	4	2.50	3310	42998	2.0	0	0	3	9	...	2001	
4	6762812919	3	2.00	2710	4500	1.5	0	0	4	8	...	1929	
...
14615	6762830250	2	1.50	1556	20000	1.0	0	0	4	7	...	1957	
14616	6762830339	3	2.00	1680	7000	1.5	0	0	4	7	...	1968	
14617	6762830618	2	1.00	1070	6120	1.0	0	0	3	6	...	1962	
14618	6762830709	4	1.00	1030	6621	1.0	0	0	4	6	...	1955	
14619	6762831463	3	1.00	900	4770	1.0	0	0	3	6	...	1969	200

14244 rows × 22 columns

There are 205 outliers in living as proved from the boxplot and the fact that there are observations whose z-score is beyond 3

In [37]: `sns.boxplot(df1['number of floors'])`

Out[37]: <AxesSubplot:>



```
In [38]: z=np.abs(stats.zscore(df1['number of floors']))
```


```
In [39]: len(np.where(z>3)[0])
```

```
Out[39]: 3
```

```
In [40]: df1=df1[(z<3)]
```

```
In [41]: sns.boxplot(df1['number of floors'])
```


```
Out[41]: <AxesSubplot:>
```



There are 3 outliers in number of floors

```
In [42]: sns.boxplot(df1['Price'])
```

```
Out[42]: <AxesSubplot:>
```



```
In [43]: z=np.abs(stats.zscore(df1['Price']))
```

```
In [44]: len(np.where(z>3)[0])
```

```
Out[44]: 259
```

```
In [45]: df1=df1[(z<3)]
```

```
In [46]: df1
```

Out[46]:

	id	number of bedrooms	number of bathrooms	living area	lot area	number of floors	waterfront present	number of views	condition of the house	grade of the house	...	Built Year	Renovatio n Year
2	6762810998	5	2.75	2910	9480	1.5	0	0	3	8	...	1939	
3	6762812605	4	2.50	3310	42998	2.0	0	0	3	9	...	2001	
4	6762812919	3	2.00	2710	4500	1.5	0	0	4	8	...	1929	
5	6762813105	3	2.50	2600	4750	1.0	0	0	4	9	...	1951	
6	6762813157	5	3.25	3660	11995	2.0	0	2	3	10	...	2006	
...
14615	6762830250	2	1.50	1556	20000	1.0	0	0	4	7	...	1957	
14616	6762830339	3	2.00	1680	7000	1.5	0	0	4	7	...	1968	
14617	6762830618	2	1.00	1070	6120	1.0	0	0	3	6	...	1962	
14618	6762830709	4	1.00	1030	6621	1.0	0	0	4	6	...	1955	
14619	6762831463	3	1.00	900	4770	1.0	0	0	3	6	...	1969	200

13982 rows × 22 columns

In [47]: df1=df1.drop(['Renovation Year'],axis=1)

In [48]: df1

Out[48]:

		id	number of bedrooms	number of bathrooms	living area	lot area	number of floors	waterfront present	number of views	condition of the house	grade of the house	...	Area of the basement	Built Year
2	6762810998		5	2.75	2910	9480	1.5	0	0	3	8	...	0	1939
3	6762812605		4	2.50	3310	42998	2.0	0	0	3	9	...	0	2001
4	6762812919		3	2.00	2710	4500	1.5	0	0	4	8	...	830	1929
5	6762813105		3	2.50	2600	4750	1.0	0	0	4	9	...	900	1951
6	6762813157		5	3.25	3660	11995	2.0	0	2	3	10	...	0	2006
...
14615	6762830250		2	1.50	1556	20000	1.0	0	0	4	7	...	0	1957
14616	6762830339		3	2.00	1680	7000	1.5	0	0	4	7	...	0	1968
14617	6762830618		2	1.00	1070	6120	1.0	0	0	3	6	...	0	1962
14618	6762830709		4	1.00	1030	6621	1.0	0	0	4	6	...	0	1955
14619	6762831463		3	1.00	900	4770	1.0	0	0	3	6	...	0	1969


13982 rows * 21 columns

BI - VARIATE ANALYSIS

The column Renovation year have been removed. This is because most of the Renovation Year are 0 and proves to be of no use to the model

In [49]: `sns.barplot(data=df1,x='number of bedrooms',y='Price')`


```
Out[49]: <AxesSubplot:xlabel='number of bedrooms', ylabel='Price'>
```



Clear indication of Price increasing with number of bedrooms


```
In [50]: sns.barplot(data=df1,x='number of bathrooms',y='Price')
```


```
Out[50]: <AxesSubplot:xlabel='number of bathrooms', ylabel='Price'>
```



Clear indication of Price increasing with number of bathrooms

```
In [51]: plt.figure(figsize=(12,18))
sns.countplot(data=df1,y='Built Year')
plt.show()
```






Most of the houses were listed for sale in 2017

```
In [52]: plt.figure(figsize=(12,18))
sns.countplot(data=df1,y='Postal Code')
plt.show()
```

12 2003
12 2004
12 2005
12 2006
12 2007
12 2008
12 2009
12 2010
12 2011
12 2012
12 2013
12 2014
12 2015
12 201f1
12 2017
12 2018
12 2019
12 2020
12 2021
12 2022
12 2023
12 2024
12 2025
12 2026
12 2027
12 2028
12 2029
12 2030
12 2031
12 2032
12 2033
12 2034
12 2035
12 2036
12 2037
12 2038
12 2039
12 2040
12 2041
12 2042
12 2043
12 2044
122045
~~122046~~



**Most of the houses listed for sale are from the Pincode
122028**

In [53]: `df1[df1['Built Year']==2014]['Latitude'].mean()`


Out[53]: 52.77583376963351

In [54]: `df1[df1['Built Year']==2014]['Longitude'].mean()`

```
Out[54]: -114.38898952879582
```

```
In [55]: m = folium.Map(location = [52.77, -114.4], tiles = 'OpenStreetMap',  
zoom_start=8)  
  
for index, location_info in df1[(df1['Built Year'] == 2014) & (df1['Distance from the airport'] <= 70)].iterrows():  
    folium.Marker([location_info["Latitude"], location_info["Longitude"]], popup=location_info["Price"], icon=folium.  
m
```

```
Out[55]:
```



```
In [56]: df1[df1['Built Year'] >= 2014]['Latitude'].mean()
```

```
Out[56]: 52.77850305343512
```


```
In [57]: df1[df1['Built Year']>=2014]['Longitude'].mean()
```

```
Out[57]: -114.39186768447837
```

```
In [58]: m = folium.Map(location = [52.77, -114.4], tiles = 'OpenStreetMap',
                     zoom_start=8)

for index, location_info in df1[(df1['Built Year']>=2014) & (df1['Distance from the airport']<=70)].iterrows():
    folium.Marker([location_info["Latitude"], location_info["Longitude"]], popup=location_info["Price"], icon=folium.
m
```

Out[58]:



The houses listed for sale in this dataset are located in Alberta, Canada


In [59]: `df1=df1.drop(['id'],axis=1)`

In [60]: `df1=df1.drop(['Postal Code'],axis=1)`

MULTI - VARIATE ANALYSIS

Columns ID and Postal Code have been dropped from df as an increase or decrease in Postal Code shall not directly impact the Price of the property

```
In [61]: plt.figure(figsize=(15,15))
sns.heatmap(df1.corr(), linewidths=0.5, annot=True, cmap='Blues')
plt.show()
```






Columns like 'lot area','condition of the house','Built Year','lot_area_renov','Number of schools nearby','Distance from the airport','Longitude' contribute minimal to Price which is the Target variable. Hence it is removed before training

```
In [62]: df1=df1.drop(['lot area','condition of the house','Built Year','lot_area_renov','Number of schools nearby','Distance
```

```
In [63]: plt.figure(figsize=(15,15))
sns.heatmap(df1.corr(), linewidths=0.5, annot=True, cmap='Blues')
plt.show()
```



--0.2

Price:

living_area_renov

Latitude

Area of the basement

Area of the house(excluding basement)

grade of the house

number of views

waterfront present

number of floors

living area

number of bathrooms

number of bedrooms

Training of Model, Splitting of Dataset into Train and Test Set

```
In [64]: from sklearn.model_selection import train_test_split
```

```
In [65]: X=df1.drop(['Price'],axis =1)
```

```
In [66]: X.shape
```

```
Out[66]: (13982, 11)
```

```
In [67]: y=df1['Price']
```

```
In [68]: y.shape
```

```
Out[68]: (13982,)
```

```
In [69]: X_train,X_test,y_train,y_test= train_test_split(X,y,test_size=0.2,random_state=11)
```

```
In [70]: X_train.shape
```

```
Out[70]: (11185, 11)
```

```
In [71]: X_test.shape
```

```
Out[71]: (2797, 11)
```

```
In [72]: from sklearn.pipeline import make_pipeline
from sklearn.preprocessing import StandardScaler
from sklearn.linear_model import ElasticNet, Lasso, LinearRegression, RidgeCV
from catboost import CatBoostRegressor
from sklearn.ensemble import RandomForestRegressor, GradientBoostingRegressor
from xgboost import XGBRegressor
from sklearn.tree import DecisionTreeRegressor
from sklearn.ensemble import StackingRegressor
from sklearn.svm import SVR
```

```
In [73]: pipelines = {
    'en':make_pipeline(StandardScaler(), ElasticNet()),
    'lasso':make_pipeline(StandardScaler(), Lasso()),
    'Rcv':make_pipeline(StandardScaler(), RidgeCV()),
    'CatB':make_pipeline(StandardScaler(), CatBoostRegressor(eval_metric='RMSE', verbose=1000)),
    'lr':make_pipeline(StandardScaler(), LinearRegression()),
    'rf':make_pipeline(StandardScaler(), RandomForestRegressor()),
    'gb':make_pipeline(StandardScaler(), GradientBoostingRegressor()),
    'dtc':make_pipeline(StandardScaler(), DecisionTreeRegressor()),
    'xg':make_pipeline(StandardScaler(), XGBRegressor())
}
```

```
In [74]: fit_models = {}
for algo, pipeline in pipelines.items():
    model = pipeline.fit(X_train, y_train)
    fit_models[algo] = model
```


```
/opt/conda/lib/python3.7/site-packages/sklearn/linear_model/_coordinate_descent.py:648: ConvergenceWarning: Objective
did not converge. You might want to increase the number of iterations, check the scale of the features or consider inc
reasing regularisation. Duality gap: 4.781e+12, tolerance: 5.929e+10
    coef_, l1_reg, l2_reg, X, y, max_iter, tol, rng, random, positive
Learning rate set to 0.05996
0:    learn: 221490.1496581    total: 61.4ms    remaining: 1m 1s
999:   learn: 77595.2298921    total: 2.85s    remaining: 0us
```

```
In [75]: from sklearn.metrics import mean_absolute_error, mean_squared_error
maes=[]
als[]
for algo, model in fit_models.items():
```

```
yhat = model.predict(X_test)
al.append(algo)
maes.append(mean_squared_error(y_test,yhat)**0.5)
print(algo,'MEAN ABSOLUTE ERROR', mean_absolute_error(y_test,yhat))
print(algo,'ROOT MEAN SQUARED ERROR',mean_squared_error(y_test,yhat)**0.5)

en MEAN ABSOLUTE ERROR 104444.32355671145
en ROOT MEAN SQUARED ERROR 140011.53917862213
lasso MEAN ABSOLUTE ERROR 97479.23118789196
lasso ROOT MEAN SQUARED ERROR 132916.1566456281
Rcv MEAN ABSOLUTE ERROR 97481.91673717603
Rcv ROOT MEAN SQUARED ERROR 132918.333682342
CatB MEAN ABSOLUTE ERROR 66637.30790160663
CatB ROOT MEAN SQUARED ERROR 97508.34029611414
lr MEAN ABSOLUTE ERROR 97574.48622571728
lr ROOT MEAN SQUARED ERROR 132952.7515959945
rf MEAN ABSOLUTE ERROR 69217.89879907611
rf ROOT MEAN SQUARED ERROR 102292.3632979867
gb MEAN ABSOLUTE ERROR 69874.84067217445
gb ROOT MEAN SQUARED ERROR 101056.41447857216
dtc MEAN ABSOLUTE ERROR 96944.72285782386
dtc ROOT MEAN SQUARED ERROR 143316.21683052482
xg MEAN ABSOLUTE ERROR 69035.05210660976
xg ROOT MEAN SQUARED ERROR 100694.41040458805
```

```
In [76]: plt.figure(figsize=(5,5))
plt.xlabel('ML Algorithms... ')
plt.ylabel('Root Mean Squared Errors... ')
ax=sns.barplot(x=al,y=maes)
plt.show()
```



```
In [ ]: CatB = CatBoostRegressor(verbose=1000,eval_metric='RMSE')
rf = RandomForestRegressor()
gb = GradientBoostingRegressor()
xg = XGBRegressor()
lr=LinearRegression()

stregr = StackingRegressor( estimators=[('catb',CatB),('xg', xg),('gb',gb)],
                           final_estimator=lr)

pipeline = make_pipeline(
    StandardScaler(),
    stregr
)
pipeline.fit(X_train, y_train)
```

```
# Generate predictions on the test set
y_pred = pipeline.predict(X_test)

# Evaluate the model
print("Root Mean Squared Error: %.4f" % mean_squared_error(y_test,y_pred)**0.5)
```

```
Learning rate set to 0.05996
0:    learn: 221490.1496581    total: 4.18ms    remaining: 4.18s
999:   learn: 77595.2298921    total: 2.81s    remaining: 0us
Learning rate set to 0.057883
0:    learn: 222091.4863333    total: 3.52ms    remaining: 3.51s
999:   learn: 76337.1933964    total: 2.52s    remaining: 0us
Learning rate set to 0.057883
0:    learn: 222546.8538661    total: 2.94ms    remaining: 2.94s
999:   learn: 75466.5961681    total: 2.51s    remaining: 0us
Learning rate set to 0.057883
0:    learn: 223455.5230951    total: 3.2ms    remaining: 3.2s
999:   learn: 75656.3661258    total: 2.52s    remaining: 0us
Learning rate set to 0.057883
0:    learn: 221606.9467960    total: 3.71ms    remaining: 3.7s
999:   learn: 75195.9699196    total: 2.46s    remaining: 0us
Learning rate set to 0.057883
0:    learn: 219316.0911020    total: 2.47ms    remaining: 2.47s
```

```
In [ ]: mean_squared_error(y_test,y_pred)**0.5
```

```
In [ ]: al.append('stacked model')
maes.append(mean_squared_error(y_test,y_pred)**0.5)
```

```
In [ ]: for i in range(10):
    print("The RMSE of",al[i],'is',maes[i])
```

```
In [ ]: plt.figure(figsize=(9,5))
plt.xlabel('ML Algorithms... ')
plt.ylabel('Root Mean Squared Errors... ')
ax=sns.barplot(x=al,y=maes)
plt.show()
```