TECHNOVA SOLUTIONS PVT. LTD.
INCIDENT RESPONSE

Document ID	TN-OPS-POL-002
Document Type	Operations / Incident Response Policy
Document Owner	Operations Department
Approving Authority	Chief Operating Officer / Managing Director
Classification	Internal — Operations
Version	1.0
Effective Date	01 April 2026
Review Cycle	Annual
Status	Active
Supersedes	New Policy

1. Purpose

This Incident Response policy establishes the framework TechNova Solutions Pvt. Ltd. (“TechNova” or “the Company”) uses to identify, report, assess, contain, resolve, and learn from operational incidents.

The objective is to protect people, customers, Company information, systems, facilities, and critical business services while restoring normal operations in a controlled and timely manner.

2. Scope

This policy applies to employees, contractors, service owners, Operations, Engineering, Information Security, Administration, and other personnel involved in responding to incidents affecting Company operations.

It covers technology, security, facilities, service availability, data, supplier, process, and other incidents that may materially affect Company operations.

3. Incident Definition

An incident is an actual or suspected event that disrupts, degrades, threatens, or may materially affect the confidentiality, integrity, availability, safety, or proper operation of Company resources or services.

- Service outage or degradation
- Security event or suspected unauthorized access
- Data loss or integrity issue
- Facility disruption or safety event
- Critical supplier failure
- Operational process failure
- Major equipment or infrastructure failure

4. Response Principles

- Protect life and safety first.
- Contain material impact as quickly as reasonably possible.
- Use facts and evidence rather than assumptions.

- Assign clear ownership.
- Communicate according to impact and need.
- Preserve evidence where investigation may be required.
- Restore services in a controlled manner.
- Document decisions and actions.
- Learn from significant incidents and improve controls.

5. Incident Roles

Role	Primary Responsibility
Incident Commander	Coordinates response, establishes priorities, assigns actions, and manages overall incident status.
Technical Lead	Coordinates technical diagnosis, containment, recovery, and validation where technology is involved.
Operations Lead	Coordinates business and operational impact, dependencies, facilities, vendors, and continuity actions.
Information Security	Leads or supports security incidents, evidence preservation, containment, and security assessment.
Communications Lead	Coordinates approved internal or external incident communications where assigned.
Business Owner	Assesses business impact and confirms service priorities and recovery requirements.
Subject Matter Experts	Provide specialized knowledge and execute assigned response actions.

6. Incident Ownership

Every material incident should have a clearly identified owner. Ownership may change as the incident evolves, but the handoff must be explicit and documented.

7. Incident Priorities

Priority	Description	Target Response
P1 — Critical	Severe impact to critical business service, safety, major security exposure, or widespread operational disruption.	Immediate coordinated response
P2 — High	Significant service or business impact requiring urgent coordinated action.	Prompt response and active management
P3 — Medium	Limited operational impact with workaround or manageable degradation.	Timely team response
P4 — Low	Minor issue with limited impact.	Normal operational handling

8. Incident Detection

Incidents may be identified through monitoring, alerts, employees, customers, suppliers, audits, security controls, operational checks, or other sources.

- Record what was observed.
- Record the time discovered.
- Identify the affected service or resource.
- Preserve relevant initial evidence.
- Report promptly through the appropriate channel.

9. Incident Reporting

Personnel must report suspected material incidents promptly rather than waiting for complete information.

A report should contain, where known, the affected service, observed symptoms, time, business impact, current actions, and reporter contact information.

10. Initial Triage

The responder should establish the initial scope and urgency without delaying containment of a serious incident.

- What happened?
- What is affected?
- Who or what is impacted?
- When did it begin?
- Is the impact increasing?
- Is there a safety or security concern?
- What immediate action is safe and authorized?

11. Incident Declaration

An incident should be formally declared when the event exceeds routine operational troubleshooting or meets the criteria established for a material incident.

The incident record should identify priority, owner, affected service, start time, and current status.

12. Incident Coordination

- Establish a response channel or bridge where appropriate.
- Assign action owners.
- Maintain a current action list.
- Separate confirmed facts from hypotheses.
- Track decisions and significant changes.
- Escalate when impact or uncertainty increases.

13. Containment

Containment aims to prevent an incident from spreading or causing additional harm.

- Isolate affected systems or resources where appropriate.
- Disable compromised access when authorized.
- Stop unsafe or damaging processes.
- Apply temporary controls.
- Protect critical unaffected services.

14. Security Incident Containment

Security incidents require coordination with Information Security and may require preservation of evidence before making changes that could destroy investigative information.

Personnel must not independently conduct intrusive investigation beyond their authority.

15. Evidence Preservation

- Preserve relevant logs and system records.
- Record important timestamps.
- Avoid unnecessary modification of affected systems.
- Record who collected relevant evidence.
- Store evidence in approved locations.

- Follow applicable legal or security instructions.

16. Investigation

Investigation should identify the cause, contributing factors, affected scope, and appropriate recovery actions.

Incident responders should avoid premature conclusions when evidence is incomplete.

17. Root Cause

For significant or recurring incidents, the response team should identify the underlying technical, process, human, supplier, or environmental factors that contributed to the incident.

18. Recovery

Recovery restores affected services or operations to a stable state.

- Use approved recovery procedures.
- Validate dependencies before restoration.
- Restore data carefully.
- Confirm security controls are active.
- Monitor restored services.
- Communicate recovery status.

19. Service Validation

Before an incident is considered resolved, the responsible owner should verify that critical functionality is operating as expected and that the original condition is no longer causing material impact.

20. Rollback and Recovery Decisions

Where a recent change is suspected to have caused an incident, rollback may be considered when it is safe, technically appropriate, and authorized.

Recovery decisions should consider data integrity, dependencies, user impact, and the risk of making the situation worse.

21. Business Impact Assessment

- Affected customers or employees
- Critical business processes
- Revenue or financial exposure
- Data or confidentiality impact
- Operational capacity
- Regulatory or contractual implications
- Expected duration

22. Stakeholder Communication

Incident communications should be timely, accurate, and proportionate to impact.

- State confirmed facts.
- Describe current impact.
- Identify actions underway.
- Avoid unsupported speculation.

- Provide updates when material conditions change.
- Use approved communication channels.

23. Internal Escalation

Material incidents should be escalated to appropriate management and specialist functions.

- Operations leadership
- Engineering / Technology
- Information Security
- Business owner
- HR for people-related incidents
- Finance for material financial impact
- Legal or executive management where appropriate

24. External Communication

Only authorized personnel may communicate externally about material incidents. Customer, supplier, regulatory, legal, or public communications must follow applicable Company processes.

25. Security and Privacy Notifications

Potential security or privacy incidents must be escalated promptly to Information Security and other designated functions so that applicable assessment, notification, and containment requirements can be evaluated.

26. Supplier Incidents

Incidents caused by or affecting critical suppliers should be coordinated with the internal service owner and supplier-management function.

- Notify the supplier through approved contacts.
- Record supplier response and actions.
- Assess alternative or continuity options.
- Track recovery commitments.

27. Facilities Incidents

Facilities incidents involving safety, physical access, utilities, building systems, or workplace disruption should be escalated to the appropriate Operations or Administration personnel.

Emergency services or building emergency procedures should be used when required.

28. Safety Incidents

Safety incidents and imminent hazards require immediate attention. Personnel should prioritize personal safety and follow emergency procedures rather than attempting unauthorized technical or operational intervention.

29. Data Integrity Incidents

Where data may have been corrupted, lost, duplicated, or incorrectly modified, responders should protect affected data, prevent further damage, assess scope, and use approved recovery procedures.

Do not overwrite potentially useful evidence without considering investigation requirements.

30. Access-Control Incidents

Suspected unauthorized access, credential compromise, privilege misuse, or incorrect access assignment must be escalated to Information Security and the responsible system owner.

- Identify affected account or access path.
- Contain unauthorized access.
- Review relevant logs.
- Revoke or reset access where appropriate.
- Validate access after remediation.

31. Ransomware and Malware Events

Suspected malware or ransomware affecting Company systems must be escalated immediately to Information Security and relevant technical responders.

- Isolate affected systems when instructed.
- Do not spread suspected malicious files.
- Preserve relevant evidence.
- Protect unaffected systems.
- Follow approved recovery procedures.

32. Credential Compromise

Suspected compromise of passwords, tokens, keys, or other credentials must be reported immediately.

Authorized responders may revoke, rotate, or invalidate affected credentials and investigate associated activity.

33. Availability Incidents

Service outages or significant degradation should be managed according to impact and service criticality.

- Identify affected components.
- Assess whether impact is expanding.
- Apply safe mitigation.
- Monitor service recovery.
- Verify dependent services.

34. Major Incident Management

For P1 incidents, a coordinated response should be established promptly.

- Assign Incident Commander.
- Establish response communications.
- Identify business impact.
- Create prioritized actions.
- Provide regular stakeholder updates.
- Maintain an incident timeline.

35. Incident Timeline

Material incidents should maintain a chronological record of significant observations, decisions, actions, deployments, communications, and recovery milestones.

36. Decision Logging

Significant decisions should record what was decided, why, who authorized it, and relevant alternatives or risks where practical.

37. Incident Documentation

An incident record should normally contain:

- Incident identifier
- Priority
- Start and detection time
- Affected service or process
- Impact assessment
- Owner and participants
- Timeline
- Actions taken
- Communications
- Resolution
- Follow-up actions

38. Incident Closure

An incident may be closed when the immediate impact has been resolved, service or operations have been validated, and required documentation and follow-up ownership have been established.

39. Post-Incident Review

Significant incidents should receive a post-incident review appropriate to severity and complexity.

- What happened?
- What worked well?
- What did not work?
- What caused or contributed to the incident?
- What actions prevent recurrence?
- Who owns each action and by when?

40. Blameless Learning

Post-incident reviews should focus on facts, system conditions, processes, controls, and learning. The purpose is to improve resilience rather than discourage responsible reporting.

41. Corrective Actions

Corrective actions should address root causes and meaningful contributing factors rather than only the immediate symptom.

- Assign an owner.
- Define a measurable outcome.
- Set a target date.
- Track completion.
- Verify effectiveness.

42. Recurring Incidents

Repeated incidents affecting the same service or process should trigger a deeper review of architecture, process controls, capacity, supplier dependencies, training, or other contributing factors.

43. Emergency Changes

Emergency changes may be used to mitigate a serious incident when normal change timelines would create unacceptable risk. The change should be documented and reviewed after the incident.

44. Change Correlation

Responders should consider recent deployments, configuration changes, supplier changes, infrastructure events, and other material changes when investigating incidents.

45. Monitoring During Recovery

Restored services should be monitored for recurrence or secondary effects before an incident is fully closed.

- Error rates
- Availability
- Latency
- Resource usage
- Security alerts
- Business transaction success

46. Customer Impact

Where customers are affected, the business owner and authorized communications personnel should coordinate appropriate updates and remediation.

Customer communications should avoid revealing confidential security or internal information unless disclosure is authorized and appropriate.

47. Regulatory and Contractual Considerations

Potential legal, regulatory, contractual, or notification obligations should be escalated to the appropriate Legal, Compliance, Security, or executive function.

48. Incident Confidentiality

Incident records may contain security-sensitive, customer, employee, supplier, or confidential operational information. Access must be limited to personnel with a legitimate business need.

49. Incident Metrics

- Number of incidents by priority
- Mean time to acknowledge
- Mean time to contain
- Mean time to recover
- Repeat incident rate
- Customer or business impact
- Corrective-action completion rate

50. Incident Drills

Critical teams may participate in incident simulations, tabletop exercises, or recovery drills. Exercises should identify gaps in communication, ownership, procedures, tooling, and continuity.

51. Training

Personnel with incident-response responsibilities should receive appropriate training and understand escalation channels, response roles, and applicable procedures.

52. Third-Party Incident Notifications

Supplier incident notifications should be recorded and assessed for business, security, privacy, contractual, and continuity impact. Material supplier incidents should be escalated promptly.

53. Incident Response Tools

Incident management systems, communication channels, monitoring tools, ticketing systems, and evidence stores used for response must be approved and appropriately secured.

54. Access During Incidents

Emergency access should be granted only when necessary, appropriately authorized, logged, and reviewed after use. Incident urgency does not remove security accountability.

55. Communications During Uncertainty

When facts are incomplete, responders should clearly distinguish confirmed information, working hypotheses, and unknowns. This prevents speculation from being treated as an established fact.

56. Incident Escalation Triggers

- Impact becomes widespread.
- A critical service is affected.
- Security or privacy risk is suspected.
- Safety is threatened.
- Recovery is failing or repeatedly unsuccessful.
- Material financial or contractual exposure emerges.
- Senior management attention is required.

57. Incident Exceptions

Where normal response procedures cannot be followed, responders should use reasonable safe alternatives, document the deviation, and escalate the decision to the appropriate authority.

58. Prohibited Response Practices

- Concealing a material incident.
- Deleting evidence to avoid investigation.
- Sharing credentials through unauthorized channels.
- Making unauthorized public statements.
- Taking destructive action without considering recovery or evidence.
- Ignoring repeated incident warnings.

59. Governance

The Operations Department owns this policy and reviews it at least annually or following significant changes to Company services, incident patterns, security requirements, or organizational responsibilities.

The latest approved version maintained in the official Company repository is the authoritative version.

60. Frequently Asked Questions

When should I report an incident?

As soon as you reasonably suspect a material event. Do not wait until every detail is known.

Who should own a major incident?

A designated Incident Commander should coordinate the response, with technical, operational, security, and business roles supporting as appropriate.

What should I do first during a safety emergency?

Protect people and follow emergency procedures. Do not take unsafe technical or operational actions.

Should I restart a system during an incident?

Only when it is safe, authorized, and appropriate. Consider evidence preservation and recovery impact first.

What if I suspect a security incident?

Escalate promptly to Information Security and the relevant system or operational owner.

How are incidents prioritized?

Priority is based on impact to critical services, safety, security, business operations, customers, and other material factors.

Can an emergency change bypass normal change procedures?

An authorized emergency process may be used when necessary, but the change must be documented and reviewed afterward.

When is an incident closed?

After immediate impact is resolved, service is validated, and required documentation and follow-up ownership are established.

Are post-incident reviews about blaming individuals?

No. They should focus on facts, system conditions, controls, and learning so recurrence can be reduced.

What if a supplier causes the incident?

Coordinate with the supplier through approved contacts, assess impact, document actions, and activate continuity or alternative arrangements when necessary.

61. Revision History

Version	Effective Date	Description	Owner	Approval
1.0	01 April 2026	Initial release of Incident Response	Operations Department	COO / Managing Director

62. Related Documents

- Operations Handbook
- Business Continuity
- Asset Management
- Information Security Policy

- Access Control Policy
- Disaster Recovery Policy
- Deployment Policy
- Testing Standards

END OF DOCUMENT

TN-OPS-POL-002 | Version 1.0 | Internal — Operations | Operations Department