

Alphaa AI Assignment

In [1]:

```
import pandas as pd
import matplotlib.pyplot as plt
%matplotlib inline
import seaborn as sns
import numpy as np
```

In [2]:

```
df=pd.read_csv("banknifty-data (1).csv")
```

In [3]:

```
df.head()
```

Out[3]:

	datetime	open	high	low	close	volume
0	2006-01-02	4566.95	4601.35	4542.00	4556.25	0.0
1	2006-01-03	4531.45	4605.45	4531.45	4600.25	0.0
2	2006-01-04	4619.55	4707.60	4616.05	4694.14	0.0
3	2006-01-05	4714.20	4782.64	4670.55	4760.45	0.0
4	2006-01-06	4767.25	4802.80	4703.10	4755.60	0.0

In [4]:

```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 3448 entries, 0 to 3447
Data columns (total 6 columns):
 #   Column      Non-Null Count  Dtype  
---  -
 0   datetime    3448 non-null   object  
 1   open        3448 non-null   float64 
 2   high        3448 non-null   float64 
 3   low         3448 non-null   float64 
 4   close       3448 non-null   float64 
 5   volume      3448 non-null   float64 
dtypes: float64(5), object(1)
memory usage: 161.8+ KB
```

In [5]:

```
df.shape
```

Out[5]:

```
(3448, 6)
```

In [6]:

```
df_copy=df.copy()
```

In [7]:

```
new_df=pd.DataFrame(df.datetime.str[:7])
new_df['mon_perc_ret']=(df.close-df.open)/df.open
new_df
```

Out[7]:

	datetime	mon_perc_ret
0	2006-01	-0.002343
1	2006-01	0.015183
2	2006-01	0.016147
3	2006-01	0.009811
4	2006-01	-0.002444
...
3443	2019-12	-0.001486
3444	2019-12	-0.001245
3445	2019-12	0.003660
3446	2019-12	-0.001283
3447	2019-12	-0.001764

3448 rows × 2 columns

In [8]:

```
grouped_df=pd.DataFrame(new_df.groupby("datetime")["mon_perc_ret"].mean()).reset_index()
grouped_df.head()
```

Out[8]:

	datetime	mon_perc_ret
0	2006-01	0.000162
1	2006-02	-0.000093
2	2006-03	-0.000525
3	2006-04	-0.001505
4	2006-05	-0.005277

In [9]:

```
grouped_df
```

Out[9]:

	datetime	mon_perc_ret
0	2006-01	0.000162
1	2006-02	-0.000093
2	2006-03	-0.000525
3	2006-04	-0.001505
4	2006-05	-0.005277
...
163	2019-08	-0.002885
164	2019-09	0.002340
165	2019-10	-0.002030
166	2019-11	0.001512
167	2019-12	-0.001108

168 rows × 2 columns

In [10]:

```
grouped_df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 168 entries, 0 to 167
Data columns (total 2 columns):
#   Column          Non-Null Count  Dtype
---  -
0   datetime        168 non-null   object
1   mon_perc_ret    168 non-null   float64
dtypes: float64(1), object(1)
memory usage: 2.8+ KB
```

In [11]:

```
grouped_df["Year"] = grouped_df.datetime.str[:4]
grouped_df["Month"] = grouped_df.datetime.str[5:7]
grouped_df.head()
```

Out[11]:

	datetime	mon_perc_ret	Year	Month
0	2006-01	0.000162	2006	01
1	2006-02	-0.000093	2006	02
2	2006-03	-0.000525	2006	03
3	2006-04	-0.001505	2006	04
4	2006-05	-0.005277	2006	05

In [12]:

```
grouped_df["Month_name"] = grouped_df.Month.map({'01': 'Jan', '02': 'Feb', '03': 'Mar', '04': 'Apr',
grouped_df.head()
```

Out[12]:


	datetime	mon_perc_ret	Year	Month	Month_name
0	2006-01	0.000162	2006	01	Jan
1	2006-02	-0.000093	2006	02	Feb
2	2006-03	-0.000525	2006	03	Mar
3	2006-04	-0.001505	2006	04	Apr
4	2006-05	-0.005277	2006	05	May

In [13]:

```
plt.figure(figsize=(20,15))
plt.title("Monthly Returns (%)")
sns.heatmap((np.asarray(grouped_df['mon_perc_ret'])).reshape(14,12),xticklabels=grouped_df.
plt.xlabel("Month")
plt.ylabel("Year")
```

Out[13]:

Text(159.0, 0.5, 'Year')



In [14]:

```
grouped_df['datetime']=pd.to_datetime(grouped_df['datetime'])
grouped_df.head()
```

Out[14]:

	datetime	mon_perc_ret	Year	Month	Month_name
0	2006-01-01	0.000162	2006	01	Jan
1	2006-02-01	-0.000093	2006	02	Feb
2	2006-03-01	-0.000525	2006	03	Mar
3	2006-04-01	-0.001505	2006	04	Apr
4	2006-05-01	-0.005277	2006	05	May

In [15]:

```
grouped_df.info()
```


```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 168 entries, 0 to 167
Data columns (total 5 columns):
#   Column          Non-Null Count  Dtype  
---  -
0   datetime         168 non-null   datetime64[ns]
1   mon_perc_ret     168 non-null   float64
2   Year             168 non-null   object
3   Month            168 non-null   object
4   Month_name       168 non-null   object
dtypes: datetime64[ns](1), float64(1), object(3)
memory usage: 6.7+ KB
```

In [16]:

```
plt.figure(figsize=(15,8))
plt.plot(grouped_df['datetime'],grouped_df['mon_perc_ret'],label='No Moving average')
plt.plot(grouped_df['datetime'],grouped_df['mon_perc_ret'].rolling(12).mean(),label='12 Mov
plt.legend()
```

Out[16]:

```
<matplotlib.legend.Legend at 0x1e330a58c10>
```




From the above time series data we can see that there is a continuous fluctuations in the trend of monthly percentage returns.

In [17]:

```
plt.figure(figsize=(15,8))
plt.plot(grouped_df['datetime'].iloc[100:125],grouped_df['mon_perc_ret'].iloc[100:125],label
```

Out[17]:

[<matplotlib.lines.Line2D at 0x1e330ad4a90>]



In [18]:

```
df.head()
```

Out[18]:

	datetime	open	high	low	close	volume
0	2006-01-02	4566.95	4601.35	4542.00	4556.25	0.0
1	2006-01-03	4531.45	4605.45	4531.45	4600.25	0.0
2	2006-01-04	4619.55	4707.60	4616.05	4694.14	0.0
3	2006-01-05	4714.20	4782.64	4670.55	4760.45	0.0
4	2006-01-06	4767.25	4802.80	4703.10	4755.60	0.0

In [19]:

```
date_ind_df=df.set_index('datetime')
```

In [20]:

```
date_ind_df['open'].plot(figsize=(15,8),label='Open price')
date_ind_df['close'].plot(figsize=(15,8),label='Close price')
date_ind_df['volume'].plot(figsize=(15,8),label='volume price')
date_ind_df['high'].plot(figsize=(15,8),label='High price')
date_ind_df['low'].plot(figsize=(15,8),label='Low price',)

plt.legend()
```

Out[20]:

<matplotlib.legend.Legend at 0x1e330e05eb0>



From above trend it can be seen that all open, close, high, low prices are increasing

In [21]:




```
df.head()
```


Out[21]:

	datetime	open	high	low	close	volume
0	2006-01-02	4566.95	4601.35	4542.00	4556.25	0.0
1	2006-01-03	4531.45	4605.45	4531.45	4600.25	0.0
2	2006-01-04	4619.55	4707.60	4616.05	4694.14	0.0
3	2006-01-05	4714.20	4782.64	4670.55	4760.45	0.0
4	2006-01-06	4767.25	4802.80	4703.10	4755.60	0.0

In [22]:

```
for i in ['open', 'close', 'high', 'low']:  
    df[i].plot(kind='kde')  
    plt.title(i)  
    plt.show()
```





In [23]:

```
df.describe()
```




Out[23]:


	open	high	low	close	volume
count	3448.000000	3448.000000	3448.000000	3448.000000	3448.0
mean	14013.821769	14129.682880	13883.132796	14007.342648	0.0
std	7601.245514	7626.954675	7565.885745	7596.458906	0.0
min	3385.400000	3446.750000	3314.550000	3339.700000	0.0
25%	8477.925000	8566.342500	8369.900000	8485.662500	0.0
50%	11379.725000	11460.000000	11262.100000	11362.025000	0.0
75%	18828.805000	18945.425000	18662.655000	18803.425000	0.0
max	32381.000000	32502.800000	32246.050000	32384.950000	0.0

There is no much deviation in prices

In [24]:

```
for i in ['open', 'close', 'high', 'low']:  
    df[i].plot(kind='box')  
    plt.title(i)  
    plt.show()
```





There is no outlier prices also

In [25]:

```
df.head()
```

Out[25]:


	datetime	open	high	low	close	volume
0	2006-01-02	4566.95	4601.35	4542.00	4556.25	0.0
1	2006-01-03	4531.45	4605.45	4531.45	4600.25	0.0
2	2006-01-04	4619.55	4707.60	4616.05	4694.14	0.0
3	2006-01-05	4714.20	4782.64	4670.55	4760.45	0.0
4	2006-01-06	4767.25	4802.80	4703.10	4755.60	0.0

In [39]:

```
plt.figure(figsize=(15,8))
(df.groupby(df.datetime.str[:7])['close'].mean()-df.groupby(df.datetime.str[:7])['open'].me
(df.groupby(df.datetime.str[:7])['close'].mean()-df.groupby(df.datetime.str[:7])['open'].me
# plt.show()
```

Out[39]:

<AxesSubplot:xlabel='datetime'>



-- In the beginning of 2006 there is less difference between monthly open and close price, but later during 2017


and above, we have huge difference between close and open balance

In [40]:

```
plt.figure(figsize=(15,8))
(df.groupby(df.datetime.str[:7])['high'].mean()-df.groupby(df.datetime.str[:7])['low'].mean()
(df.groupby(df.datetime.str[:7])['high'].mean()-df.groupby(df.datetime.str[:7])['low'].mean()
# plt.show()
```

Out[40]:

<AxesSubplot:xlabel='datetime'>






As we can observe that there is gradual increase in difference between monthly high and low prices


from above graph it can be concluded that

- 1) there is constant trend during 2006 to 2009
- 2) There was sudden increase in 2010 and continued till 2013
- 3) with gradual increase 2010 to 2015 but prices fallen during 2016.
- 4) However then after it was increasing from 2017 to 2019

In [61]:

```
for i in ['open', 'close', 'high', 'low']:
    plt.figure(figsize=(15,6))
    (df.groupby(df.datetime.str[:4])[i].sum()).plot(kind='bar')
    (df.groupby(df.datetime.str[:4])[i].sum()).plot()
    plt.ylabel(i+' price')
    plt.title('Year wise '+ i +' prices' )
    plt.show()
```






In [62]:

```
plt.figure(figsize=(15,6))
(grouped_df.groupby(grouped_df.Year)['mon_perc_ret'].sum()).plot(kind='bar')
```

Out[62]:

<AxesSubplot:xlabel='Year'>



We have profits (+ve monthly returns) only during 2007, 2009, 2010, 2012, 2014

and loses(-ve monthly returns) during 2006, 2008, 2011, 2013, 2015, 2016, 2017, 2018, 2019