



Cisco Packet Tracer
File Edit Options View Tools Extensions Window Help
Logical Physical x: 1427, y: 426
12:30:30
172.19.0.2
2811 R4
15.0.0.1
2960-24TT Sw3
PC-PT 15.0.0.10
172.19.0.1
30.0.0.1
20.0.0.2
2811 R2
30.0.0.2
2811 R3
21.0.0.1
21.0.0.2
2811 R5
192.168.168.1
20.0.0.1
PC-PT 10.0..0.10
2960-24TT Sw1
10.0.0.1
2811 R1
192.168.168.2
2811 R6
162.14.0.1
2960-24TT Sw2
PC-PT 162.14.0.10
Time: 01:11:45
Automatically Choose Connection Type
Scenario 0
New
Delete
Toggle PDU List Window
Fire
Last Status
Source
Destination
Type
Color
10.0..0.10
Physical
Config
Desktop
Programming
Attributes
Command Prompt
X
Request timed out.
Reply from 162.14.0.10: bytes=32 time=1ms TTL=123
Reply from 162.14.0.10: bytes=32 time=2ms TTL=123
Reply from 162.14.0.10: bytes=32 time<1ms TTL=123
Ping statistics for 162.14.0.10:
Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 2ms, Average = 1ms
C:\>ping 162.14.0.10
Pinging 162.14.0.10 with 32 bytes of data:
Reply from 162.14.0.10: bytes=32 time<1ms TTL=123
Reply from 162.14.0.10: bytes=32 time=1ms TTL=123
Reply from 162.14.0.10: bytes=32 time=1ms TTL=123
Reply from 162.14.0.10: bytes=32 time=1ms TTL=123
Ping statistics for 162.14.0.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 1ms, Average = 0ms
C:\>ping 15.0.0.10
Pinging 15.0.0.10 with 32 bytes of data:
Reply from 15.0.0.10: bytes=32 time<1ms TTL=124
Reply from 15.0.0.10: bytes=32 time=1ms TTL=124
Reply from 15.0.0.10: bytes=32 time=1ms TTL=124
Reply from 15.0.0.10: bytes=32 time=9ms TTL=124
Ping statistics for 15.0.0.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 9ms, Average = 2ms
C:\>
Top
Search
ENG IN
2:58 PM
10/14/2026


Cisco Packet Tracer
File Edit Options View Tools Extensions Window Help
Logical Physical x: 1398, y: 128
13:08:00
172.19.0.2
2811 R4
15.0.0.1
2960-24TT Sw3
PC-PT 15.0.0.10
172.19.0.1
30.0.0.1
20.0.0.2
2811 R2
30.0.0.2
2811 R3
21.0.0.1
21.0.0.2
2811 R5
192.168.168.1
20.0.0.1
PC-PT 10.0..0.10
2960-24TT Sw1
10.0.0.1
2811 R1
192.168.168.2
2811 R6
162.14.0.1
2960-24TT Sw2
PC-PT 162.14.0.10
Time: 01:12:58
Automatically Choose Connection Type
Scenario 0
New
Delete
Toggle PDU List Window
Fire
Last Status
Source
Destination
Type
Color
15.0.0.10
Physical
Config
Desktop
Programming
Attributes
Command Prompt
X
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 10.0.0.10
Pinging 10.0.0.10 with 32 bytes of data:
Reply from 10.0.0.10: bytes=32 time<1ms TTL=124
Reply from 10.0.0.10: bytes=32 time<1ms TTL=124
Reply from 10.0.0.10: bytes=32 time<1ms TTL=124
Reply from 10.0.0.10: bytes=32 time<1ms TTL=124
Ping statistics for 10.0.0.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 0ms, Average = 0ms
C:\>ping 162.14.0.10
Pinging 162.14.0.10 with 32 bytes of data:
Reply from 162.14.0.10: bytes=32 time=11ms TTL=124
Reply from 162.14.0.10: bytes=32 time=1ms TTL=124
Reply from 162.14.0.10: bytes=32 time=14ms TTL=124
Reply from 162.14.0.10: bytes=32 time=1ms TTL=124
Ping statistics for 162.14.0.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 1ms, Maximum = 14ms, Average = 6ms
C:\>
Top
Search
ENG IN
2:59 PM
10/14/2026


Cisco Packet Tracer
File Edit Options View Tools Extensions Window Help
Logical Physical x: 1421, y: 602
13:40:00
172.19.0.2
2811 R4
15.0.0.1
2960-24TT Sw3
PC-PT 15.0.0.10
30.0.0.1
172.19.0.1
20.0.0.2
2811 R2
30.0.0.2
2811 R3
21.0.0.1
21.0.0.2
2811 R5
192.168.168.1
20.0.0.1
PC-PT 10.0..0.10
2960-24TT Sw1
10.0.0.1
2811 R1
192.168.168.2
2811 R6
162.14.0.1
2960-24TT Sw2
PC-PT 162.14.0.10
Time: 01:14:00
Simulation
Automatically Choose Connection Type
Scenario 0
New
Delete
Toggle PDU List Window
Fire
Last Status
Source
Destination
Type
Color
Time(sec)
Periodic
Num
Edit
Delete
Search
ENG IN
3:00 PM 10/14/2026
162.14.0.10
Physical
Config
Desktop
Programming
Attributes
Command Prompt
X
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 10.0.0.10
Pinging 10.0.0.10 with 32 bytes of data:
Reply from 10.0.0.10: bytes=32 time<1ms TTL=123
Reply from 10.0.0.10: bytes=32 time=15ms TTL=123
Reply from 10.0.0.10: bytes=32 time<1ms TTL=123
Reply from 10.0.0.10: bytes=32 time<1ms TTL=123
Ping statistics for 10.0.0.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 15ms, Average = 3ms
C:\>ping 15.0.0.10
Pinging 15.0.0.10 with 32 bytes of data:
Reply from 15.0.0.10: bytes=32 time<1ms TTL=124
Reply from 15.0.0.10: bytes=32 time=10ms TTL=124
Reply from 15.0.0.10: bytes=32 time=2ms TTL=124
Reply from 15.0.0.10: bytes=32 time=2ms TTL=124
Ping statistics for 15.0.0.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 10ms, Average = 3ms
C:\>
Top