



Cisco Packet Tracer
File Edit Options View Tools Extensions Window Help
Logical Physical x: 1681, y: 95
PC-PT 192.50.20.100
2960-24TT SWT1
192.50.20.1
2811 R1
12.0.0.1
12.0.0.2
23.0.0.1
2811 R2
26.0.0.1
24.0.0.1
23.0.0.2
2811 R4
32.0.0.1
32.0.0.2
45.0.0.2
2811 R6
172.36.0.1
2960-24TT SWT3
PC-PT 172.36.0.10
24.0.0.2
2811 R5
45.0.0.1
26.0.0.2
223.0.50.1
2811 R3
2960-24TT SWT2
PC-PT 223.0.50.10
Time: 02:28:15
Automatically Choose Connection Type
Scenario 0
New
Delete
Toggle PDU List Window
Fire Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete
192.50.20.100
Physical Config Desktop Programming Attributes
Command Prompt
Minimum = 0ms, Maximum = 6ms, Average = 2ms
C:\>ping 223.0.50.10
Pinging 223.0.50.10 with 32 bytes of data:
Reply from 223.0.50.10: bytes=32 time<1ms TTL=125
Reply from 223.0.50.10: bytes=32 time<1ms TTL=125
Reply from 223.0.50.10: bytes=32 time<1ms TTL=125
Reply from 223.0.50.10: bytes=32 time<1ms TTL=125
Ping statistics for 223.0.50.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 0ms, Average = 0ms
C:\>ping 172.36.0.10
Pinging 172.36.0.10 with 32 bytes of data:
Request timed out.
Reply from 172.36.0.10: bytes=32 time=10ms TTL=124
Reply from 172.36.0.10: bytes=32 time<1ms TTL=124
Reply from 172.36.0.10: bytes=32 time=1ms TTL=124
Ping statistics for 172.36.0.10:
Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 10ms, Average = 3ms
C:\>ping 172.36.0.10
Pinging 172.36.0.10 with 32 bytes of data:
Reply from 172.36.0.10: bytes=32 time=1ms TTL=124
Reply from 172.36.0.10: bytes=32 time=1ms TTL=124
Reply from 172.36.0.10: bytes=32 time<1ms TTL=124
Reply from 172.36.0.10: bytes=32 time=1ms TTL=124
Ping statistics for 172.36.0.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 1ms, Average = 0ms
C:\>
Top
Search
ENG IN
10:31 PM 10/14/2026


Cisco Packet Tracer
File Edit Options View Tools Extensions Window Help
Logical Physical x: 877, y: 805
PC-PT 192.50.20.100
2960-24TT SWT1
192.50.20.1
2811 R1
12.0.0.1
12.0.0.2
2811 R2
23.0.0.1
23.0.0.2
2811 R4
32.0.0.1
32.0.0.2
24.0.0.1
26.0.0.1
26.0.0.2
223.0.50.1
2811 R3
24.0.0.2
2811 R5
45.0.0.1
45.0.0.2
2811 R6
172.36.0.1
2960-24TT SWT3
PC-PT 172.36.0.1
2960-24TT SWT2
PC-PT 223.0.50.10
Time: 02:29:14
Automatically Choose Connection Type
Scenario 0
New
Delete
Toggle PDU List Window
Fire Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete
223.0.50.10
Physical Config Desktop Programming Attributes
Command Prompt
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 192.50.20.100
Pinging 192.50.20.100 with 32 bytes of data:
Reply from 192.50.20.100: bytes=32 time<1ms TTL=125
Reply from 192.50.20.100: bytes=32 time=2ms TTL=125
Reply from 192.50.20.100: bytes=32 time<1ms TTL=125
Reply from 192.50.20.100: bytes=32 time=14ms TTL=125
Ping statistics for 192.50.20.100:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 14ms, Average = 4ms
C:\>ping 172.36.0.10
Pinging 172.36.0.10 with 32 bytes of data:
Reply from 172.36.0.10: bytes=32 time<1ms TTL=124
Reply from 172.36.0.10: bytes=32 time=10ms TTL=124
Reply from 172.36.0.10: bytes=32 time<1ms TTL=124
Reply from 172.36.0.10: bytes=32 time=10ms TTL=124
Ping statistics for 172.36.0.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 10ms, Average = 5ms
C:\>
Top
Search
ENG IN
10:33 PM 10/14/2026


Cisco Packet Tracer
File Edit Options View Tools Extensions Window Help
Logical Physical x: 1799, y: 393
PC-PT 192.50.20.100
2960-24TT SWT1
192.50.20.1
2811 R1
12.0.0.1
12.0.0.2
23.0.0.1
2811 R2
26.0.0.1
24.0.0.1
23.0.0.2
2811 R4
32.0.0.1
32.0.0.2
45.0.0.2
2811 R6
172.36.0.1
2960-24TT SWT3
PC-PT 172.36.0.10
24.0.0.2
2811 R5
45.0.0.1
26.0.0.2
223.0.50.1
2811 R3
2960-24TT SWT2
PC-PT 223.0.50.10
Time: 02:30:08
Automatically Choose Connection Type
Scenario 0
New
Delete
Toggle PDU List Window
Fire Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete
172.36.0.10
Physical Config Desktop Programming Attributes
Command Prompt
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 192.50.20.100
Pinging 192.50.20.100 with 32 bytes of data:
Reply from 192.50.20.100: bytes=32 time=1ms TTL=124
Reply from 192.50.20.100: bytes=32 time<1ms TTL=124
Reply from 192.50.20.100: bytes=32 time=1ms TTL=124
Reply from 192.50.20.100: bytes=32 time=18ms TTL=124
Ping statistics for 192.50.20.100:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 18ms, Average = 5ms
C:\>ping 223.0.50.10
Pinging 223.0.50.10 with 32 bytes of data:
Reply from 223.0.50.10: bytes=32 time=1ms TTL=124
Reply from 223.0.50.10: bytes=32 time<1ms TTL=124
Reply from 223.0.50.10: bytes=32 time=15ms TTL=124
Reply from 223.0.50.10: bytes=32 time<1ms TTL=124
Ping statistics for 223.0.50.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 15ms, Average = 4ms
C:\>
Top
Search
ENG IN
10:33 PM 10/14/2026