VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech **Date:** 11/3/2026
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: P.Balaji **Reg. no.:** 23BCE9514

---

1. Use MongoDB to implement the following DB operations

   1. Create a database called 'vehicles' and *write* a MongoDB query to select database as "vehicles".

```
> use vehicles
< switched to db vehicles
```

   2. Write a MongoDB query to display all the databases.

```
> show dbs
< admin    40.00 KiB
  config  108.00 KiB
  local   112.00 KiB
```

   3. Create a collection called 'two_wheelers'. (use capping) and Create a collection called 'four_wheelers'.

```
> db.createCollection("two_wheelers", { capped: true, size: 5000 })
< { ok: 1 }
> db.createCollection("four_wheelers")
< { ok: 1 }
```

   4. Add 5 two-wheeler details to the collection named 'two_wheelers'. Each document consists of following fields as bike_name, model (gear or gearless), category (100cc, 125cc, 150cc, 200cc), colors_available (red, black, blue, sport red etc) as array, manufacturer, performance (out of 10), timestamp (date and year release) and price.

```
> db.two_wheelers.insertMany([
    { bike_name: "CBR 150R", model: "gear", category: "150cc", colors_available: ["red", "black"], manufacturer: "Honda", performance: 8, timestamp: ISODate("2023-05-10"), price: 170000 },
    { bike_name: "Activa 6G", model: "gearless", category: "110cc", colors_available: ["blue", "white"], manufacturer: "Honda", performance: 7, timestamp: ISODate("2024-01-15"), price: 80000 },
    { bike_name: "Pulsar 200", model: "gear", category: "200cc", colors_available: ["sport red", "black"], manufacturer: "Bajaj", performance: 9, timestamp: ISODate("2022-11-20"), price: 145000 },
    { bike_name: "Splendor Plus", model: "gear", category: "100cc", colors_available: ["purple", "silver"], manufacturer: "Hero", performance: 6, timestamp: ISODate("2023-08-12"), price: 75000 },
    { bike_name: "MT-15", model: "gear", category: "155cc", colors_available: ["cyan", "black"], manufacturer: "Yamaha", performance: 9, timestamp: ISODate("2024-02-01"), price: 165000 }
  ])
< {
    acknowledged: true,
    insertedIds: {
      '0': ObjectId('69b130e14f58f34dd07683b4'),
      '1': ObjectId('69b130e14f58f34dd07683b5'),
      '2': ObjectId('69b130e14f58f34dd07683b6'),
      '3': ObjectId('69b130e14f58f34dd07683b7'),
      '4': ObjectId('69b130e14f58f34dd07683b8')
    }
  }
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech **Date:** 11/3/2026
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: P.Balaji **Reg. no.:** 23BCE9514

---

5. Add 5 four-wheeler details to the collection named 'four_wheelers'. Each document consists of following fields as vehicle_name, model (commercial or own), category (car, lorry, bus, mini truck, heavy truck, containers), variants (vxi, zxi, petrol, diesel etc) as array, manufacturer, performance (out of 10), timestamp (date and year release) and price.

```
> db.four_wheelers.insertMany([
    { vehicle_name: "Swift", model: "own", category: "car", variants: ["vxi", "zxi", "petrol"], manufacturer: "Maruti", performance: 7, timestamp: ISODate("2023-06-15"), price: 700000 },
    { vehicle_name: "Thar", model: "own", category: "car", variants: ["diesel", "petrol"], manufacturer: "Mahindra", performance: 8, timestamp: ISODate("2022-10-10"), price: 1500000 },
    { vehicle_name: "Eicher Pro", model: "commercial", category: "heavy truck", variants: ["diesel"], manufacturer: "Eicher", performance: 9, timestamp: ISODate("2021-05-20"), price: 2500000 },
    { vehicle_name: "City", model: "own", category: "car", variants: ["petrol", "hybrid"], manufacturer: "Honda", performance: 9, timestamp: ISODate("2023-12-01"), price: 1300000 },
    { vehicle_name: "Tata Ace", model: "commercial", category: "mini truck", variants: ["diesel", "cng"], manufacturer: "Tata", performance: 6, timestamp: ISODate("2024-03-01"), price: 500000 }
  ])
< {
    acknowledged: true,
    insertedIds: {
      '0': ObjectId('69b130f84f58f34dd07683b9'),
      '1': ObjectId('69b130f84f58f34dd07683ba'),
      '2': ObjectId('69b130f84f58f34dd07683bb'),
      '3': ObjectId('69b130f84f58f34dd07683bc'),
      '4': ObjectId('69b130f84f58f34dd07683bd')
    }
  }
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech **Date:** 11/3/2026
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: P.Balaji **Reg. no.:** 23BCE9514

---

6. Write a MongoDB query to display all documents available in two_wheelers and four_wheelers.

```
> db.two_wheelers.find()
< {
    _id: ObjectId('69b130e14f58f34dd07683b4'),
    bike_name: 'CBR 150R',
    model: 'gear',
    category: '150cc',
    colors_available: [
      'red',
      'black'
    ],
    manufacturer: 'Honda',
    performance: 8,
    timestamp: 2023-05-10T00:00:00.000Z,
    price: 170000
  }
  {
    _id: ObjectId('69b130e14f58f34dd07683b5'),
    bike_name: 'Activa 6G',
    model: 'gearless',
    category: '110cc',
    colors_available: [
      'blue',
      'white'
    ],
    manufacturer: 'Honda',
    performance: 7,
    timestamp: 2024-01-15T00:00:00.000Z,
    price: 80000
  }
  {
    _id: ObjectId('69b130e14f58f34dd07683b6'),
    bike_name: 'Pulsar 200',
    model: 'gear',
    category: '200cc',
    colors_available: [
      'sport red',
      'black'
    ],
    manufacturer: 'Bajaj',
    performance: 9,
    timestamp: 2022-11-20T00:00:00.000Z,
    price: 145000
  }
  {
    _id: ObjectId('69b130e14f58f34dd07683b7'),
    bike_name: 'Splendor Plus',
    model: 'gear',
    category: '100cc',
    colors_available: [
      'purple',
      'silver'
    ],
    manufacturer: 'Hero',
    performance: 6,
    timestamp: 2023-08-12T00:00:00.000Z,
    price: 75000
  }
  {
    _id: ObjectId('69b130e14f58f34dd07683b8'),
    bike_name: 'MT-15',
    model: 'gear',
    category: '155cc',
    colors_available: [
      'cyan',
      'black'
    ],
    manufacturer: 'Yamaha',
    performance: 9,
    timestamp: 2024-02-01T00:00:00.000Z,
    price: 165000
  }
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech **Date:** 11/3/2026
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: P.Balaji **Reg. no.:** 23BCE9514

```
> db.four_wheelers.find()
< {
    _id: ObjectId('69b130f84f58f34dd07683b9'),
    vehicle_name: 'Swift',
    model: 'own',
    category: 'car',
    variants: [
      'vxi',
      'zxi',
      'petrol'
    ],
    manufacturer: 'Maruti',
    performance: 7,
    timestamp: 2023-06-15T00:00:00.000Z,
    price: 700000
  }
  {
    _id: ObjectId('69b130f84f58f34dd07683ba'),
    vehicle_name: 'Thar',
    model: 'own',
    category: 'car',
    variants: [
      'diesel',
      'petrol'
    ],
    manufacturer: 'Mahindra',
    performance: 8,
    timestamp: 2022-10-10T00:00:00.000Z,
    price: 1500000
  }
  {
    _id: ObjectId('69b130f84f58f34dd07683bb'),
    vehicle_name: 'Eicher Pro',
    model: 'commercial',
    category: 'heavy truck',
    variants: [
      'diesel'
    ],
    manufacturer: 'Eicher',
    performance: 9,
    timestamp: 2021-05-20T00:00:00.000Z,
    price: 2500000
  }
  {
    _id: ObjectId('69b130f84f58f34dd07683bc'),
    vehicle_name: 'City',
    model: 'own',
    category: 'car',
    variants: [
      'petrol',
      'hybrid'
    ],
    manufacturer: 'Honda',
    performance: 9,
    timestamp: 2023-12-01T00:00:00.000Z,
    price: 1300000
  }
  {
    _id: ObjectId('69b130f84f58f34dd07683bd'),
    vehicle_name: 'Tata Ace',
    model: 'commercial',
    category: 'mini truck',
    variants: [
      'diesel',
      'cng'
    ],
    manufacturer: 'Tata',
    performance: 6,
    timestamp: 2024-03-01T00:00:00.000Z,
    price: 500000
  }
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech **Date:** 11/3/2026
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: P.Balaji **Reg. no.:** 23BCE9514

---

7. Write a MongoDB query to display only vehicle name and price in all the collection of the database

```
> db.two_wheelers.find({}, { bike_name: 1, price: 1, _id: 0 })
< {
    bike_name: 'CBR 150R',
    price: 170000
  }
  {
    bike_name: 'Activa 6G',
    price: 80000
  }
  {
    bike_name: 'Pulsar 200',
    price: 145000
  }
  {
    bike_name: 'Splendor Plus',
    price: 75000
  }
  {
    bike_name: 'MT-15',
    price: 165000
  }
```

```
> db.four_wheelers.find({}, { vehicle_name: 1, price: 1, _id: 0 })
< {
    vehicle_name: 'Swift',
    price: 700000
  }
  {
    vehicle_name: 'Thar',
    price: 1500000
  }
  {
    vehicle_name: 'Eicher Pro',
    price: 2500000
  }
  {
    vehicle_name: 'City',
    price: 1300000
  }
  {
    vehicle_name: 'Tata Ace',
    price: 500000
  }
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech **Date:** 11/3/2026
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: P.Balaji **Reg. no.:** 23BCE9514

---

8. Write a MongoDB query to display two_wheelers from a particular company

```
> db.two_wheelers.find({ manufacturer: "Honda" })
< {
    _id: ObjectId('69b130e14f58f34dd07683b4'),
    bike_name: 'CBR 150R',
    model: 'gear',
    category: '150cc',
    colors_available: [
      'red',
      'black'
    ],
    manufacturer: 'Honda',
    performance: 8,
    timestamp: 2023-05-10T00:00:00.000Z,
    price: 170000
  }
  {
    _id: ObjectId('69b130e14f58f34dd07683b5'),
    bike_name: 'Activa 6G',
    model: 'gearless',
    category: '110cc',
    colors_available: [
      'blue',
      'white'
    ],
    manufacturer: 'Honda',
    performance: 7,
    timestamp: 2024-01-15T00:00:00.000Z,
    price: 80000
  }
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech **Date:** 11/3/2026
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: P.Balaji **Reg. no.:** 23BCE9514

---

9. Write a MongoDB query to display four_wheelers available in diesel variants

```
> db.four_wheelers.find({ variants: "diesel" })
< {
    _id: ObjectId('69b130f84f58f34dd07683ba'),
    vehicle_name: 'Thar',
    model: 'own',
    category: 'car',
    variants: [
      'diesel',
      'petrol'
    ],
    manufacturer: 'Mahindra',
    performance: 8,
    timestamp: 2022-10-10T00:00:00.000Z,
    price: 1500000
  }
  {
    _id: ObjectId('69b130f84f58f34dd07683bb'),
    vehicle_name: 'Eicher Pro',
    model: 'commercial',
    category: 'heavy truck',
    variants: [
      'diesel'
    ],
    manufacturer: 'Eicher',
    performance: 9,
    timestamp: 2021-05-20T00:00:00.000Z,
    price: 2500000
  }
  {
    _id: ObjectId('69b130f84f58f34dd07683bd'),
    vehicle_name: 'Tata Ace',
    model: 'commercial',
    category: 'mini truck',
    variants: [
      'diesel',
      'cng'
    ],
    manufacturer: 'Tata',
    performance: 6,
    timestamp: 2024-03-01T00:00:00.000Z,
    price: 500000
  }
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech **Date:** 11/3/2026
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: P.Balaji **Reg. no.:** 23BCE9514

---

10. Write a MongoDB query to display vehicles name, category and manufacturer details whose rating is more than 5.

```
> db.two_wheelers.find({ performance: { $gt: 5 } }, { bike_name: 1, category: 1, manufacturer: 1, _id: 0 })
< {
    bike_name: 'CBR 150R',
    category: '150cc',
    manufacturer: 'Honda'
  }
  {
    bike_name: 'Activa 6G',
    category: '110cc',
    manufacturer: 'Honda'
  }
  {
    bike_name: 'Pulsar 200',
    category: '200cc',
    manufacturer: 'Bajaj'
  }
  {
    bike_name: 'Splendor Plus',
    category: '100cc',
    manufacturer: 'Hero'
  }
  {
    bike_name: 'MT-15',
    category: '155cc',
    manufacturer: 'Yamaha'
  }
```

```
> db.four_wheelers.find({ performance: { $gt: 5 } }, { vehicle_name: 1, category: 1, manufacturer: 1, _id: 0 })
< {
    vehicle_name: 'Swift',
    category: 'car',
    manufacturer: 'Maruti'
  }
  {
    vehicle_name: 'Thar',
    category: 'car',
    manufacturer: 'Mahindra'
  }
  {
    vehicle_name: 'Eicher Pro',
    category: 'heavy truck',
    manufacturer: 'Eicher'
  }
  {
    vehicle_name: 'City',
    category: 'car',
    manufacturer: 'Honda'
  }
  {
    vehicle_name: 'Tata Ace',
    category: 'mini truck',
    manufacturer: 'Tata'
  }
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech **Date:** 11/3/2026
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: P.Balaji **Reg. no.:** 23BCE9514

---

2. Use MongoDB to implement the following DB operations for a Zoo

1. Create a database called 'animal' and *write* a MongoDB query to select database as 'animal'.

```
> use animal
< switched to db animal
```

2. Write a MongoDB query to display all the databases.

```
> show dbs
< admin      40.00 KiB
  config    108.00 KiB
  local     112.00 KiB
  vehicles   80.00 KiB
```

3. Create a collection called 'wild_animals'.(use capping) and Create a collection called 'domestic_animals'.

```
> db.createCollection("wild_animals", { capped: true, size: 5000 })
< { ok: 1 }
> db.createCollection("domestic_animals")
< { ok: 1 }
```

4. Add 5 wild_animal details to the collection named 'wild_animals'. Each document consists of following fields as animal_name, nature (harm or harmless), favorite_foods (meat, rabbits, deer etc) as array, care_taker_name, life span (in years), timestamp (when the animal registered at the Zoo) and expenses.

```
> db.wild_animals.insertMany([
    { animal_name: "Lion", nature: "harm", favorite_foods: ["meat", "deer"], care_taker_name: "John", "life span": 15, timestamp: ISODate("2020-01-10"), expenses: 5000 },
    { animal_name: "Tiger", nature: "harm", favorite_foods: ["meat", "wild boar"], care_taker_name: "Alice", "life span": 12, timestamp: ISODate("2021-03-15"), expenses: 4500 },
    { animal_name: "Elephant", nature: "harmless", favorite_foods: ["sugar cane", "leaves"], care_taker_name: "John", "life span": 60, timestamp: ISODate("2019-11-20"), expenses: 8000 },
    { animal_name: "Wolf", nature: "harm", favorite_foods: ["meat", "rabbits"], care_taker_name: "Bob", "life span": 8, timestamp: ISODate("2022-05-05"), expenses: 2000 },
    { animal_name: "Panda", nature: "harmless", favorite_foods: ["bamboo"], care_taker_name: "Alice", "life span": 20, timestamp: ISODate("2023-08-12"), expenses: 3000 }
  ])
< {
    acknowledged: true,
    insertedIds: {
      '0': ObjectId('69b134304f58f34dd07683be'),
      '1': ObjectId('69b134304f58f34dd07683bf'),
      '2': ObjectId('69b134304f58f34dd07683c0'),
      '3': ObjectId('69b134304f58f34dd07683c1'),
      '4': ObjectId('69b134304f58f34dd07683c2')
    }
  }
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech **Date:** 11/3/2026
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: P.Balaji **Reg. no.:** 23BCE9514

---

5. Add 5 domestic-animal details to the collection named 'domestic_animals'. Each document consists of following fields as animal_name, gender (male or female), favorite_foods (meat, rabbits, deer etc) as array, animal_petname, life span (in years), timestamp (when the animal registered at the Zoo) and expenses.

```
> db.domestic_animals.insertMany([
    { animal_name: "Dog", gender: "male", favorite_foods: ["meat", "biscuits"], animal_petname: "Buddy", "life span": 13, timestamp: ISODate("2024-01-01"), expenses: 1000 },
    { animal_name: "Cat", gender: "female", favorite_foods: ["fish", "milk"], animal_petname: "Kitty", "life span": 15, timestamp: ISODate("2023-12-10"), expenses: 800 },
    { animal_name: "Cow", gender: "female", favorite_foods: ["grass"], animal_petname: "Gauri", "life span": 20, timestamp: ISODate("2022-06-20"), expenses: 1500 },
    { animal_name: "Rabbit", gender: "male", favorite_foods: ["carrots"], animal_petname: "Bunny", "life span": 5, timestamp: ISODate("2024-02-15"), expenses: 400 },
    { animal_name: "Goat", gender: "female", favorite_foods: ["leaves"], animal_petname: "Billy", "life span": 12, timestamp: ISODate("2023-09-01"), expenses: 600 }
  ])
< {
    acknowledged: true,
    insertedIds: {
      '0': ObjectId('69b1343d4f58f34dd07683c3'),
      '1': ObjectId('69b1343d4f58f34dd07683c4'),
      '2': ObjectId('69b1343d4f58f34dd07683c5'),
      '3': ObjectId('69b1343d4f58f34dd07683c6'),
      '4': ObjectId('69b1343d4f58f34dd07683c7')
    }
  }
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech **Date:** 11/3/2026
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: P.Balaji **Reg. no.:** 23BCE9514

---

6. Write a MongoDB query to display all documents available in wild_animals and domastic_animals.

```
> db.wild_animals.find()
< {
    _id: ObjectId('69b134304f58f34dd07683be'),
    animal_name: 'Lion',
    nature: 'harm',
    favorite_foods: [
      'meat',
      'deer'
    ],
    care_taker_name: 'John',
    'life span': 15,
    timestamp: 2020-01-10T00:00:00.000Z,
    expenses: 5000
  }
  {
    _id: ObjectId('69b134304f58f34dd07683bf'),
    animal_name: 'Tiger',
    nature: 'harm',
    favorite_foods: [
      'meat',
      'wild boar'
    ],
    care_taker_name: 'Alice',
    'life span': 12,
    timestamp: 2021-03-15T00:00:00.000Z,
    expenses: 4500
  }
  {
    _id: ObjectId('69b134304f58f34dd07683c0'),
    animal_name: 'Elephant',
    nature: 'harmless',
    favorite_foods: [
      'sugar cane',
      'leaves'
    ],
    care_taker_name: 'John',
    'life span': 60,
    timestamp: 2019-11-20T00:00:00.000Z,
    expenses: 8000
  }
```

```
{
  _id: ObjectId('69b134304f58f34dd07683c1'),
  animal_name: 'Wolf',
  nature: 'harm',
  favorite_foods: [
    'meat',
    'rabbits'
  ],
  care_taker_name: 'Bob',
  'life span': 8,
  timestamp: 2022-05-05T00:00:00.000Z,
  expenses: 2000
}
{
  _id: ObjectId('69b134304f58f34dd07683c2'),
  animal_name: 'Panda',
  nature: 'harmless',
  favorite_foods: [
    'bamboo'
  ],
  care_taker_name: 'Alice',
  'life span': 20,
  timestamp: 2023-08-12T00:00:00.000Z,
  expenses: 3000
}
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech **Date:** 11/3/2026
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: P.Balaji **Reg. no.:** 23BCE9514

```
db.domestic_animals.find()
{
  _id: ObjectId('69b1343d4f58f34dd07683c3'),
  animal_name: 'Dog',
  gender: 'male',
  favorite_foods: [
    'meat',
    'biscuits'
  ],
  animal_petname: 'Buddy',
  'life span': 13,
  timestamp: 2024-01-01T00:00:00.000Z,
  expenses: 1000
}
{
  _id: ObjectId('69b1343d4f58f34dd07683c4'),
  animal_name: 'Cat',
  gender: 'female',
  favorite_foods: [
    'fish',
    'milk'
  ],
  animal_petname: 'Kitty',
  'life span': 15,
  timestamp: 2023-12-10T00:00:00.000Z,
  expenses: 800
}
{
  _id: ObjectId('69b1343d4f58f34dd07683c5'),
  animal_name: 'Cow',
  gender: 'female',
  favorite_foods: [
    'grass'
  ],
  animal_petname: 'Gauri',
  'life span': 20,
  timestamp: 2022-06-20T00:00:00.000Z,
  expenses: 1500
}
```

```
{
  _id: ObjectId('69b1343d4f58f34dd07683c6'),
  animal_name: 'Rabbit',
  gender: 'male',
  favorite_foods: [
    'carrots'
  ],
  animal_petname: 'Bunny',
  'life span': 5,
  timestamp: 2024-02-15T00:00:00.000Z,
  expenses: 400
}
{
  _id: ObjectId('69b1343d4f58f34dd07683c7'),
  animal_name: 'Goat',
  gender: 'female',
  favorite_foods: [
    'leaves'
  ],
  animal_petname: 'Billy',
  'life span': 12,
  timestamp: 2023-09-01T00:00:00.000Z,
  expenses: 600
}
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech **Date:** 11/3/2026
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: P.Balaji **Reg. no.:** 23BCE9514

---

7. Write a MongoDB query to display only animal name and expenses in all the collection of the database

```
> db.wild_animals.find({}, { animal_name: 1, expenses: 1, _id: 0 })
< {
    animal_name: 'Lion',
    expenses: 5000
  }
  {
    animal_name: 'Tiger',
    expenses: 4500
  }
  {
    animal_name: 'Elephant',
    expenses: 8000
  }
  {
    animal_name: 'Wolf',
    expenses: 2000
  }
  {
    animal_name: 'Panda',
    expenses: 3000
  }
```

```
db.domestic_animals.find({}, { animal_name: 1, expenses: 1, _id: 0 })
{
  animal_name: 'Dog',
  expenses: 1000
}
{
  animal_name: 'Cat',
  expenses: 800
}
{
  animal_name: 'Cow',
  expenses: 1500
}
{
  animal_name: 'Rabbit',
  expenses: 400
}
{
  animal_name: 'Goat',
  expenses: 600
}
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech **Date:** 11/3/2026
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: P.Balaji **Reg. no.:** 23BCE9514

---

8. Write a MongoDB query to display domestic_animals whose life is a particular year

```
> db.domestic_animals.find({ "life span": 15 })
< {
    _id: ObjectId('69b1343d4f58f34dd07683c4'),
    animal_name: 'Cat',
    gender: 'female',
    favorite_foods: [
      'fish',
      'milk'
    ],
    animal_petname: 'Kitty',
    'life span': 15,
    timestamp: 2023-12-10T00:00:00.000Z,
    expenses: 800
  }
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech **Date:** 11/3/2026
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: P.Balaji **Reg. no.:** 23BCE9514

---

9. Write a MongoDB query to display wild_animals available under a particular care_taker

```
> db.wild_animals.find({ care_taker_name: "Alice" })
< {
    _id: ObjectId('69b134304f58f34dd07683bf'),
    animal_name: 'Tiger',
    nature: 'harm',
    favorite_foods: [
      'meat',
      'wild boar'
    ],
    care_taker_name: 'Alice',
    'life span': 12,
    timestamp: 2021-03-15T00:00:00.000Z,
    expenses: 4500
  }
  {
    _id: ObjectId('69b134304f58f34dd07683c2'),
    animal_name: 'Panda',
    nature: 'harmless',
    favorite_foods: [
      'bamboo'
    ],
    care_taker_name: 'Alice',
    'life span': 20,
    timestamp: 2023-08-12T00:00:00.000Z,
    expenses: 3000
  }
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech **Date:** 11/3/2026
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: P.Balaji **Reg. no.:** 23BCE9514

---

10. Write a MongoDB query to display animal name, favorite_foods and expenses details whose lifespan is more than 5 years.

```
> db.wild_animals.find({ "life span": { $gt: 5 } }, { animal_name: 1, favorite_foods: 1, expenses: 1, _id: 0 })
< {
    animal_name: 'Lion',
    favorite_foods: [
      'meat',
      'deer'
    ],
    expenses: 5000
  }
  {
    animal_name: 'Tiger',
    favorite_foods: [
      'meat',
      'wild boar'
    ],
    expenses: 4500
  }
  {
    animal_name: 'Elephant',
    favorite_foods: [
      'sugar cane',
      'leaves'
    ],
    expenses: 8000
  }
  {
    animal_name: 'Wolf',
    favorite_foods: [
      'meat',
      'rabbits'
    ],
    expenses: 2000
  }
  {
    animal_name: 'Panda',
    favorite_foods: [
      'bamboo'
    ],
    expenses: 3000
  }
```

```
> db.domestic_animals.find({ "life span": { $gt: 5 } }, { animal_name: 1, favorite_foods: 1, expenses: 1, _id: 0 })
< {
    animal_name: 'Dog',
    favorite_foods: [
      'meat',
      'biscuits'
    ],
    expenses: 1000
  }
  {
    animal_name: 'Cat',
    favorite_foods: [
      'fish',
      'milk'
    ],
    expenses: 800
  }
  {
    animal_name: 'Cow',
    favorite_foods: [
      'grass'
    ],
    expenses: 1500
  }
  {
    animal_name: 'Goat',
    favorite_foods: [
      'leaves'
    ],
    expenses: 600
  }
```