

# Cucumber Report

02-Feb-2024, 2:36:50 pm

Start : Feb 02, 2:36:13.755 pm

End : Feb 02, 2:36:48.873 pm

Duration : 35.118 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 4  
FAILED - 1  
SKIPPED - 4




| Feature                |          | Scenario |   |   |   | Step |   |   |   |
|------------------------|----------|----------|---|---|---|------|---|---|---|
| Name                   | Duration | T        | P | F | S | T    | P | F | S |
| <u>LimitRoad Order</u> | 35.118 s | 1        | 0 | 1 | 0 | 9    | 4 | 1 | 4 |

| Tag         | Scenario |   |   |   | Feature |   |   |   |
|-------------|----------|---|---|---|---------|---|---|---|
| Name        | T        | P | F | S | T       | P | F | S |
| @regression | 1        | 0 | 1 | 0 | 1       | 0 | 1 | 0 |





| # | Feature Name           | T | P | F | S | Duration |
|---|------------------------|---|---|---|---|----------|
| 1 | <u>LimitRoad Order</u> | 1 | 0 | 1 | 0 | 35.118 s |





| # | Feature Name           | Scenario Name        | T | P | F | S | Duration |
|---|------------------------|----------------------|---|---|---|---|----------|
| 1 | <u>LimitRoad Order</u> | <u>Select gender</u> | 9 | 4 | 1 | 4 | 35.111 s |

## LimitRoad Order

|                                      |                            |           |   |           |   |
|--------------------------------------|----------------------------|-----------|---|-----------|---|
| <b>FAILED</b>                        | <b>DURATION - 35.118 s</b> | Scenarios |  | Steps     |  |
| / 2:36:13.755 pm // 2:36:48.873 pm / |                            | Total - 1 |   | Total - 9 |   |
|                                      |                            | Pass - 0  |   | Pass - 4  |   |
|                                      |                            | Fail - 1  |   | Fail - 1  |   |
|                                      |                            | Skip - 0  |   | Skip - 4  |   |

## Select gender

|  |  |  |   |   |
|--|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 35.111 s</div> |  |  | <div>Steps</div> <div>Total - 9</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 4</div> |  |
| / 2:36:13.762 pm // 2:36:48.873 pm /             |  |  |   |   |
| LimitRoad Order                                  |  |  |   |   |
| @regression                                      |  |  |   |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | When user enter url "https://www.limeroad.com/"   | PASSED | 0.598 s  |
| 2 | And user click Men  | PASSED | 3.797 s  |
| 3 | And user select men option  | PASSED | 0.000 s  |
| 4 | When user select Tshirts option   | PASSED | 20.469 s |
| 5 | And user select product   | FAILED | 10.161 s |
|   | org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-NMMTQ37', ip: '192.168.0.102', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver<br>at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:332)<br>at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:155)<br>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)<br>at org.openqa.selenium.json.JsonOutput.lambda\$new\$21(JsonOutput.java:168)<br>at java.base/java.util.LinkedHashMap\$LinkedValues.forEach(LinkedHashMap.java:647)<br>at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:168)<br>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)<br>at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:177)<br>at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65) |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:176)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255)</p> <p>at org.openqa.selenium.json.Json.toJson(Json.java:42)</p> <p>at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227)</p> <p>at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618)</p> <p>at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639)</p> <p>at org.openqa.selenium.interactions.Actions.perform(Actions.java:595)</p> <p>at com.base.Base_Class.clickElement(Base_Class.java:271)</p> <p>at com.step.Step_Definition.user_select_product(Step_Definition.java:47)</p> <p>at ?.user select product(file:///C:/Users/hp/eclipse-workspace/Lime_Road/src/test/java/com/feature/Lime.feature:9)</p> <p>Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-NMMTQ37', ip: '192.168.0.102', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:279)</p> <p>at org.openqa.selenium.json.Json.toJson(Json.java:44)</p> <p>at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227)</p> <p>at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618)</p> <p>at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639)</p> <p>at org.openqa.selenium.interactions.Actions.perform(Actions.java:595)</p> <p>at com.base.Base_Class.clickElement(Base_Class.java:271)</p> <p>at com.step.Step_Definition.user_select_product(Step_Definition.java:47)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:64)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:104)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)</p> <p>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p> <p>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199)</p> <p>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> |        |          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234) at org.junit.internal.runners.statements.RunBefores.evaluate(RunBefores.java:26) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at org.junit.runner.JUnitCore.run(JUnitCore.java:115) at org.junit.vintage.engine.execution.RunnerExecutor.execute(RunnerExecutor.java:42) at org.junit.vintage.engine.VintageTestEngine.executeAllChildren(VintageTestEngine.java:80) at org.junit.vintage.engine.VintageTestEngine.execute(VintageTestEngine.java:72) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:147) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:127) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:90) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda\$execute\$0(EngineExecutionOrchestrator.java:55) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:102) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:54) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:114) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:95) at org.junit.platform.launcher.core.DefaultLauncherSession\$DelegatingLauncher.execute(DefaultLauncherSession.java:91) at org.junit.platform.launcher.core.SessionPerRequestLauncher.execute(SessionPerRequestLauncher.java:60) at org.eclipse.jdt.internal.junit5.runner.JUnit5TestReference.run(JUnit5TestReference.java:98) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br/> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br/> at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br/> at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br/> at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:328)<br/> at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:155)<br/> at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)<br/> at org.openqa.selenium.json.JsonOutput.lambda\$null\$21(JsonOutput.java:168)<br/> at java.base/java.util.LinkedHashMap\$LinkedValues.forEach(LinkedHashMap.java:647)<br/> at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:168)<br/> at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)<br/> at org.openqa.selenium.json.JsonOutput.lambda\$null\$23(JsonOutput.java:177)<br/> at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65)<br/> at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:176)<br/> at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264)<br/> at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255)<br/> at org.openqa.selenium.json.Json.toJson(Json.java:42)<br/> at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227)<br/> at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117)<br/> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)<br/> at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618)</p> |        |          |



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639)<br>at org.openqa.selenium.interactions.Actions.perform(Actions.java:595)<br>at com.base.Base_Class.clickElement(Base_Class.java:271)<br>at com.step.Step_Definition.user_select_product(Step_Definition.java:47)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)<br>at io.cucumber.java.Invoker.invoke(Invoker.java:24)<br>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)<br>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)<br>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)<br>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)<br>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)<br>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)<br>at io.cucumber.core.runner.TestStep.run(TestStep.java:64)<br>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)<br>at io.cucumber.core.runner.TestCase.run(TestCase.java:104)<br>at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)<br>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)<br>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)<br>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)<br>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)<br>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)<br>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)<br>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)<br>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)<br>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)<br>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)<br>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199)<br>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)<br>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)<br>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)<br>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)<br>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)<br>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)<br>at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234)<br>at org.junit.internal.runners.statements.RunBefores.evaluate(RunBefores.java:26)<br>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)<br>at org.junit.runners.ParentRunner.run(ParentRunner.java:413) |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <pre> at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at org.junit.runner.JUnitCore.run(JUnitCore.java:115) at org.junit.vintage.engine.execution.RunnerExecutor.execute(RunnerExecutor.java:42) at org.junit.vintage.engine.VintageTestEngine.executeAllChildren(VintageTestEngine.java:80) at org.junit.vintage.engine.VintageTestEngine.execute(VintageTestEngine.java:72) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:147) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:127) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:90) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda\$execute\$0(EngineExecutionOrchestrator.java:55) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:102) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:54) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:114) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:95) at org.junit.platform.launcher.core.DefaultLauncherSession\$DelegatingLauncher.execute(DefaultLauncherSession.java:91) at org.junit.platform.launcher.core.SessionPerRequestLauncher.execute(SessionPerRequestLauncher.java:60) at org.eclipse.jdt.internal.junit5.runner.JUnit5TestReference.run(JUnit5TestReference.java:98) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#36 59fc10c13cb38081ce67dca"} (Session info: chrome=121.0.6167.139) For documentation on this error, please visit: <a href="https://www.seleniumhq.org/exceptions/no_such_element.html">https://www.seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-NMMTQ37', ip: '192.168.0.102', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.139, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e..., userDataDir: C:\Users\hpl\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65100}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 71c84ca6bebd4f8c19ee4f174e6a2733 *** Element info: {Using=id, value=659fc10c13cb38081ce67dca}</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) </pre> |        |          |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372)<br>at org.openqa.selenium.By\$ById.findElement(By.java:188)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)<br>at jdk.proxy2/jdk.proxy2.\$Proxy21.getWrappedElement(Unknown Source)<br>at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:204)<br>at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:155)<br>at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:75)<br>at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:84)<br>* Not displayable characters are replaced by '?'. |         |          |
| 6 | And user selected product item   | SKIPPED | 0.000 s  |
| 7 | And user select the size of the product  | SKIPPED | 0.005 s  |
| 8 | And user click add to cart   | SKIPPED | 0.006 s  |
| 9 | And user click Buynow  | SKIPPED | 0.000 s  |