# Assignment\_1

# Balamanoj Reddy Kommareddy

### 2023-09-22

This workbook contains the code for Assignment	1

# **Summary:**

- 1. Maximum revenue = \$1780.
- 2. To meet the above objective, Francesco Schröeder should manufacture 40 pounds of artisanal truffles, 12 pounds of handcrafted chocolate nuggets, and 4 pounds of premium gourmet chocolate bars.
- 3. Artisanal Truffles, Handmade Chocolate Nuggets and Chocolate Bars constrains binding.

# Shadow price and Range of feasibility:

- -Cacao Butter : Shadow Price = \$2 , Range of feasibility = 47.5 to 51.6
- -Honey: Shadow Price = \$30, Range of feasibility = 30 to 52
- -Dairy Cream : Shadow Price = \$6 , Range of feasibility = 29.1 to 50

# Range of optimality:

- -Artisanal Truffles: \$20 to \$38
- -Handcrafted Chocolate Nuggets: \$22.50 to \$26.66
- -Premium Gourmet chocolate bars: \$18.75 to \$35

library(lpSolveAPI)

#### #Problem Statement:

A renowned chocolatier, Francesco Schröeder, makes three kinds of chocolate confectionery: artisanal truffles, handcrafted chocolate nuggets, and premium gourmet chocolate bars. He uses the highest quality of cacao butter, dairy cream, and honey as the main ingredients. Francesco makes his chocolates each morning, and they are usually sold out by the early afternoon. For a pound of artisanal truffles, Francesco uses 1 cup of cacao butter, 1 cup of honey, and 1/2 cup of cream. The handcrafted nuggets are milk chocolate and take 1/2 cup of cacao, 2/3 cup of honey, and 2/3 cup of cream for each pound. Each pound of the chocolate bars uses 1 cup of cacao butter, 1/2 cup of honey, and 1/2 cup of cream. One pound of truffles, nuggets, and chocolate bars can be purchased for \$35, \$25, and \$20, respectively. A local store places a daily order of 10 pounds of chocolate nuggets, which means that Francesco needs to make at least 10 pounds of the chocolate nuggets each day. Before sunrise each day, Francesco receives a delivery of 50 cups of cacao butter, 50 cups of honey, and 30 cups of dairy cream.

- \*1. Formulate and solve the LP model that maximizes revenue given the constraints. How much of each chocolate product should Francesco make each morning? What is the maximum daily revenue that he can make?
- \*2.Report the shadow price and the range of feasibility of each binding constraint.
- \*3.If the local store increases the daily order to 25 pounds of chocolate nuggets, how much of each product should Francesco make?

\*1. Formulate and solve the LP model that maximizes revenue given the constraints. How much of each chocolate product should Francesco make each morning? What is the maximum daily revenue that he can make?

In an LP (Linear Programming) model, we need to pinpoint the following components: the objective, the variables that represent the choices we can make, and the limitations or conditions that must be adhered to.

#Decision Variables: These variables denote the quantities of products we must manufacture to attain our desired objective. Let us declare variables that represents our problem.

\*"AT" reflects Quantity of Artisanal Truffles produced.

\*"CN" reflects Quantity of Handcrafted Chocolate Nuggets produced.

\*"CB" reflects Quantity of Premium Gourmet Chocolate Bars produced.

#Objective: In the given statement our objective is to Maximizing the profit.Representing it by the letter "Z".

Maximizing Profit(Z): 35AT + 25CN + 20CB

#Constraints: It demonstrates the sources and constraints that we face in completing the tasks. The most important step is to identify everything.

-quantity constraint(Cacao Butter, Honey, Cream)

-production constraint

-Non-negativity constraint

In the given problem we have 5 constraints. #The first three constraints represents the quantity constraints

1. Cacao Butter:  $AT+(1/2)CN+CB \le 50$ 

 $2.Honey: AT+(2/3)CN+(1/2)CB \le 50$ 

 $3. Cream : AT(1/2) + (2/3)CN + (1/2)CB \le 30$ 

 $4.Nuggets \ production : N >= 10$  (production constraint for nuggets)

5. Non-negativity constraint: AT,CN,CB >= 0 (The above line shows that the quantity should be greater than Zero)

#Here, we create the basic lp model with 0 constraints and decision variables from our statement. #Setting the objective functions #The programming set default is minimization. we should change it to max.

#Now printing the model.

#### Choco\_delights

##	Model name:					
##		Truffles	Nuggets	Gourmet		
##	Maximize	35	25	20		
##	Cacao_Butter	1	0.5	1	<=	50
##	Honey	1	0.66666666667	0.5	<=	50
##	Cream	0.5	0.666666666667	0.5	<=	30
##	Production_nuggets	0	1	0	>=	10
##	Kind	Std	Std	Std		
##	Туре	Real	Real	Real		
##	Upper	Inf	Inf	Inf		
##	Lower	0	0	0		

#The below function changes the model to Lp format so that it can be read by LP solver libraries in future.

```
res = write.lp(Choco_delights, filename = "Flakes.lp", type = "lp")
```

#Solve function shows whether our model is running successfully or not. If the output is '0', then the model working is fine.

```
solve(Choco_delights)
```

### **##** [1] 0

#Objective Function: we get know the max\_revenue that we can earn per day with the sources we have. #Variable Function: Here we will know the quantity of variable products that we have to produce to get the max\_revenue

```
Max_profit = get.objective(Choco_delights)
cat("The maximum revenue obtained: $",Max_profit,"\n")
```

## The maximum revenue obtained: \$ 1780

```
Min_Prod = get.variables(Choco_delights)
cat("Quantity produced(T,N,G): ",Min_Prod,"\n")
```

```
## Quantity produced(T,N,G): 40 12 4
```

#The below code snippet is another method to access the model through lp format file.

```
d = read.lp("Flakes.lp")
## Model name:
##
                               Truffles
                                                 Nuggets
                                                                   Gourmet
## Maximize
                                     35
                                                       25
                                                                        20
## Cacao_Butter
                                      1
                                                      0.5
                                                                                 50
                                                                        1
                                                                            <=
                                          0.66666666667
## Honey
                                      1
                                                                       0.5
                                                                                 50
                                                                            <=
                                    0.5
## Cream
                                          0.66666666667
                                                                       0.5
                                                                            <=
                                                                                 30
## Production_nuggets
                                      0
                                                                         0
                                                                            >=
                                                                                 10
                                    Std
                                                      Std
                                                                       Std
## Kind
## Type
                                   Real
                                                     Real
                                                                      Real
## Upper
                                    Inf
                                                                       Inf
                                                      Inf
## Lower
                                                                         0
                                      0
                                                        0
\# Solving LP model
solve(d)
## [1] 0
get.objective(d)
## [1] 1780
get.variables(d)
## [1] 40 12 4
get.constraints(d)
## [1] 50 50 30 12
*2.Report the shadow price and the range of feasibility of each binding constraint.
#The below code we can get the shadow prices and the range of feasibility.
#Shadow prices and the range of Feasibility
shadow_prices <- get.sensitivity.rhs(d)</pre>
shadow_prices
```

```
## $duals
## [1] 2 30 6 0 0 0 0
##
## $dualsfrom
## [1] 4.750000e+01 3.000000e+01 2.916667e+01 -1.000000e+30 -1.000000e+30
## [6] -1.000000e+30 -1.000000e+30
##
## $dualstill
## [1] 5.166667e+01 5.200000e+01 5.000000e+01 1.000000e+30 1.000000e+30
## [6] 1.000000e+30 1.000000e+30
reduced_costs <- get.sensitivity.obj(d)</pre>
reduced_costs
## $objfrom
## [1] 20.00 22.50 18.75
##
## $objtill
## [1] 38.00000 26.66667 35.00000
*3.If the local store increases the daily order to 25 pounds of chocolate nuggets, how much of each product
should Francesco make?
#We are updating the constraint to 25 to get the new production quantities. #add.constraint(Choco_delights,c(0,1,0),">=",2"
#Now, printing out the model
Choco_delights
## Model name:
##
                  AritisanTruffel ChocalateNuggets
                                                          ChocalateBars
## Maximize
                                35
                                                                      20
## CacaoButter
                                                  0.5
                                                                              50
                                 1
                                                                       1 <=
## Honey
                                 1
                                      0.66666666667
                                                                              50
                                                                     0.5 <=
## DiaryCream
                               0.5
                                      0.66666666667
                                                                     0.5 <=
                                                                              30
## NUggetsOrder
                                 0
                                                                       0 >=
                                                                              25
                                                    1
## Kind
                               Std
                                                  Std
                                                                     Std
## Type
                              Real
                                                 Real
                                                                    Real
## Upper
                               Inf
                                                  Inf
                                                                     Inf
## Lower
                                                                       0
                                 0
#The model can also be saved to a file
write.lp(Choco_delights, filename = "Flakes.lp", type = "lp")
solve(Choco_delights)
## [1] 0
get.objective(Choco_delights)
```

## [1] 1558.333

```
varV <- get.variables(Choco_delights)</pre>
x <- read.lp("Flakes.lp") # create an lp object x
## Model name:
                 AritisanTruffel ChocalateNuggets
                                                      ChocalateBars
##
## Maximize
                              35
                                                                 20
                                              0.5
## CacaoButter
                                                                         50
                              1
                                                                 1 <=
## Honey
                                   0.66666666667
                                                                0.5 <= 50
                              1
## DiaryCream
                             0.5 0.666666666667
                                                                0.5 <= 30
## NUggetsOrder
                              0
                                                                  0 >=
                                                                         25
## Kind
                                              Std
                            Std
                                                                Std
                            Real
## Type
                                             Real
                                                               Real
## Upper
                             Inf
                                              Inf
                                                                Inf
## Lower
                               0
                                                                  0
solve(Choco_delights)
## [1] 0
#get objective value
get.objective(Choco_delights)
## [1] 1558.333
#get values of decision variables
get.variables(Choco_delights)
## [1] 26.66667 25.00000 0.00000
#get constraint RHS values
get.constraints(Choco_delights)
```

## [1] 39.16667 43.33333 30.00000 25.00000