

Multi-Line Insurance Policy and Claims Management System

Team ID : SWTID-2026-9365

Team Size : 4

Team Leader : Balamithra M

Team member : Dharshini T

Team member : Dhashmi R

Team member : Harini L G

1. Problem Statement

An insurance carrier, which manages vehicle, property, and life insurance, currently uses a legacy system that results in **manual, slow, and inconsistent policy quoting, issuance, and claims handling**. The lack of a unified platform makes cross-selling difficult, and the manual claims review process leads to long resolution times, high operational costs, and poor customer

2. Objectives

- Design a flexible data model
- Implement Screen Flows
- Develop a dynamic Apex/LWC Claims Dashboard Automate claims approval/escalation

4. Solution Approach

The solution leverages **Screen Flows** for interactive quoting, a flexible **Custom Data Model** for policy diversity, and **LWC/Apex** for the high-performance Claims Management dashboard.

5. Milestones


Milestone 1: Core Data Model & Policy Configuration

User Story1: Creation of custom objects


1.Create Policy custom object:


The screenshot shows the Salesforce Setup interface in Developer Edition. The left sidebar contains a navigation menu with options like Fields & Relationships, Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, Search Layouts, List View Button Layout, Restriction Rules, and Scoping Rules. The main content area is titled "Policy" and contains the "Custom Object Definition Edit" form. The form includes sections for "Custom Object Information" (Label: Policy, Plural Label: Policies, Starts with vowel sound: unchecked), "The Object Name is used when referencing the object via the API" (Object Name: Policy, Description: empty text area), and "Context-sensitive Help setting" (Content Name: --None--). Below these is the "Enter Record Name Label and Format" section, which includes a warning about high volume of records and a "What is this?" link. The bottom of the page shows the Windows taskbar with the time 12:24 PM on 10/1/2026.

This screenshot shows the same Salesforce Setup interface, but with the "Enter Record Name Label and Format" section expanded. It displays the "Record Name" field with the value "Policy Number" and the "Example" field with the value "Account Name". The "Data Type" is set to "Auto Number" and the "Display Format" is "P - (0000)". Below this is the "Optional Features" section, which includes checkboxes for "Allow Reports", "Allow Activities", "Track Field History", "Allow in Chatter Groups", and "Enable Licensing". The "Object Classification" section is also visible, showing that the object is classified as an Enterprise Application object. The bottom of the page shows the Windows taskbar with the time 12:25 PM on 10/1/2026.



2. Define Record Types on Policy Object:






1.Create Field Sets for policy specific data:


3.1 Property FieldSet Requires:

- Square footage
- Year Built



3.2 Life FieldSet Requires:

- Beneficiary Name
- Policy Term Months



2.Create Claim custom object:

Lightning Experience | Salesforce | Claim | Salesforce

orgfarm-97d6620335-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ObjectManager/011gl000008LAh/edit?address=%2F011gl000008L...

Developer Edition

Setup Home Object Manager

SETUP > OBJECT MANAGER

Claim

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

Edit Custom Object

Claim

Custom Object Definition Edit

Save Save & New Cancel

Custom Object Information

The singular and plural labels are used in tabs, page layouts, and reports. Be careful when changing the name or label as it may affect existing integrations and merge templates.

Label Example: Account

Plural Label Example: Accounts

Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.

Object Name Example: Account

Description

Context-Sensitive Help Setting

☒ Open the standard Salesforce.com Help & Training window

☐ Open a window using a Visualforce page

Lightning Experience | Salesforce | Claim | Salesforce

orgfarm-97d6620335-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ObjectManager/011gl000008LAh/edit?address=%2F011gl000008L...

Developer Edition

Setup Home Object Manager

SETUP > OBJECT MANAGER

Claim

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

Content Name

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Record Name Example: Account Name

Data Type Warning: If you plan to insert a high volume of records in this object, via the API for example, use the Text data type.

Display Format Example: A-{0000} What is This?

Optional Features

☒ Allow Reports

☒ Allow Activities

☒ Track Field History

☐ Allow in Chatter Groups

☐ Enable Licensing [1](#)


Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more.](#)


☒ Allow Sharing



☒ Allow Bulk API Access

☒ Allow Streaming API Access




1. Define Record Types on Claim Object:





1. Create an AutoQuoting Screen Flow



Lightning Ex | Flows | Sales | AutoQuoting | SkillWallet | Fwdt - balant | Salesforce | Multi-Line In | Ask Gemini

orgfarm-97d6620335-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app?flowId=301gL00001vum74QAA

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

Developer Edition

Flow Builder | AutoQuotingFlow - V1

Last saved on 9/30/2026, 03:28 PM

Active Run Debug Save As New Version Save Deactivate

Screen Flow Start

Get Vehicle RT ID Get Records

New Auto Policy Quote - Basic Information Screen

Vehicle Specific Details Screen

Create Draft Policy Create Records

Get Records

All Conditions Are Met (AND)

Field Operator Value

SObject Type Name Equals Policy__c

Field Operator Value

AND Name Equals Auto

+ Add Condition

Sort Record Type Records

Sort Order

Not Sorted ⚠ If you store only the first record, filter by a unique field, such as ID.

How Many Records to Store

☒ Only the first record

☐ All records, up to a specified limit

☐ All records

How to Store Record Data



☒ Automatically store all fields

☐ Choose fields and let Salesforce do the rest

☐ Choose fields and assign variables (advanced)

Search

ENG US 12:37 PM 10/1/2026



Lightning x Flows | Sales x AutoQuoting x ClaimRow x ClaimRow x Fwd: - bal x Multi-Line x SkillWale x Ask Gemini

orgfarm-97d6620335-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app?isFromAloha=true&flowId=301gL000...

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

MS Developer Edition

Flow Builder AutoQuotingFlow - V1

Last saved on 9/30/2026, 03:28 PM Run Debug Save As New Version Deactivate

Screen Flow Start

Get Vehicle RT ID Get Records

New Auto Policy Quote - Basic Information Screen

Vehicle-Specific Details Screen

Create Draft Policy Create Records

Calculate Premium Apply Action

End

Create Records

Label: Create Draft Policy Create Draft Policy

Description:

How to set record field values: Manually

Create a Record of This Object

*Object: Policy

Set Field Values for the Policy

Field: Record Type ID Value: Type from Get Vehicle RT ID > Record Type ID

Manually assign variables (advanced)

Store Policy ID in Variable

Variable: Search variables...

Check for Matching Records

11:19 AM 10/1/2026

Lightning Ex x Flows | Sales x AutoQuoting x SkillWallet x Fwd: - balan x Salesforce_D x Multi-Line In x Ask Gemini

orgfarm-97d6620335-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app?flowId=301gL00001vum74QAA

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

Developer Edition

Flow Builder AutoQuotingFlow - V1

Last saved on 9/30/2026, 03:28 PM Active Run Debug Save As New Version Save Deactivate

Screen Flow Start

Get Vehicle RT ID Get Records

New Auto Policy Quote - Basic Information Screen

Vehicle-Specific Details Screen

Create Draft Policy Create Records

Create Records

How to set record field values: Manually

Create a Record of This Object

*Object: Policy

Set Field Values for the Policy

Field: Record Type ID X Value: Type from Get Vehicle RT ID > Record Type ID X

Manually assign variables (advanced)

Store Policy ID in Variable

Variable: Search variables...

Check for Matching Records

12:40 PM 10/1/2026

2. Create Validation Rule on Policy Object:

This screenshot shows the Salesforce Setup interface for the 'Policy' object. The left sidebar contains a navigation menu with options: Details, Fields & Relationships, Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, and Related Lookup Filters. The main content area is titled 'Validation Rules' and shows a list of 1 item, sorted by Rule Name. The table below contains the details of the validation rule.



RULE NAME	ERROR LOCATION	ERROR MESSAGE	ACTIVE	MODIFIED BY
VIN_Length_Validation	VIN	The Vehicle Identification Number (VIN) must be exactly 17 characters long for Auto Policies.	✓	Balamithra M. 9/30/2026, 2:40 AM

This screenshot shows the 'Policy Validation Rule' detail page. The left sidebar is the same as the previous screenshot. The main content area is titled 'Policy Validation Rule' and includes a 'Back to Policy' link. Below the title is a 'Validation Rule Detail' section with the following information:

- Rule Name: VIN_Length_Validation
- Active: ✓
- Error Condition Formula: AND(RecordType.DeveloperName = "Auto", LEN(VIN__c) <> 17)
- Error Message: The Vehicle Identification Number (VIN) must be exactly 17 characters long for Auto Policies.
- Error Location: VIN
- Description:
- Created By: Balamithra M. 9/30/2026, 2:40 AM
- Modified By: Balamithra M. 9/30/2026, 2:40 AM

Milestone 2: Complex Policy Issuance & Claim Routing Automation

1. Integrate this Apex action into the final step of the *AutoQuotingFlow* to update the draft Policy record



1. Create a Record-Triggered Flow (After Save) on the Claim object.

Lightning x Flows x Flows x ClaimR x AutoQ x SkillW x Fwd: - x Salesf: x Multi- x + Ask Gemini

orgfarm-97d6620335-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app?flowId=301gL00001w6cOtQAI

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

Developer Edition

Flow Builder | ClaimRoutingFlow - V1

Auto-Layout

Last saved on 10/1/2026, 11:14 AM **Active** Run Debug View Tests Save As New Version Save Deactivate

Record-Triggered Flow
Start
Object: Claim Edit
Trigger: A record is created
Optimize for: Actions and Related Records
+ Add Scheduled Paths (Optional)
Open Flow Trigger Explorer for Claim

Run Immediately

Get Policy RT
Get Records

Route by Policy Type
Decision

Configure Start

Select Object
Select the object whose records trigger the flow when they're created, updated, or deleted.
Object: Claim

Configure Trigger
Trigger the Flow When:
☒ A record is created
☐ A record is updated
☐ A record is created or updated
☐ A record is deleted

Set Entry Conditions
Specify entry conditions to reduce the number of records that trigger the flow and the number of times the flow is executed. Minimizing unnecessary flow executions helps to conserve your org's resources.
Condition Requirements: None

Optimize Flow

Search

ENG US 12:47 PM 10/1/2026

Lightning x Flows | S x ClaimRou x ClaimRou x ClaimRou x Fwd: - b x Multi Uni x SkillWall x + Ask Gemini

orgfarm-97d6620335-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app?isFromAloha=true&flowDefId=300gL...

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

Developer Edition

Flow Builder | ClaimRoutingFlow - V1

Auto-Layout

Last saved on 10/1/2026, 11:14 AM **Active** Run Debug View Tests Save As New Version Save Deactivate

Record-Triggered Flow
Start
Object: Claim Edit
Trigger: A record is created
Optimize for: Actions and Related Records
+ Add Scheduled Paths (Optional)
Open Flow Trigger Explorer for Claim

Run Immediately

Get Policy RT
Get Records

Route by Policy Type
Decision

Assign to Auto Queue
Update Records

Assign to Property Queue
Update Records

Assign to Life Queue
Update Records

End

Get Records

Label: Get Policy RT
API Name: Get_Policy_RT

Get Records of This Object
Object: Policy

Filter Policy Records
Condition Requirements: All Conditions Are Met (AND)

Field: Policy Record ID Operator: Equals Value: Claim__c = Claim Number

Sort Policy Records
Sort Order: Not Sorted

How Many Records to Store
☒ Only the first record
☐ All records, up to the specified limit
☐ All records

How to Store Record Data
☐ Automatically store all fields
☐ Choose fields and let Salesforce do the rest
☒ Choose fields and assign variables (advanced)

To use the returned Policy records in the flow, store their fields in variables.

Where to Store Field Values
☐ Together in a record variable

Search

ENG US 11:20 AM 10/1/2026

Lightning x Flows x Flows x Claim: x AutoCl: x SkillW: x Fwd: x Salesf: x Multi: x + Ask Gemini

orgfarm-97d6620335-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app?flowId=301gl00001w6C0tQA1

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

Developer Edition

Flow Builder ClaimRoutingFlow - V1

Auto-Layout

Last saved on 10/1/2026, 11:14 AM Active Run Debug View Tests Save As New Version Save Deactivate

Trigger: A record is created
Optimize for: Actions and Related Records
+ Add Scheduled Paths (Optional)
Open Flow Trigger Explorer for Claim

Run Immediately

Get Policy RT
Get Records

Route by Policy Type
Decision

Auto Claim Route

Property Claim Route

Life Claim Route

Assign to Property Queue
Update Records

Assign to Life Queue
Update Records

Get Records

Field: Record ID X Operator: Equals Value: A_g Claim_c > Claim Number X

+ Add Condition

Sort Policy Records

Sort Order: Not Sorted ⚠ If you store only the first record, filter by a unique field, such as ID.

How Many Records to Store

☒ Only the first record
☐ All records, up to a specified limit
☐ All records

How to Store Record Data

☐ Automatically store all fields
☐ Choose fields and let Salesforce do the rest
☒ Choose fields and assign variables (advanced)

To use the returned Policy records in the flow, store their fields in variables.

Where to Store Field Values

☐ Together in a record variable
☒ In separate variables

Lightning x Flows | Se x ClaimRou: x ClaimRou: x ClaimRou: x Fwd: - ba: x Multi: x SkillW: x + Ask Gemini

orgfarm-97d6620335-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app?isFromAloha=true&flowDefId=300gL...

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

Developer Edition

Flow Builder ClaimRoutingFlow - V1

Auto-Layout

Last saved on 10/1/2026, 11:14 AM Active Run Debug View Tests Save As New Version Save Distribute

Record-Triggered Flow
Start

Object: Claim
Trigger: A record is created
Optimize for: Actions and Related Records
+ Add Scheduled Paths (Optional)
Open Flow Trigger Explorer for Claim

Run Immediately

Get Policy RT
Get Records

Route by Policy Type
Decision

Auto Claim Route

Property Claim Route

Life Claim Route

Assign to Auto Queue
Update Records

Assign to Property Queue
Update Records

Assign to Life Queue
Update Records

End

End

End

Decision

Label: Route by Policy Type Route by Policy Type

Description:

Outcomes

For each path the automation can take, create an outcome. For each outcome, specify the conditions that must be met for the automation to take that path.

Outcome Label: Auto Claim Route Outcome API Name: Auto Claim Route

Condition Requirements to Execute Outcome: All Conditions Are Met (AND)

Record: A_g Claim_c X Operator: Equals Value: Auto

+ Add Condition

Lightning x Flows x Flows x ClaimR x AutoQ x SkillW x Fwd: - b x Salesf: x Multi- x + Ask Gemini

orgfarm-97d6620335-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app?flowId=301gL00001w6cOtQAI

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

Developer Edition

Flow Builder | ClaimRoutingFlow - V1

Last saved on 10/1/2026, 11:14 AM **Active** Run Debug View Tests Save As New Version Save Deactivate

Trigger: A record is created
Optimize for: Actions and Related Records
+ Add Scheduled Paths (Optional)
Open Flow Trigger Explorer for Claim

Run Immediately

Get Policy RT
Get Records

Route by Policy Type
Decision

Auto Claim Route
Property Claim Route
Life Claim Route

Assign to Property Queue
Update Records

Assign to Life Queue
Update Records

Decision

*Label: Route by Policy Type
*API Name: Route_by_Policy_Type

Description:

Outcomes

For each path the automation can take, create an outcome. For each outcome, specify the conditions that must be met for the automation to take that path.

OUTCOME ORDER + OUTCOME DETAILS Delete Outcome

Auto Claim Route

*Outcome Label: Auto Claim Route
*Outcome API Name: Auto_Claim_Route

Condition Requirements to Execute Outcome: All Conditions Are Met (AND)

*Resource: varPolicyRTName
Operator: Equals
Value: Auto

+ Add Condition

Lightning x Flows | S x ClaimRou x ClaimRou x ClaimRou x Fwd: - b x Multi Lin x SkillWall x + Ask Gemini

orgfarm-97d6620335-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app?isFromAloha=true&flowDefId=300gL...

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

Developer Edition

Flow Builder | ClaimRoutingFlow - V1

Last saved on 10/1/2026, 11:14 AM **Active** Run Debug View Tests Save As New Version Save Deactivate

Record Triggered Flow Start

Object: Claims
Trigger: A record is created
Optimize for: Actions and Related Records
+ Add Scheduled Paths (Optional)
Open Flow Trigger Explorer for Claim

Run Immediately

Get Policy RT
Get Records

Route by Policy Type
Decision

Auto Claim Route
Property Claim Route
Life Claim Route

Assign to Auto Queue
Update Records

Assign to Property Queue
Update Records

Assign to Life Queue
Update Records

End

End

End

Update Records

*Label: Assign to Property Queue
*API Name: Assign_to_Property_Queue

Description:

*How to find records to update and set their values:
Use the claim record that triggered the flow
Update records related to the claim record that triggered the flow
Use the ID and all field values from a record or record collection
Specify conditions to identify records, and set fields individually

Update Records of This Object Type

Object: Claim

Filter Claim Records

Condition Requirements to Update Records: All Conditions Are Met (AND)

Field: varRecordID
Operator: Equals
Value: varTriggerClaim_c__RecordID

+ Add Condition

Set Field Values for the Claim Records

Field: varOwnerID
Value: 00000000000000000000000000000000

+ Add Field

Lightning x Flows | S x ClaimRou x ClaimRou x ClaimRou x Fwd: - b x Multi Lin x SkillWalle x + Ask Gemini x

orgfarm-97d6620335-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app?isFromAloha=true&flowDefId=300gL...

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

Developer Edition

Flow Builder ClaimRoutingFlow - V1

Last saved on 10/1/2026, 11:14 AM

Run Debug View Tests Save As New Version Save Deactivate

Record-Triggered Flow Start

Object: Claim

Trigger: A record is created

Options for Actions and Related Records

+ Add Scheduled Path (Optional)

+ Open Flow Runner Explorer for Claim

Run Immediately

Get Policy RT Get Records

Route by Policy Type Decision

Auto Claim Route

Property Claim Route

Life Claim Route

Assign to Auto Queue Update Records

Assign to Property Queue Update Records

Assign to Life Queue Update Records

End

End

End

Update Records

* Label Assign to Life Queue * API Name Assign_to_Life_Queue

Description

* How to Find Records to Update and Set Their Values

☐ Use the claim record that triggered the flow

☐ Update records related to the claim record that triggered the flow

☐ Use the IDs and all field values from a record or record collection

☒ Specify conditions to identify records, and set fields individually

Update Records of This Object Type

* Object Claim

Filter Claim Records

Condition Requirements to Update Records

All Conditions Are Met (AND)

Field Record ID x Operator Equals Value x _getmy Claim_c + Record ID x

+ Add Condition

Set Field Values for the Claim Records

Field Owner ID x Value 00000000000000000000

+ Add Field

Search

ENG US 11:20 AM 10/1/2026

Lightni x Flows x Flows x ClaimR x AutoQ x SkillW x Fwd: - x Salesfo x Multi-L x + Ask Gemini x

orgfarm-97d6620335-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app?flowId=301gL00001w6cOtQAI

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

Developer Edition

Flow Builder ClaimRoutingFlow - V1

Last saved on 10/1/2026, 11:14 AM

Active Run Debug View Tests Save As New Version Save Deactivate

Run Immediately

Get Policy RT Get Records

Route by Policy Type Decision

Auto Claim Route

Property Claim Route

Life Claim Route

Assign to Auto Queue Update Records

Assign to Property Queue Update Records

Assign to Life Queue Update Records

End

End

End

Update Records

* Label Assign to Life Queue * API Name Assign_to_Life_Queue

Description

* How to Find Records to Update and Set Their Values

☐ Use the claim record that triggered the flow

☐ Update records related to the claim record that triggered the flow

☐ Use the IDs and all field values from a record or record collection

☒ Specify conditions to identify records, and set fields individually

Update Records of This Object Type

* Object Claim

Filter Claim Records

Condition Requirements to Update Records


All Conditions Are Met (AND)

Search

ENG US 12:53 PM 10/1/2026

Milestone 3: Claims Adjuster LWC Dashboard Development

1. Create a robust Apex class (ClaimsAdjusterController) with a method using SOQL to query all Claims owned by the logged-in user, joining related Policy and Customer data. The method must return a custom Wrapper Class listing key metrics.



The screenshot displays the Salesforce Developer Console interface. The top pane shows the Apex class `ClaimsAdjusterController.apxc` with the following code:

```
1 public class ClaimsAdjusterController {  
2  
3     public class ClaimWrapper {  
4         @AuraEnabled public Id claimId;  
5         @AuraEnabled public String claimNumber;  
6         @AuraEnabled public Decimal claimAmount;  
7         @AuraEnabled public String status;  
8         @AuraEnabled public String policyType;  
9         @AuraEnabled public String policyHolderName;  
10        @AuraEnabled public Integer daysOpen;  
11  
12        public ClaimWrapper(Claim__c c, Policy__c p, Contact customerRec) {  
13            this.claimId = c.Id;  
14            this.claimNumber = c.Name;  
15            this.claimAmount = c.Claim_Amount__c;  
16            this.status = c.Status;  
17            this.policyType = p.Type;  
18            this.policyHolderName = customerRec.Name;  
19            this.daysOpen = c.DaysOpen;  
20        }  
21    }  
22  
23    public List<ClaimWrapper> getClaims() {  
24        // SOQL query to fetch claims owned by the logged-in user, joined with policy and customer data  
25        // Example query: SELECT Claim__c, Policy__c, Contact__c FROM Claim__c WHERE Claim__c.OwnerId = :UserInfo.getUserId() AND Claim__c.Status = 'Open'  
26    }  
27}
```

The bottom pane shows the **Logs** tab with a single log entry:

User	Application	Operation	Time	Status	Read	Size
Balamithra M	Browser	/aura	10/1/2026, 10:01:42 AM	Success	Unread	327 bytes

2. Create a component (claimsDashboardLwc) that uses the Apex method via the `@wire` service and implements client-side data filtering

Lightning Studio

LIGHTNING STUDIO New ▾ Developer Tools ▾ Utility Tools ▾ Themes ▾ Developer Edition Balamithra M ▾

Search Component...

LIGHTNING WEB COMPONENTS (3/3)

- claimTileLwc
 - JS claimTileLwc.js
 - claimTileLwc.html
 - claimTileLwc.js-meta.xml
- claimsDashboardLwc
 - claimsDashboardLwc.html
 - JS claimsDashboardLwc.js
 - claimsDashboardLwc.js-meta.xml
- helloWorld

AURA COMPONENTS

APEX CLASSES (16/16)

- AccountHandler
- AccountManager
- AccountManagerTest
- AnimalLocator
- AnimalLocatorMock
- AnimalLocatorTest
- AsyncParkService
- AsyncParkServices
- ClaimsAdjusterController
- NewCaseListController
- ParkLocator
- ParkLocatorTest
- ParkService
- ParkServiceMock

LightningWebComponent > claimsDashboardLwc > claimsDashboardLwc.html

```
1 <template>
2   <lightning-card title="My Assigned Claims Dashboard" icon-name="standard:claim">
3     <div class="slds-m-around_medium">
4       <lightning-combobox
5         name="policyFilter"
6         label="Filter by Policy Type"
7         value="All"
8         options={policyTypeOptions}
9         onchange={handleFilterChange}
10        class="slds-m-bottom_medium"
11      ></lightning-combobox>
12
13      <template if:true={visibleClaims}>
14        <div class="slds-grid slds-wrap slds-grid_pull-padded">
15          <template for:each={visibleClaims} for:item="claim">
16            <div key={claim.claimId} class="slds-col slds-size_1-of-1 slds-medium-size_1-of-2 slds-large-size_1-of-3 slds">
17              <c-claim-tile-lwc claim-data={claim}></c-claim-tile-lwc>
18            </div>
19          </template>
20        </div>
21      </template>
22      <p class="slds-m-top_medium slds-text-heading_small">Total Claims Assigned: {visibleClaims.length}</p>
23    </template>
```

Logs

ERROR | No such column 'DeveloperName' on entity 'RecordType'. If you are attempting to use a custom field, be sure to append the '._c' after the custom field name. Please reference your WSDL or the describe call for the appropriate names.: Source | 10:13:40

SYSTEM | If your object/field references are valid, please try deploying your component using Salesforce Standard Deployment Mode. Look for the 'Enable Standard Deployment' checkbox at the bottom-right corner of the editor. | 10:13:40

FETCH | claimsDashboardLwc • LightningWebComponent • Fetch process started. Please wait... | 10:18:57

SUCCESS | claimsDashboardLwc • Fetched successfully. | 10:18:58

Vivekanandha college of technology for women | v67.0 v4.0.5 Docs Need Help? | Enable Standard Deployment Log Panel Become a Supporter

Lightning Studio

LIGHTNING STUDIO New ▾ Developer Tools ▾ Utility Tools ▾ Themes ▾ Developer Edition Balamithra M ▾

Search Component...

LIGHTNING WEB COMPONENTS (3/3)

- claimTileLwc
 - JS claimTileLwc.js
 - claimTileLwc.html
 - claimTileLwc.js-meta.xml
- claimsDashboardLwc
 - claimsDashboardLwc.html
 - JS claimsDashboardLwc.js
 - claimsDashboardLwc.js-meta.xml
- helloWorld

AURA COMPONENTS

APEX CLASSES (16/16)

- AccountHandler
- AccountManager
- AccountManagerTest
- AnimalLocator
- AnimalLocatorMock
- AnimalLocatorTest
- AsyncParkService
- AsyncParkServices
- ClaimsAdjusterController
- NewCaseListController
- ParkLocator
- ParkLocatorTest
- ParkService
- ParkServiceMock

LightningWebComponent > claimsDashboardLwc > claimsDashboardLwc.js

```
6 export default class ClaimsDashboardLwc extends LightningElement {
10   @track visibleClaims = [];
11   error;
12
13   // Wire service to call the Apex method
14   @wire(getAssignedClaims)
15   wiredClaims({ error, data }) {
16     if (data) {
17       this.allClaims = data;
18       this.visibleClaims = data; // Initially display all claims
19       this.error = undefined;
20     } else if (error) {
21       this.error = error;
22       this.allClaims = undefined;
23       this.visibleClaims = undefined;
24       console.error('Error retrieving claims:', JSON.stringify(error));
25     }
26   }
27
28   // Client-side filtering logic (Required by M3)
29   handleFilterChange(event) {
30     const selectedPolicyType = event.target.value;
```

Logs


SUCCESS | claimsDashboardLwc • Fetched successfully. | 10:19:53

INFO | claimsDashboardLwc • Deployment started. Please wait... | 10:20:37


ERROR | No such column 'DeveloperName' on entity 'RecordType'. If you are attempting to use a custom field, be sure to append the '._c' after the custom field name. Please reference your WSDL or the describe call for the appropriate names.: Source | 10:20:37

SYSTEM | If your object/field references are valid, please try deploying your component using Salesforce Standard Deployment Mode. Look for the 'Enable Standard Deployment' checkbox at the bottom-right corner of the editor. | 10:20:37

Vivekanandha college of technology for women | v67.0 v4.0.5 Docs Need Help? | Enable Standard Deployment Log Panel Become a Supporter



3.Create a reusable component (claimTileLwc) to display essential information for each claim



Lightning Studio

LIGHTNING STUDIO New Developer Tools Utility Tools Themes Developer Edition Balamithra M

Search Component...

LIGHTNING WEB COMPONENTS (3/3)

- claimTileLwc
- JS claimTileLwc.js
- claimTileLwc.html
- claimTileLwc.js-meta.xml

> claimsDashboardLwc

> helloWorld

AURA COMPONENTS

APEX CLASSES (16/16)

- AccountHandler
- AccountManager
- AccountManagerTest
- AnimalLocator
- AnimalLocatorMock
- AnimalLocatorTest
- AsyncParkService
- AsyncParkServices
- ClaimsAdjusterController
- NewCaseListController
- ParkLocator
- ParkLocatorTest
- ParkService
- ParkServiceMock
- PremiumCalculator
- StringListTest

APEX TRIGGERS

```
1 import { LightningElement, api } from 'lwc';
2
3
4 export default class ClaimTileLwc extends LightningElement {
5     // @api decorator exposes this property to the parent component
6     @api claimData;
7
8
9     // Helper property to determine the correct icon based on Policy Type
10    get policyIcon() {
11        if (this.claimData && this.claimData.policyType) {
12            const type = this.claimData.policyType.toLowerCase();
13            if (type === 'auto') return 'utility:truck';
14            if (type === 'property') return 'utility:home';
15            if (type === 'life') return 'utility:connected_apps';
16        }
17        return 'utility:help';
18    }
19 }
```

Logs Clear Logs

SYSTEM | If your object/field references are valid, please try deploying your component using Salesforce Standard Deployment Mode. Look for the 'Enable Standard Deployment' checkbox at the bottom-right corner of the editor. | 10:21:37

FETCH | claimTileLwc • LightningWebComponent • Fetch process started. Please wait... | 10:22:07

SUCCESS | claimTileLwc • Fetched successfully. | 10:22:07

FETCH | claimTileLwc • LightningWebComponent • Fetch process started. Please wait... | 10:22:59

SUCCESS | claimTileLwc • Fetched successfully. | 10:23:00

Vivekanandha college of technology for women | v67.0 | v4.0.5 | Docs | Need Help? | Enable Standard Deployment | Log Panel | Become a Supporter

10:23 AM 10/1/2026

Lightning Studio

LIGHTNING STUDIO New Developer Tools Utility Tools Themes Developer Edition Balamithra M

Search Component...

LIGHTNING WEB COMPONENTS (3/3)

- claimTileLwc
- JS claimTileLwc.js
- claimTileLwc.html
- claimTileLwc.js-meta.xml

> claimsDashboardLwc

> helloWorld

AURA COMPONENTS

APEX CLASSES (16/16)

- AccountHandler
- AccountManager
- AccountManagerTest
- AnimalLocator
- AnimalLocatorMock
- AnimalLocatorTest
- AsyncParkService
- AsyncParkServices
- ClaimsAdjusterController
- NewCaseListController
- ParkLocator
- ParkLocatorTest
- ParkService
- ParkServiceMock
- PremiumCalculator
- StringListTest

APEX TRIGGERS

```
1 <?xml version="1.0"?>
2 <LightningComponentBundle xmlns="http://soap.sforce.com/2006/04/metadata">
3   <apiVersion>63.0</apiVersion>
4   <isExposed>true</isExposed>
5 </LightningComponentBundle>
```

Logs Clear Logs

FETCH | claimTileLwc • LightningWebComponent • Fetch process started. Please wait... | 10:23:56

SUCCESS | claimTileLwc • Fetched successfully. | 10:23:56

INFO | claimTileLwc • Deployment started. Please wait... | 10:24:16

SUCCESS | claimTileLwc.html • Changes deployed successfully. | 10:24:17


SUCCESS | claimTileLwc.js • Changes deployed successfully. | 10:24:17

SUCCESS | claimTileLwc.js-meta.xml • Changes deployed successfully. | 10:24:17


Vivekanandha college of technology for women | v67.0 | v4.0.5 | Docs | Need Help? | Enable Standard Deployment | Log Panel | Become a Supporter

10:24 AM 10/1/2026

Milestone 4: Advanced Claim Processing, Security & Code Setup



This screenshot shows the 'Approval Processes' setup page in Salesforce, specifically 'Step 2 of 3: Specify Step Criteria' for the 'Step1 Senior Adjuster' process. The page is titled 'Approval Processes' and 'Step1 Senior Adjuster'. The current step is 'Step 2. Specify Step Criteria'. The instructions state: 'Specify whether a record must meet certain criteria before entering this approval step. If these criteria are not met, the approval process can skip to the next step, if one exists. [Learn more](#)'. The 'Specify Step Criteria' section has two options: 'All records should enter this step.' (selected) and 'Enter this step if the following criteria are met' (with dropdowns for 'criteria are met' and 'reject record'). Navigation buttons 'Previous', 'Save', 'Next', and 'Cancel' are at the bottom right. The left sidebar shows 'Setup' > 'Process Automation' > 'Approval Processes'. The top navigation bar includes 'Setup', 'Home', and 'Object Manager'. The bottom status bar shows the date and time as 3:04 PM 10/1/2026.



This screenshot shows the 'Approval Processes' setup page in Salesforce, specifically 'Step 3 of 3: Select Assigned Approver' for the 'Step1 Senior Adjuster' process. The page is titled 'Approval Processes' and 'Step1 Senior Adjuster'. The current step is 'Step 3. Select Assigned Approver'. The instructions state: 'Specify the user who should approve records that enter this step. Optionally, choose whether the approver's delegate is also allowed to approve these requests.' The 'Select Approver' section has three options: 'Let the submitter choose the approver manually.', 'Automatically assign to queue.' (with a dropdown), and 'Automatically assign to approver(s)' (selected). Below this, there is a table with columns 'User' and 'Criteria'. The table contains one row with 'User' set to 'Senior Adjuster' and 'Criteria' set to 'Criteria are met'. There are 'Add Row', 'Remove Row', and 'Remove All' buttons. Below the table, there are options for 'When multiple approvers are selected': 'Approve or reject based on the FIRST response.' (selected) and 'Require UNANIMOUS approval from all selected approvers.'. There is also a checkbox for 'The approver's delegate may also approve this request.' Navigation buttons 'Previous', 'Save', and 'Cancel' are at the bottom right. The left sidebar shows 'Setup' > 'Process Automation' > 'Approval Processes'. The top navigation bar includes 'Setup', 'Home', and 'Object Manager'. The bottom status bar shows the date and time as 3:04 PM 10/1/2026.

Approval Processes | Setup | Team Enrollment Conf... | SkillWallet | github.com | ChatGPT: Chat, Work, C... | Ask Gemini

orgfarm-97d6620335-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ApprovalProcesses/page?address=%2Fp%2Fprocess%2FprocessNo...

Developer Edition

Setup Home Object Manager

approval process

Process AutomationApproval Processes

Didn't find what you're looking for? Try using Global Search.

Approval Processes

Approval Step EditStep2 Manager Review

Step 1 of 3

SaveNextCancel

Enter a name, description, and step number for your new approval step.

Previous Approval Step Information

Step Number: 1Name: Step1 Senior AdjusterCriteria:Assign To: User : Senior Adjuster

Enter Name and Description

Approval Process Name: High Value Claim Approval

Name: Step2 Manager Review

Unique Name: Step2_Manager_Review

Description:

Required Information

SaveNextCancel

Search

ENG IN

3:04 PM10/1/2026

Approval Processes | Setup | Team Enrollment Conf... | SkillWallet | github.com | ChatGPT: Chat, Work, C... | Ask Gemini

orgfarm-97d6620335-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ApprovalProcesses/page?address=%2Fp%2Fprocess%2FprocessNo...

Developer Edition

Setup Home Object Manager

approval process

Process AutomationApproval Processes

Didn't find what you're looking for? Try using Global Search.

Approval Processes

Approval Step EditStep2 Manager Review

Step 2 of 3

PreviousSaveNextCancel

Specify whether a record must meet certain criteria before entering this approval step. If these criteria are not met, the approval process can skip to the next step, if one exists. [Learn more](#)

Previous Approval Step Information

Step Number: 1Name: Step1 Senior AdjusterCriteria:Assign To: User : Senior Adjuster

Specify Step Criteria

☒ All records should enter this step.

☐ Enter this step if the following criteria are met

PreviousSaveNextCancel

Search

ENG IN

3:04 PM10/1/2026

Approval Processes | Setup | Team Enrollment Confir... | SkillWallet | github.com | ChatGPT: Chat, Work, C... | Ask Gemini

orgfarm-97d6620335-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ApprovalProcesses/page?address=%2Fp%2Fprocess%2FProcessNo...

Developer Edition

Setup Home Object Manager

approval process

Process Automation

Approval Processes

Didn't find what you're looking for? Try using Global Search.

Approval Processes

Approval Step Edit
Step2 Manager Review

Step 3. Select Assigned Approver Step 2 of 3

Specify the user who should approve records that enter this step. Optionally, choose whether the approver's delegate is also allowed to approve these requests.

Previous Approval Step Information

Step Number:	1
Name:	Step1 Senior Adjuster
Criteria:	
Assign To:	User : Senior Adjuster

Select Approver

☐ Let the submitter choose the approver manually.

☐ Automatically assign to queue.

☒ Automatically assign to approver(s).

User: Department Manager

Add Row Remove Row

When multiple approvers are selected:

☒ Approve or reject based on the FIRST response

☐ Require UNANIMOUS approval from all selected approvers.

Previous Save Cancel

Search

ENG IN 3:05 PM 10/1/2026

Field Updates | Salesforce | Team Enrollment Confir... | SkillWallet | github.com | ChatGPT: Chat, Work, C... | Ask Gemini

orgfarm-97d6620335-dev-ed.develop.my.salesforce-setup.com/lightning/setup/WorkflowFieldUpdates/page?address=%2F04YgLO000096km9%2Fe...

Developer Edition

Setup Home Object Manager

approval process

Process Automation

Approval Processes

Didn't find what you're looking for? Try using Global Search.

Field Updates

Edit Field Update
Update Status Approved

Define the field update, including the object associated with the workflow rule, approval process, or entitlement process, the field to update, and the value to apply. Note that the field to update may be on a related object. Fields are shown only for the type that you select.

Field Update Edit

Save Save & New Cancel

Identification

Name: Update Status Approved

Unique Name: Update_Status__Approved

Description:

Object: Claim

Field to Update: Claim: Approval Status

Field Data Type: Picklist

Re-evaluate Workflow Rules after Field Change: ☐

Specify New Field Value

Picklist Options

☐ The value above the current one

☐ The value below the current one

☒ A specific value: Approved

Search

ENG IN 3:06 PM 10/1/2026

