


## Question 5: Story Making

Create a Cognos Story for SafeGuard's Quarterly Regulatory & Operations Review: Scene 1 — Policy Portfolio & Renewal Overview, Scene 2 — Claims Volume & Settlement Performance, Scene 3 — Fraud Detection & Rejection Analysis, Scene 4 — Agent Productivity & Branch Performance, Scene 5 — Customer Satisfaction Trends, Scene 6 — Action Plan for IRDAI Compliance & Fraud Reduction.


### Scene-1:



### Scene-2:




Scene-3:



Scene-4:



## Scene-5:




## Scene-6:



## Question 6: Dashboard

Design an Insurance Operations Dashboard with: (1) KPI tiles — Total Active Policies, Claims This Month, Average Settlement Days, Fraud Cases Flagged, (2) A Bar chart for Claims by Policy Type, (3) A Line chart for Monthly Claims Trend, (4) A Pie chart for Claim Status Distribution (Settled/Pending/Rejected), (5) An Agent Performance table. Add Branch and Policy Type filters.



### CODING :

Login.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>SafeGuard Login</title>

<style>
```

```
/* Reset */
```

```
* {  
  margin: 0;  
  padding: 0;  
  box-sizing: border-box;  
}
```

```
/* Body */
```

```
body {  
  font-family: Arial, sans-serif;  
  background: linear-gradient(to right, #0052D4, #4364F7, #6FB1FC);  
  height: 100vh;  
  display: flex;  
  justify-content: center;  
  align-items: center;  
}
```

```
/* Login Container */
```

```
.login-container {  
  width: 350px;  
  background: #ffffff;  
  padding: 30px;  
  border-radius: 12px;  
  box-shadow: 0 10px 25px rgba(0,0,0,0.2);  
  text-align: center;  
}
```

```
/* Title */
```

```
.login-container h2 {  
  margin-bottom: 20px;
```

```
    color: #333;  
}
```

```
/* Input Fields */
```

```
.login-container input {  
    width: 100%;  
    padding: 12px;  
    margin: 10px 0;  
    border: 1px solid #ccc;  
    border-radius: 6px;  
    font-size: 14px;  
}
```

```
/* Input Focus */
```

```
.login-container input:focus {  
    border-color: #007bff;  
    outline: none;  
}
```

```
/* Button */
```

```
.login-container button {  
    width: 100%;  
    padding: 12px;  
    margin-top: 15px;  
    background: #007bff;  
    color: white;  
    font-size: 16px;  
    border: none;  
    border-radius: 6px;  
    cursor: pointer;
```

```
    transition: 0.3s;
}
```

```
/* Button Hover */
.login-container button:hover {
    background: #0056b3;
}
```

```
/* Error Message */
#errorMsg {
    margin-top: 10px;
    color: red;
    font-size: 14px;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="login-container">
```

```
    <h2>SafeGuard Insurance</h2>
```

```
    <form id="loginForm">
```

```
        <input type="text" id="username" placeholder="Username" required>
```

```
        <input type="password" id="password" placeholder="Password" required>
```

```
        <button type="submit">Login</button>
```

```
        <p id="errorMsg"></p>
```

```
    </form>
```

```
</div>
```

```
<script>
document.getElementById("loginForm").addEventListener("submit", function(e) {
    e.preventDefault();

    let user = document.getElementById("username").value;
    let pass = document.getElementById("password").value;

    // Demo credentials
    if (user === "admin" && pass === "1234") {
        window.location.href = "dashboard.html";
    } else {
        document.getElementById("errorMsg").innerText = "Invalid Credentials!";
    }
});
</script>
```

```
</body>
```

```
</html>
```

**Dashboard.html**

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<title>SafeGuard Dashboard</title>
```

```
<style>
```

```
/* Reset */
```

```
* {
```

```
    margin: 0;
```

```
padding: 0;
box-sizing: border-box;
}
```

```
/* Body */
```

```
body {
    font-family: Arial, sans-serif;
    background: #f4f6f9;
}
```

```
/* Navbar */
```

```
.navbar {
    background: #007bff;
    color: white;
    padding: 15px 25px;
    display: flex;
    justify-content: space-between;
    align-items: center;
}
```

```
.navbar h2 {
    font-size: 20px;
}
```

```
/* Logout Button */
```

```
.logout-btn {
    background: white;
    color: #007bff;
    border: none;
    padding: 8px 15px;
```

```
border-radius: 5px;  
cursor: pointer;  
font-weight: bold;  
}
```

```
.logout-btn:hover {  
    background: #e6e6e6;  
}
```

```
/* Dashboard Container */  
.dashboard-container {  
    padding: 20px;  
}
```

```
/* Iframe Styling */  
iframe {  
    width: 100%;  
    height: 600px;  
    border: none;  
    border-radius: 10px;  
    box-shadow: 0 5px 15px rgba(0,0,0,0.2);  
}
```

```
/* Footer */  
.footer {  
    text-align: center;  
    padding: 10px;  
    color: gray;  
    font-size: 14px;  
}
```

```
/* Responsive */
```

```
@media (max-width: 768px) {
```

```
  iframe {
```

```
    height: 400px;
```

```
  }
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<!-- Navbar -->
```

```
<div class="navbar">
```

```
  <h2>SafeGuard Insurance Dashboard</h2>
```

```
  <button class="logout-btn" onclick="logout()">Logout</button>
```

```
</div>
```

```
<!-- Dashboard -->
```

```
<div class="dashboard-container">
```

```
  <iframe
```

```
src="https://ap2.ca.analytics.ibm.com/bi/?perspective=dashboard&pathRef=.my_folders%2FSafeGuardInsurance%2Bdashboard&ui_appbar=false&ui_navbar=false"
```

```
    allowfullscreen>
```

```
  </iframe>
```

```
</div>
```


```
<!-- Footer -->
```

```
<div class="footer">
  © 2026 SafeGuard Insurance | Analytics Dashboard
</div>

<script>
// Logout Function
function logout() {
  window.location.href = "login.html";
}

// Optional: Prevent back button after logout
window.history.pushState(null, null, window.location.href);
window.onpopstate = function () {
  window.history.go(1);
};
</script>
</body>
</html>
```





[Github Repository Link :](#)

**Coding:-**

<https://github.com/Balamurugan200526/Safeguard-Insurance-Coding.git>

