LUXE & THREAD · DOCUMENTATION

INTERNAL – for developers

Internal 05 · Troubleshooting – Whole Application

Audience	INTERNAL – support & developers
Method	1) What exactly did the user see? 2) Get the **request id** or **order id** 3) Search logs 4) Check the order's **event log** 5) Check the provider dashboard 6) Fix → retest
Specialised guides	Payments · Shipping & returns

0 · Command cheat-sheet

Command	What it tells you
`curl -s https://host/api/health`	app up? database reachable? which integrations configured? message queue counts
`pm2 status`	is the process running, restarts count, memory
`pm2 logs luxe-thread --lines 200 --nostream`	recent application logs (JSON lines)
`pm2 logs luxe-thread --lines 2000 --nostream | grep '"level":"error"'`	only errors
`pm2 logs luxe-thread --lines 2000 --nostream | grep '<request-id>'`	everything about one request (id shown to the user in error responses)
`sudo systemctl status nginx postgresql`	web server / database service state
`sudo tail -n 100 /var/log/nginx/error.log`	proxy errors (502/504)
`df -h` / `free -m` / `uptime`	disk, memory, load
`psql "$DATABASE_URL" -c "select now()"`	can we reach the database from this server?
`psql "$DATABASE_URL" -c "select status,count(*) from orders group by 1"`	order counts by status
`psql "$DATABASE_URL" -c "select id,type,message from order_events where order_id='LT…' order by id"`	the story of one order

1 · Installing / running locally

Symptom	Cause	Fix
`npm install` network errors	offline/proxy	fix network, retry
`Permission denied` on `eslint` / `next`	`node_modules` copied from another OS	delete `node_modules`, `npm install` on this machine
Build: fonts / `fetch failed`	offline build	allow internet for the first build

Symptom	Cause	Fix
Build: "uncached data was accessed outside of `<Suspense>`"	a page reads DB/cookies/URL outside Suspense	wrap in `<Suspense>` + `export const instant = false` (see LLD §2)
Build: `new Date()` / `Math.random()` error	clock/random in a pre-built server part	move after awaited data, to an API route, or `'use cache'`
`DATABASE_URL` / `Database is not configured`	env missing	`.env.local`; `docker compose up -d db`; `npm run db:migrate`
`relation "products" does not exist`	migrations not run	`npm run db:migrate` (then `npm run db:seed` for demo data)
Shop shows "We could not load the collection"	database down / wrong URL	`curl /api/health`; check `DATABASE_URL`; `docker compose ps`
Page white/black instead of sandalwood	old `globals.css`	use delivered file
Hydration warning	render differs server/browser	don't read `localStorage` / `window` during render
`npm test` fails to compile `pg` types	dependencies not installed	`npm install`

2 · Storefront

Symptom	Cause	Fix
Product missing in shop	hidden (`is_active=false`) / no stock filter	Admin → Products → Show; check filters
Sale price not showing	sale dates outside today, or sale ≥ price	Product → sale price lower than price; check dates (IST)
Size greyed out	stock 0	Admin → receive stock
Photos broken	file missing in `UPLOAD_DIR` / wrong permissions	`ls -l $UPLOAD_DIR`; user running the app must read it; restore from backup
Bag says "No longer available"	product hidden/deleted	remove item; show product again
"Coupon not valid"	expired, minimum not met, usage limit	Admin → Coupons
COD radio disabled	PIN not entered, `COD_ENABLED=false`, PIN not COD-serviceable	env + PIN
"Too many requests"	rate limit	wait 1 min; behind one office IP? raise limit

3 · Admin portal

Symptom	Fix
"Admin login is not configured"	set `SESSION_SECRET` (≥32 chars) + `DATABASE_URL`; restart
"Incorrect e-mail or password"	`npm run admin:create -- email "new passphrase" "Name" owner` (also resets password)
Redirected to login repeatedly	session expired (8 h), server clock wrong (`timedatectl`), cookie blocked, `SESSION_SECRET` changed, not HTTPS in production
"That page is for the shop owner only"	staff role; use an owner account

Symptom	Fix
CSV import says "Nothing was imported"	read the listed line numbers (e.g. price higher than MRP, size not valid for size_set); fix and re-upload
Photo upload fails	>3 MB, not JPG/PNG/WebP, `UPLOAD_DIR` not writable (`chown`)
Reports empty	no paid orders in range; wrong dates; check status filter in DB
Profit looks too high	`cost_price` is 0 on products – fill it in

4 · Server & database

Symptom	Fix
502 Bad Gateway	app down: `pm2 restart luxe-thread` ; read logs
`STORAGE_ERROR` in logs	read `sqlState` : `23505` duplicate · `23514` rule violated (e.g. stock < 0) · `23503` missing parent · `57P03` / `08006` DB down · `53300` too many connections
"too many connections"	only one app instance? `select count(*) from pg_stat_activity;` restart app
Slow pages	`pm2 monit` ; missing index? `EXPLAIN ANALYZE` ; low memory (`free -m`)
Disk full	`df -h` ; clear old logs/backups; move uploads
Build killed ("Killed")	out of memory – ≥2 GB or add swap
Certificate expired	`sudo certbot renew` ; check timer
Orders/products "disappeared"	wrong database after deploy → check `DATABASE_URL` ; restore (Internal 10)

5 · Messages (e-mail / SMS / WhatsApp)

Symptom	Fix
Status stays `queued`	cron not running: `crontab -l` ; run job manually (see Config guide §5.5)
`failed` + "Email is not configured" → actually `skipped`	set `SMTP_URL` , `MAIL_FROM`
`failed` auth error	wrong SMTP user/password/port; try port 587 + STARTTLS
Goes to spam	SPF/DKIM/DMARC DNS; send from your own domain
SMS `failed` 4xx	DLT template/sender not approved; token wrong
WhatsApp `failed`	template not approved or recipient not opted-in; token expired

After fixing: Admin → Messages → **Retry failed messages**.

6 · Escalation pack (send to the developer)

Time (IST) · order id / request id · screenshot · last 50 log lines (redacted) · `curl /api/health` output · what you already tried.