LUXE & THREAD · DOCUMENTATION

INTERNAL – for developers

Internal 07 · Troubleshooting – Shipping, Cancellation & Returns

Audience	INTERNAL – support & developers
Use when	an order did not reach Shiprocket, tracking is wrong, a cancel/return/RTO misbehaves

1 · Where to look

#	Where	What it shows
1	Admin → order → *Payment & shipping* box + *Event log*	`SHIPMENT_CREATED`, `AWB_ASSIGNED`, `AWB_PENDING`, `SHIPMENT_FAILED`, `CANCEL_BLOCKED`, `COURIER_UPDATE`…
2	Logs	`shiprocket request rejected` (status + provider body), `auto shipment failed`, `awb/pickup step failed`
3	Shiprocket panel → Orders (search our `LT…` id)	what Shiprocket has
4	Shiprocket panel → Settings → API → Webhooks	whether callbacks are enabled

2 · Commands

Purpose	Command
Paid orders not in Shiprocket	`psql "$DATABASE_URL" -c "select id,status,shipment_attempts,shipment_last_error from orders where status in ('PAID','COD_CONFIRMED') and shiprocket_order_id is null"`
Shipping errors in logs	`pm2 logs luxe-thread --lines 3000 --nostream | grep -E "shiprocket|shipment"`
Test Shiprocket login	Config guide §5.3 (token length > 100 = ok)
Pincode serviceability	`curl -s -H "Authorization: Bearer $TOKEN" "https://apiv2.shiprocket.in/v1/external/courier/serviceability/?pickup_postcode=<PIN>&delivery_postcode=<PIN>&weight=1&cod=0" | head -c 600`
Simulate courier webhook	Config guide §5.4
Orders with tracking number	`select id,awb,courier,shipment_last_status from orders where awb is not null order by updated_at desc limit 20`
Returns waiting	`select order_id,status,reason from return_requests where status in ('requested','approved')`
Retry shipment	Admin → order → **Create shipment (retry)**

Purpose	Command
Refresh tracking	Admin → order → **Sync tracking**

3 · Shipping symptoms

Symptom	Likely cause	Fix
Order stays PAID, red "Last shipping error"	read the message	fix, then **Create shipment (retry)**
"Shipping provider login failed"	normal login used instead of API user; password changed	create/reset **API user**; update env; restart
Wrong/invalid pickup location	nickname mismatch	copy nickname exactly (Config §5.3 lists them)
"Insufficient wallet balance"	wallet empty	recharge
Shipment created but no AWB (`AWB_PENDING`)	no courier for PIN/weight, wallet, priority rules	assign courier in Shiprocket panel; then **Sync tracking**
Customer's PIN "cannot deliver"	no courier serves it	customer uses another address; owner can ship manually
Weight-discrepancy charge	real weight/box > data	measure; update `weight_kg` per product and box size in `lib/shiprocket.ts`
Webhook URL rejected by Shiprocket	contains `sr` / `kr` / `shiprocket` / `kartrocket`	use a domain/path without them
Webhook returns 401	token mismatch	align `SHIPROCKET_WEBHOOK_TOKEN`
Status stuck at "Packed"	webhook not enabled / not reaching	enable; test with curl; use **Sync tracking**
"Undelivered" shows as On its way	by design (not delivered)	wait; courier re-attempts
Address errors from Shiprocket	invalid phone/PIN/state spelling	edit in Shiprocket panel; ask customer
Duplicate order id error	order already exists in Shiprocket	the retry finds it? If not: cancel duplicate in panel; see events

4 · Cancellation problems

Symptom	Cause	Fix
Customer cancel shows "We could not cancel the courier booking automatically"	Shiprocket cancel failed (already picked up / API error)	event `CANCEL_BLOCKED` is on the order. Cancel in Shiprocket panel; then Admin → **Cancel order**. If parcel already picked up, treat as RTO
Order cancelled but stock didn't return	restock only once per order; check `stock_movements where ref='LT…'`	if missing: Admin → add stock back with note
Cancelled, no refund	refund failed → `REFUND_FAILED` event	Admin (owner) → **Refund**; or Razorpay dashboard
Customer can't see Cancel button	status past pickup / `none` policy	by design; return flow after delivery

Symptom	Cause	Fix
Coupon not released	coupon code missing on order	adjust `used_count` manually if needed

Check restock: `select variant_id,delta,reason from stock_movements where ref='LT…'` (sale then cancel_restock).

5 · Returns & RTO

Symptom	Fix
Customer cannot request return	status not DELIVERED, or >7 days since `delivered_at` (policy) – owner can still handle manually in Shiprocket
`delivered_at` empty	delivered via manual change; set via SQL: `update orders set delivered_at=now() where id='LT…'`
Return approved but no reverse pickup	create it in **Shiprocket → Orders → Returns** (not automated yet)
"Goods received → refund" fails	owner role needed; refund error shown at top (see payment guide §5)
RTO (returned to origin)	status becomes RTO automatically from courier updates; stock is restocked (`return_restock`); refund prepaid manually if you agree
Return rejected but customer already shipped	contact customer; Admin note; re-open as new return if accepted

6 · COD specifics

COD orders are `COD_CONFIRMED` → shipment as Prepaid? No – sent with `payment_method: COD` and the order total as collectible. Remittance arrives from Shiprocket on its cycle; reconcile against **Shiprocket → Billing → COD remittance**. RTO COD orders cost you freight both ways (enter courier cost on the order so reports show the loss).