

Cucumber Report

24-Jan-2023, 1:20:43 pm

Start : Jan 24, 1:19:58.517 pm

End : Jan 24, 1:20:40.885 pm

Duration : 42.368 s

Features







PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios


PASSED - 0
FAILED - 6
SKIPPED - 0

Steps


PASSED - 9
FAILED - 6
SKIPPED - 16



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<i>Checking the hotel booking functionality of an adactin application</i>	42.368 s	6	0	6	0	31	9	6	16



#	Feature Name	T	P	F	S	Duration
1	<i>Checking the hotel booking functionality of an adactin application</i>	6	0	6	0	42.368 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking the hotel booking functionality of an adactin application</u>	<u>login Functionality</u>	4	3	1	0	10.749 s
2	<u>Checking the hotel booking functionality of an adactin application</u>	<u>login Functionality</u>	4	3	1	0	6.886 s
3	<u>Checking the hotel booking functionality of an adactin application</u>	<u>login Functionality</u>	4	3	1	0	8.020 s
4	<u>Checking the hotel booking functionality of an adactin application</u>	<u>Search Hotel Functionality</u>	9	0	1	8	5.526 s
5	<u>Checking the hotel booking functionality of an adactin application</u>	<u>Select Hotel Functionality</u>	2	0	1	1	5.555 s
6	<u>Checking the hotel booking functionality of an adactin application</u>	<u>Payment page functionality</u>	8	0	1	7	5.456 s

Checking the hotel booking functionality of an adactin application





login Functionality



#	Step / Hook Details	Status	Duration
1	Given user Must Enter The Url Before Login	PASSED	4.056 s
2	When user Enter the "bala" Username In Username Field	PASSED	0.294 s
3	And user Enter the "1234" Password In Password Field	PASSED	0.166 s
4	Then user Clicks The Login It Navigates To The Search Hotel java.lang.AssertionError: Values should be different. Actual: Adactin.com - Hotel Reservation System at org.junit.Assert.failAssert.java:88) at org.junit.Assert.failEqualsAssert.java:185) at org.junit.Assert.assertNotEqualsAssert.java:161) at org.junit.Assert.assertNotEqualsAssert.java:175) at com.step_definition.Step_Definition.user_Clicks_The_Login_It_Navigates_To_The_Search_Hotel(Step_Definition.java:63) at ?.user Clicks The Login It Navigates To The Search Hotel(file:///C:/Users/Bala/study/eclipse-workspace/Maven_Lao/src/test/java/com/cucumber/Adactin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.615 s
	AFTER - com.step_definition.Step_Definition.afterHooks(io.cucumber.java.Scenario)	PASSED	5.581 s
	error screen		

#	Step / Hook Details	Status	Duration
			


login Functionality

FAILED	DURATION - 6.886 s / 1:20:09.351 pm // 1:20:16.237 pm / Checking the hotel booking functionality of an adactin application		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
--------	--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given user Must Enter The Url Before Login	PASSED	0.522 s
2	When user Enter the "vijay" Username In Username Field	PASSED	0.140 s
3	And user Enter the "123456" Password In Password Field	PASSED	0.134 s
4	Then user Clicks The Login It Navigates To The Search Hotel java.lang.AssertionError: Values should be different. Actual: Adactin.com - Hotel Reservation System at org.junit.Assert.failAssert.java:88) at org.junit.Assert.failEqualsAssert.java:185) at org.junit.Assert.assertNotEqualsAssert.java:161) at org.junit.Assert.assertNotEqualsAssert.java:175) at com.step_definition.Step_Definition.user_Clicks_The_Login_It_Navigates_To_The_Search_Hotel(Step_Definition.java:63) at ?.user Clicks The Login It Navigates To The Search Hotel(file:///C:/Users/Bala/study/eclipse-workspace/Maven_Lao/src/test/java/com/cucumber/Adactin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.606 s
	AFTER - com.step_definition.Step_Definition.afterHooks(io.cucumber.java.Scenario)	PASSED	5.480 s
	error screen		

#	Step / Hook Details	Status	Duration
			



login Functionality

FAILED	DURATION - 8.020 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 1:20:16.255 pm // 1:20:24.275 pm /	Checking the hotel booking functionality of an adactin application			

#	Step / Hook Details	Status	Duration
1	Given user Must Enter The Url Before Login	PASSED	1.128 s
2	When user Enter the "balavijay" Username In Username Field	PASSED	0.209 s
3	And user Enter the "subramani" Password In Password Field	PASSED	0.409 s
4	Then user Clicks The Login It Navigates To The Search Hotel java.lang.AssertionError: Values should be different. Actual: Adactin.com - Hotel Reservation System at org.junit.Assert.fail(Assert.java:88) at org.junit.Assert.failEquals(Assert.java:185) at org.junit.Assert.assertNotEquals(Assert.java:161) at org.junit.Assert.assertNotEquals(Assert.java:175) at com.step_definition.Step_Definition.user_Clicks_The_Login_It_Navigates_To_The_Search_Hotel(Step_Definition.java:63) at ?.user Clicks The Login It Navigates To The Search Hotel(file:///C:/Users/Bala/study/eclipse-workspace/Maven_Lao/src/test/java/com/cucumber/Adactin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.805 s
	AFTER - com.step_definition.Step_Definition.afterHooks(io.cucumber.java.Scenario)	PASSED	5.467 s
	error screen		

#	Step / Hook Details	Status	Duration
			

Search Hotel Functionality


FAILED	DURATION - 5.526 s		Steps Total - 9 Pass - 0 Fail - 1 Skip - 8	
	/ 1:20:24.299 pm // 1:20:29.825 pm /			

Checking the hotel booking functionality of an adactin application

#	Step / Hook Details	Status	Duration
1	<p>When user Select The Location In Dropdown Box</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector", "selector":"#location"} (Session info: chrome=109.0.5414.75) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-UF5NI29', ip: '192.168.72.158', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.75, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da...}, userDataDir: C:\Users\Bala\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:59872}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6a37ed6f4f5ed0265d1300a801d0bb01 *** Element info: {Using=id, value=location} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</pre>	FAILED	0.050 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372) at org.openqa.selenium.By\$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy23.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:45) at com.Maven_Practice.Baseclass.selectValue(Baseclass.java:80) at com.step_definition.Step_Definition.user_select_the_location_in_dropdown_box(Step_Definition.java:67) at ?.user Select The Location In Dropdown Box(file:///C:/Users/Bala/study/eclipse-workspace/Maven_Lao/src/test/java/com/cucumber/Adactin.feature:13) * Not displayable characters are replaced by '?'. </pre>		
2	And user Select The Hotels In Dropdown Box	SKIPPED	0.001 s
3	And user Select The RoomType In Dropdown Box	SKIPPED	0.001 s
4	And user Select The Numbers Of Room In Dropdown Box	SKIPPED	0.007 s
5	And user Enters The Check-In Date In CheckIn Date Field	SKIPPED	0.001 s
6	And user Enters The Check-Out Date In CheckOut Date Field	SKIPPED	0.000 s
7	And user Select The Adults Per Room In Dropdown Box	SKIPPED	0.000 s
8	And user Select The Children Per Room In Dropdown Box	SKIPPED	0.000 s
9	Then user Clicks Search	SKIPPED	0.000 s
	AFTER - com.step_definition.Step_Definition.afterHooks(io.cucumber.java.Scenario)	PASSED	5.449 s
	error screen		
			


Select Hotel Functionality



#	Step / Hook Details	Status	Duration
1	<p>When user Select The Hotel Using Radiobutton</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#radiobutton_0"} (Session info: chrome=109.0.5414.75) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-UF5NI29', ip: '192.168.72.158', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.75, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Bala\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:59872}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6a37ed6f4f5ed0265d1300a801d0bb01 *** Element info: {Using=id, value=radiobutton_0} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372) at org.openqa.selenium.By\$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy23.click(Unknown Source) at com.Maven_Practice.Baseclass.click(Baseclass.java:46)</pre>	FAILED	0.133 s

#	Step / Hook Details	Status	Duration
	at com.step_definition.Step_Definition.user_select_the_hotel_using_radiobutton(Step_Definition.java:103) at ?.user Select The Hotel Using Radiobutton(file:///C:/Users/Bala/study/eclipse-workspace/Maven_Lao/src/test/java/com/cucumber/Adactin.feature:23) * Not displayable characters are replaced by '?'.		
2	Then user Clicks Continue It Navigates To The Payment Page AFTER - com.step_definition.Step_Definition.afterHooks(io.cucumber.java.Scenario) error screen 	SKIPPED PASSED	0.000 s 5.414 s

Payment page functionality



#	Step / Hook Details	Status	Duration
1	When user Enters The First Name org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector", "selector":"#first_name"} (Session info: chrome=109.0.5414.75) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-UF5NI29', ip: '192.168.72.158', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.75, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Bala\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:59872}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6a37ed6f4f5ed0265d1300a801d0bb01 *** Element info: {Using=id, value=first_name} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	0.029 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372) at org.openqa.selenium.By\$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at com.Maven_Practice.Baseclass.sent(Baseclass.java:43) at com.step_definition.Step_Definition.user_enters_the_first_name(Step_Definition.java:114) at ?.user Enters The First Name(file:///C:/Users/Bala/study/eclipse-workspace/Maven_Lao/src/test/java/com/cucumber/Adactin.feature:26)		
	* Not displayable characters are replaced by '?'. 2 And user Enters The Last Name 3 And user Enters The Billing Address 4 And user Enters The Credit Card No 5 And user Enters Credit Card Type 6 And user Select Expiry Date 7 And user Enters CVV 8 Then user Clicks Book_Now Button	SKIPPED	0.001 s
	AFTER - com.step_definition.Step_Definition.afterHooks(io.cucumber.java.Scenario)	PASSED	5.414 s
	error screen 