

Cucumber Report

16 Feb, 2023 11:41:37 AM

Start : Feb 16, 11:40:03.159 AM

End : Feb 16, 11:41:19.039 AM

Duration : 1 m 15.880 s

Features







PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios


PASSED - 0
FAILED - 6
SKIPPED - 0

Steps


PASSED - 9
FAILED - 6
SKIPPED - 16



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<i>Checking the hotel booking functionality of an adactin application</i>	1 m 15.880 s	6	0	6	0	31	9	6	16



#	Feature Name	T	P	F	S	Duration
1	<u>Checking the hotel booking functionality of an adactin application</u>	6	0	6	0	1 m 15.880 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking the hotel booking functionality of an adactin application</u>	<u>login Functionality</u>	4	3	1	0	21.588 s
2	<u>Checking the hotel booking functionality of an adactin application</u>	<u>login Functionality</u>	4	3	1	0	29.018 s
3	<u>Checking the hotel booking functionality of an adactin application</u>	<u>login Functionality</u>	4	3	1	0	7.675 s
4	<u>Checking the hotel booking functionality of an adactin application</u>	<u>Search Hotel Functionality</u>	9	0	1	8	5.717 s
5	<u>Checking the hotel booking functionality of an adactin application</u>	<u>Select Hotel Functionality</u>	2	0	1	1	5.818 s
6	<u>Checking the hotel booking functionality of an adactin application</u>	<u>Payment page functionality</u>	8	0	1	7	5.849 s

Checking the hotel booking functionality of an adactin application





login Functionality



#	Step / Hook Details	Status	Duration
1	Given user Must Enter The Url Before Login	PASSED	14.785 s
2	When user Enter the "bala" Username In Username Field	PASSED	0.252 s
3	And user Enter the "1234" Password In Password Field	PASSED	0.136 s
4	Then user Clicks The Login It Navigates To The Search Hotel java.lang.AssertionError: Values should be different. Actual: Adactin.com - Hotel Reservation System at org.junit.Assert.failAssert.java:88) at org.junit.Assert.failEqualsAssert.java:185) at org.junit.Assert.assertNotEqualsAssert.java:161) at org.junit.Assert.assertNotEqualsAssert.java:175) at com.step_definition.Step_Definition.user_Clicks_The_Login_It_Navigates_To_The_Search_Hotel(Step_Definition.java:63) at ?.user Clicks The Login It Navigates To The Search Hotel(file:///C:/Users/Bala/study/eclipse-workspace/Maven_Lao/src/test/java/com/cucumber/Adactin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.826 s
	AFTER - com.step_definition.Step_Definition.afterHooks(io.cucumber.java.Scenario)	PASSED	5.544 s
	error screen		

#	Step / Hook Details	Status	Duration
			


login Functionality

FAILED	DURATION - 29.018 s / 11:40:24.829 AM // 11:40:53.847 AM /		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
--------	---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given user Must Enter The Url Before Login	PASSED	21.856 s
2	When user Enter the "vijay" Username In Username Field	PASSED	0.156 s
3	And user Enter the "123456" Password In Password Field	PASSED	0.188 s
4	Then user Clicks The Login It Navigates To The Search Hotel java.lang.AssertionError: Values should be different. Actual: Adactin.com - Hotel Reservation System at org.junit.Assert.failAssert.java:88) at org.junit.Assert.failEqualsAssert.java:185) at org.junit.Assert.assertNotEqualsAssert.java:161) at org.junit.Assert.assertNotEqualsAssert.java:175) at com.step_definition.Step_Definition.user_Clicks_The_Login_It_Navigates_To_The_Search_Hotel(Step_Definition.java:63) at ?.user Clicks The Login It Navigates To The Search Hotel(file:///C:/Users/Bala/study/eclipse-workspace/Maven_Lao/src/test/java/com/cucumber/Adactin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	1.367 s
	AFTER - com.step_definition.Step_Definition.afterHooks(io.cucumber.java.Scenario)	PASSED	5.444 s
	error screen		

#	Step / Hook Details	Status	Duration
			



login Functionality

FAILED	DURATION - 7.675 s / 11:40:53.868 AM // 11:41:01.543 AM / Checking the hotel booking functionality of an adactin application		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
--------	--	--	--	---


#	Step / Hook Details	Status	Duration
1	Given user Must Enter The Url Before Login	PASSED	1.193 s
2	When user Enter the "balavijay" Username In Username Field	PASSED	0.180 s
3	And user Enter the "subramani" Password In Password Field	PASSED	0.175 s
4	Then user Clicks The Login It Navigates To The Search Hotel java.lang.AssertionError: Values should be different. Actual: Adactin.com - Hotel Reservation System at org.junit.Assert.fail(Assert.java:88) at org.junit.Assert.failEquals(Assert.java:185) at org.junit.Assert.assertNotEquals(Assert.java:161) at org.junit.Assert.assertNotEquals(Assert.java:175) at com.step_definition.Step_Definition.user_Clicks_The_Login_It_Navigates_To_The_Search_Hotel(Step_Definition.java:63) at ?.user Clicks The Login It Navigates To The Search Hotel(file:///C:/Users/Bala/study/eclipse-workspace/Maven_Lao/src/test/java/com/cucumber/Adactin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.668 s
	AFTER - com.step_definition.Step_Definition.afterHooks(io.cucumber.java.Scenario)	PASSED	5.456 s
	error screen		

#	Step / Hook Details	Status	Duration
			


Search Hotel Functionality

FAILED	DURATION - 5.717 s		Steps Total - 9 Pass - 0 Fail - 1 Skip - 8	
/ 11:41:01.577 AM // 11:41:07.294 AM /	Checking the hotel booking functionality of an adactin application			

#	Step / Hook Details	Status	Duration
1	<p>When user Select The Location In Dropdown Box</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector", "selector":"#location"} (Session info: chrome=109.0.5414.120) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/ no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP- UF5NI29', ip: '192.168.106.158', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_351' Driver info: org.openqa. selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.120, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da...}, userDataDir: C:\Users\Balaji\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:52267}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6eddac9d2e21ea8d6f6aafbd5ae402 *** Element info: {Using=id, value=location} at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)</pre>	FAILED	0.059 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372) at org.openqa.selenium.By\$Byld.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy22.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:45) at com.Maven_Practice.Baseclass.selectValue(Baseclass.java:80) at com.step_definition.Step_Definition.user_select_the_location_in_dropdown_box(Step_Definition.java:67) at ?.user Select The Location In Dropdown Box(file:///C:/Users/Bala/study/eclipse-workspace/Maven_Lao/src/test/java/com/cucumber/ Adactin.feature:13) * Not displayable characters are replaced by '?'. </pre>		
2	And user Select The Hotels In Dropdown Box	SKIPPED	0.001 s
3	And user Select The RoomType In Dropdown Box	SKIPPED	0.001 s
4	And user Select The Numbers Of Room In Dropdown Box	SKIPPED	0.000 s
5	And user Enters The Check-In Date In CheckIn Date Field	SKIPPED	0.001 s
6	And user Enters The Check-Out Date In CheckOut Date Field	SKIPPED	0.000 s
7	And user Select The Adults Per Room In Dropdown Box	SKIPPED	0.000 s
8	And user Select The Children Per Room In Dropdown Box	SKIPPED	0.001 s
9	Then user Clicks Search	SKIPPED	0.000 s
	<p>AFTER - com.step_definition.Step_Definition.afterHooks(io.cucumber.java.Scenario)</p> <p>error screen</p> 	PASSED	5.651 s


Select Hotel Functionality



#	Step / Hook Details	Status	Duration
1	<p>When user Select The Hotel Using Radiobutton</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#radiobutton_0"} (Session info: chrome=109.0.5414.120) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-UF5NI29', ip: '192.168.106.158', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_351' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.120, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\Bala\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:52267}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6eddac9d2e21ea8d6f6aafbda5eae402 *** Element info: {Using=id, value=radiobutton_0} at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372) at org.openqa.selenium.By\$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy22.click(Unknown Source) at com.Maven_Practice.Baseclass.click(Baseclass.java:46) at com.step_definition.Step_Definition.user_select_the_hotel_using_radiobutton(Step_Definition.java:103)</pre>	FAILED	0.161 s

#	Step / Hook Details	Status	Duration
	at ?.user Select The Hotel Using Radiobutton(file:///C:/Users/Bala/study/eclipse-workspace/Maven_Lao/src/test/java/com/cucumber/Adactin.feature:23) * Not displayable characters are replaced by '?'. 2 Then user Clicks Continue It Navigates To The Payment Page		
2	AFTER - com.step_definition.Step_Definition.afterHooks(io.cucumber.java.Scenario) error screen 	PASSED	5.654 s

Payment page functionality



#	Step / Hook Details	Status	Duration
1	When user Enters The First Name org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector", "selector":"#first_name"} (Session info: chrome=109.0.5414.120) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-UF5NI29', ip: '192.168.106.158', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_351' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.120, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da...}, userDataDir: C:\Users\Bala\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:52267}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6eddac9d2e21ea8d6f6aafbd5eae402 *** Element info: {Using:id, value=first_name} at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423)	FAILED	0.224 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372) at org.openqa.selenium.By\$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy22.sendKeys(Unknown Source) at com.Maven_Practice.Baseclass.sent(Baseclass.java:43) at com.step_definition.Step_Definition.user_enters_the_first_name(Step_Definition.java:114) at ?.user Enters The First Name(file:///C:/Users/Bala/study/eclipse-workspace/Maven_Lao/src/test/java/com/cucumber/Adactin.feature:26) * Not displayable characters are replaced by '?'. </pre>		
2	And user Enters The Last Name	SKIPPED	0.001 s
3	And user Enters The Billing Address	SKIPPED	0.000 s
4	And user Enters The Credit Card No	SKIPPED	0.000 s
5	And user Enters Credit Card Type	SKIPPED	0.001 s
6	And user Select Expiry Date	SKIPPED	0.000 s
7	And user Enters CVV	SKIPPED	0.004 s
8	Then user Clicks Book_Now Button	SKIPPED	0.000 s
	<p>AFTER - com.step_definition.Step_Definition.afterHooks(io.cucumber.java.Scenario)</p> <p>error screen</p>	PASSED	5.608 s