



ICAO ENGINE EXHAUST EMISSIONS DATA BANK

SUBSONIC ENGINES

ENGINE IDENTIFICATION: AE3007A3
UNIQUE ID NUMBER: 6AL017
ENGINE TYPE: MTF

BYPASS RATIO: 4.72
PRESSURE RATIO (π_{oo}): 17.2
RATED OUTPUT (F_{oo}) (kN): 33

REGULATORY DATA

CHARACTERISTIC VALUE:	HC	CO	NOx	SMOKE NUMBER
D_p/F_{oo} (g/kN) or SN	14.2	67.7	43.8	1.2
AS % OF ORIGINAL LIMIT	72.6 %	57.4 %	58.9 %	3.6 %
AS % OF CAEP/2 LIMIT (NOx)			73.7 %	
AS % OF CAEP/4 LIMIT (NOx)			75.3 %	
AS % OF CAEP/6 LIMIT (NOx)			76.1 %	
AS % OF CAEP/8 LIMIT (NOx)			81.1 %	

DATA STATUS

- PRE-REGULATION
x CERTIFICATION
- REVISED (SEE REMARKS)

TEST ENGINE STATUS

- NEWLY MANUFACTURED ENGINES
x DEDICATED ENGINES TO PRODUCTION STANDARD
- OTHER (SEE REMARKS)

EMISSIONS STATUS

x DATA CORRECTED TO REFERENCE
(ANNEX 16 VOLUME II)

CURRENT ENGINE STATUS

(IN PRODUCTION, IN SERVICE UNLESS OTHERWISE NOTED)
x OUT OF PRODUCTION (DATE: -)
- OUT OF SERVICE

MEASURED DATA

MODE	POWER SETTING (% F_{oo})	TIME minutes	FUEL FLOW kg/s	EMISSIONS INDICES (g/kg)			SMOKE NUMBER
				HC	CO	NOx	
TAKE-OFF	100	0.7	0.358	0.233	0.83	18.52	1
CLIMB OUT	85	2.2	0.300	0.27	1.03	15.79	0.01
APPROACH	30	4.0	0.108	0.69	4.22	6.83	0.01
IDLE	7	26.0	0.045	4.705	25.73	3.38	0.01
LTO TOTAL FUEL (kg) or EMISSIONS (g)			150	361	1960	1316	-
NUMBER OF ENGINES				2	2	2	2
NUMBER OF TESTS				3	3	3	3
AVERAGE D_p/F_{oo} (g/kN) or AVERAGE SN (MAX)				10.93	59.41	39.87	1
SIGMA (D_p/F_{oo} in g/kN, or SN)				-	-	-	-
RANGE (D_p/F_{oo} in g/kN, or SN)				-	-	-	-

ACCESSORY LOADS

POWER EXTRACTION 0 (kW) AT - POWER SETTINGS
STAGE BLEED 0 % CORE FLOW AT - POWER SETTINGS

ATMOSPHERIC CONDITIONS

BAROMETER (kPa)	0
TEMPERATURE (K)	0
ABS HUMIDITY (kg/kg)	0

FUEL

SPEC	Jet A
H/C	1.9
AROM (%)	16 - 20

MANUFACTURER: Rolls-Royce Corporation
TEST ORGANIZATION: Rolls-Royce Corporation
TEST LOCATION: Indianapolis, Indiana, USA
TEST DATES: FROM 03 Mar 94 TO 19 Apr 95

REMARKS

- For effectivity see Rolls-Royce Notice to Operators No. AE3007A-076
- Results based on Rolls-Royce report EDR 15171B

If REVISED, this data supersedes databank UID
Compliance with fuel venting requirements:

0 ('x' if complies, PR if pre-regulation)