# **Favorite Coin List Api**

## **Table of Contents**

1. Installation	1
1.1. Docker	1
1.2. Source Code	1
1.3. Swagger-UI	2
2. API Documentation	
2.1. BASE URL	2
2.2. URL'S	2

Baljit Singh VERSION 1.2, 2021-11-10: soa\_herfst21\_weer\_crypto

## 1. Installation

#### 1.1. Docker

#### 1.1.1. Pull image from Docker Hub

Dockerhub

```
①
docker pull batace/favorite_coin_list_api:latest
②
docker run -it -p --name fav-list-api 8080:8080 batace/favorite_coin_list_api
```

- 1 Pull the docker image
- 2 Run it locally

Navigate to localhost:8080/favorite-list/swagger-ui

#### 1.2. Source Code

- 1. Unzip the project
- 2. Open project in your IDE
- 3. Navigate to the root of application
- 4. Run project mvn spring-boot:run

## 1.3. Swagger-UI

- 1. Run the application
- 2. Navigate to localhost:8080/favorite-list/swagger-ui

This should provide sufficient information. For more information refer to API Documentation.

# 2. API Documentation

## 2.1. BASE URL

favorite-list/

Examples

localhost:8080/favorite-list/coin/overview

localhost:8080/favorite-list/overview

## 2.2. URL'S

Request	Path	Description	Description Response 200	Description Response 400	BODY
GET	/swagger-ui	View the Swagger UI	Swagger found	1	/
GET	coin/overview	Returns list of all crypto coins	Found list of crypto coins	1	1
GET	coin/search/{na me}	Returns all crypto coin's where the name is like searched name	Found list of crypto coins	Invalid input	1
POST	coin/new	Creates a new coin	Creation successful	Invalid coin name	{ "name": "BITCOIN", "alias_currenc y": "BTC_EUR" }
GET	/overview	Returns of all favorite list(s)	Found id and name of favorite list(s)	1	/
GET	/overview/{id}	Returns all coins inside a specific favorite list	All coins inside of favorite list(s) (if any were added)	Invalid id	/

Request	Path	Description	Description Response 200	Description Response 400	BODY
POST	/new/{name}	Create a new Favorite list	Favorite list creation successful	Invalid name	/
POST	/add-coin	Update a coin inside Favorite list	Update successful	Invalid id or coin already exists in list	<pre>{ "coin_id": X,  "fav_list_id": Y }</pre>
DELETE	/remove-coin	Delete a coin from Favorite list	Remove successful	Invalid coin id or coin not in list or invalid favorite list id	<pre>{ "coin_id": X,  "fav_list_id": Y }</pre>



Replace the X and Y values with actual values!

© 2021 favorite\_coin\_list\_api - soa\_herfst21\_weer\_crypto