

## **String functions:**

### Case conversion

- 1) UPPER() OR UCASE()
- 2) LOWER() OR LCASE()

### String padding

- 1) LPAD(str, length, pad\_str)
- 2) RPAD(str, length, pad\_str)

### White space removal

- 1) TRIM(str)
- 2) LTRIM(str)
- 3) RTRIM(str)

### String concatenation

- 1) CONCAT(str1, str2...)
- 2) CONCAT\_WS(sep, str1, str2...) ws –with separator

### Sub string extractions

- 1) Left(str, length)
- 2) Right(str, length)

| Function    | Purpose                  | Example            | Output |
|-------------|--------------------------|--------------------|--------|
| UPPER()     | Convert to uppercase     | UPPER('hello')     | HELLO  |
| LOWER()     | Convert to lowercase     | LOWER('HELLO')     | hello  |
| LPAD()      | Add characters left      | LPAD('123',6,'0')  | 000123 |
| RPAD()      | Add characters right     | RPAD('123',6,'0')  | 123000 |
| TRIM()      | Remove spaces both sides | TRIM(' hi ')       | hi     |
| CONCAT()    | Join strings             | CONCAT('A','B')    | AB     |
| CONCAT_WS() | Join with separator      | CONCAT_WS('-',A,B) | A-B    |
| LEFT()      | Extract from left        | LEFT('SQL',2)      | SQ     |
| RIGHT()     | Extract from right       | RIGHT('SQL',2)     | QL     |

| Type     | Format                 | Example                |
|----------|------------------------|------------------------|
| Date     | YYYY-MM-DD             | 2026-03-11             |
| Time     | HH:MM:SS               | 10:45:30               |
| DateTime | YYYY-MM-DD<br>HH:MM:SS | 2026-03-11<br>10:45:30 |

CURDATE()

CURTIME()

NOW()

Y 4 digit year

y 2 digit year

m 2 digit month

M month name full

**Numeric functions:**

ABS(VAL)

SQRT(VAL)

POW(VAL, POWER)

LOG(VAL)

Decimal value rounding:

- 1) ROUND(VAL, POS)P
- 2) FLOOR(VAL)
- 3) CEIL(VAL)
- 4) TRUNCATE(number, decimals)
- 5) RAND()

LEAST(): GIVES LEAST VALUE FROM GRP OF LIST