🧑‍🏫 **Teacher Copy — includes the Answer Key & Teacher Guide. Do not distribute to students.**

UNIT 7 · STANDARD 6.AT.8

Solve One-Step Addition and Subtraction Equations

Lesson 7-2 · Teacher Copy

Name: Type your name **Date:** Today's date **Class:** Class period

My Notes `Level 2 Standard`

🎯 **TODAY'S OBJECTIVES**

Content Objective: I can solve one-step addition and subtraction equations using inverse operations.
Language Objective: I can explain my steps using the words equation, inverse operation, isolate, and solution.

📖 See **Learn It** for the explanation and worked examples, and the **Vocab** tab for the words. These are your notes to fill in and keep.

✏️ **Fill in each blank as we go. Use the Word Bank to help you.**

📚 **WORD BANK — FILL EACH BLANK WITH THE BEST WORD**

Equation | **Inverse operation** | **Isolate** | **Solution** | **One-step equation** | **Balance**

👆 *Tap any word to see what it means and a picture.*

1. A math sentence with an equal sign showing two equal amounts is an ______________ .

2. An operation that undoes another, like subtraction undoing addition, is an ______________ .

3. To get the variable alone on one side of the equation is to ______________ it.

4. The value of the variable that makes the equation true is the ______________ .

5. An equation solved in a single step is a ______________ .

6 Doing the same thing to both sides to keep them equal keeps the equation in

______ .

Reflect — Exit Ticket

Solve: p + 2.8 = 9.1

A. p = 6.3

B. p = 11.9

C. p = 6.8

D. p = 3.25

Your answer:

Answer Key & Teacher Guide

1. **Notes 1:** Equation
2. **Notes 2:** Inverse operation
3. **Notes 3:** Isolate
4. **Notes 4:** Solution
5. **Notes 5:** One-step equation
6. **Notes 6:** Balance
7. **Watch for this mistake:** *A common mistake in Solve One-Step Addition and Subtraction Equations is skipping the key idea: "Undo the operation with its inverse, and do it to both sides to keep the equation balanced." — always check your work against this rule before you submit.*
8. **Try It 1:** A. $n = 13$ — *Add 4 to both sides: $n = 9 + 4 = 13$. Check: $13 - 4 = 9$ ✓*
9. **Try It 2:** A. 34 — *Subtract 16 from both sides: $t = 50 - 16 = 34$. Check: $34 + 16 = 50$ ✓*
10. **Exit Ticket:** A. $p = 6.3$ — *Subtract 2.8 from both sides: $p = 9.1 - 2.8 = 6.3$. Check: $6.3 + 2.8 = 9.1$ ✓*