

Lesson 2-1: Understand Statistical Questions

Connect & apply • 8 tasks • Prepares for Standard 6.SP.A.1

Name: _____ Date: _____ Period: _____

Show complete thinking. Label units. Use an equation, sketch, or model. Accuracy before speed.

TASK 1 • FOUNDATION 1

Order 18, 7, 12, 7, 25 from least to greatest.

TASK 2 • FOUNDATION 2

A number line goes from 0 to 30 in 6 equal jumps. How much is one jump?

TASK 3 • FOUNDATION 3

A survey records 4 yes responses, then 5 yes responses, then 3 yes responses. How many yes responses?

TASK 4 • FOUNDATION 4

Which is greater: 47 or 74?

One strategy or model I used: _____

My next step: ☐ Explain my steps ☐ Try another problem ☐ Review with a partner

Lesson 2-1: Understand Statistical Questions

Connect & apply • 8 tasks • Prepares for Standard 6.SP.A.1

Name: _____ Date: _____ Period: _____

Show complete thinking. Label units. Use an equation, sketch, or model. Accuracy before speed.

TASK 5 • QUICK CHECK A

Order 7, 3, 12, 5, 9. On a line from 0 to 10 split into 5 equal jumps, what is one jump worth?

TASK 6 • QUICK CHECK B

Order 15, 8, 22, 11, 4. On a line from 0 to 40 split into 4 equal jumps, what is one jump worth?

TASK 7 • QUICK CHECK C

Order 6, 1, 9, 3, 7. On a line from 0 to 100 split into 10 equal jumps, what is one jump worth?

TASK 8 • TRANSFER & EXTEND

A line runs from 0 to 30 with 6 equal jumps. Where does 25 sit — on a tick mark or between two?

One strategy or model I used: _____

My next step: ☐ Explain my steps ☐ Try another problem ☐ Review with a partner

Lesson 2-2: Represent and Describe Data in a Histogram

Connect & apply · 8 tasks · Prepares for Standard 6.SP.B.4

Name: _____ Date: _____ Period: _____

Show complete thinking. Label units. Use an equation, sketch, or model. Accuracy before speed.

TASK 1 • FOUNDATION 1

Which interval contains 29: 10–19, 20–29, or 30–39?

TASK 2 · FOUNDATION 2

Sort 2, 8, 11, 14, 19, 22 into intervals 0–9, 10–19, 20–29. Give the three frequencies in order.

TASK 3 · FOUNDATION 3

Find the total frequency: $8 + 12 + 7 + 3$.

TASK 4 · FOUNDATION 4

A frequency axis is labeled 0, 5, 10, 15. What value is two labeled steps above 0?

One strategy or model I used: _____

My next step: ☐ Explain my steps ☐ Try another problem ☐ Review with a partner

Lesson 2-2: Represent and Describe Data in a Histogram

Connect & apply • 8 tasks • Prepares for Standard 6.SP.B.4

Name: _____ Date: _____ Period: _____

Show complete thinking. Label units. Use an equation, sketch, or model. Accuracy before speed.

TASK 5 • QUICK CHECK A

Which interval holds 29: 20–29 or 30–39? How many of 4, 11, 19, 21, 25 land in 10–19?

TASK 6 • QUICK CHECK B

Which interval holds 40: 30–39 or 40–49? How many of 12, 35, 41, 44, 58 land in 40–49?

TASK 7 • QUICK CHECK C

Which interval holds 60: 50–59 or 60–69? How many of 51, 60, 64, 70, 72 land in 60–69?

TASK 8 • TRANSFER & EXTEND

A data set has 24 values sorted into bins with frequencies 5, 8, 6, and _____. What is the missing frequency?

One strategy or model I used: _____

My next step: ☐ Explain my steps ☐ Try another problem ☐ Review with a partner

Lesson 2-3: Describe the Data Using the Median

Connect & apply • 8 tasks • Prepares for Standard 6.SP.B.5.c

Name: _____ Date: _____ Period: _____

Show complete thinking. Label units. Use an equation, sketch, or model. Accuracy before speed.

TASK 1 • FOUNDATION 1

Order 15, 8, 12, 8, 17, 10.

TASK 2 • FOUNDATION 2

Find the median of 3, 5, 8, 11, 14.

TASK 3 • FOUNDATION 3

What number is halfway between 18 and 26?

TASK 4 • FOUNDATION 4

Compute $46 \div 2$.

One strategy or model I used: _____

My next step: ☐ Explain my steps ☐ Try another problem ☐ Review with a partner

Lesson 2-3: Describe the Data Using the Median

Connect & apply • 8 tasks • Prepares for Standard 6.SP.B.5.c

Name: _____ Date: _____ Period: _____

Show complete thinking. Label units. Use an equation, sketch, or model. Accuracy before speed.

TASK 5 • QUICK CHECK A

Put in order: 9, 4, 15, 6, 11. What number is halfway between 12 and 17?

TASK 6 • QUICK CHECK B

Put in order: 14, 6, 21, 9, 17. What number is halfway between 20 and 25?

TASK 7 • QUICK CHECK C

Put in order: 30, 12, 25, 18, 21. What number is halfway between 8 and 15?

TASK 8 • TRANSFER & EXTEND

A set of six values has median 10. The four values 4, 8, 12, 16 are known. Give one possible pair for the other two.

One strategy or model I used: _____

My next step: ☐ Explain my steps ☐ Try another problem ☐ Review with a partner

Lesson 2-4: Represent and Describe Data in a Box Plot

Connect & apply · 8 tasks · Prepares for Standard 6.SP.B.4

Name: _____ Date: _____ Period: _____

Show complete thinking. Label units. Use an equation, sketch, or model. Accuracy before speed.

TASK 1 · FOUNDATION 1

Find the median of 12, 4, 8, 6, 10.

TASK 2 · FOUNDATION 2

Split 2, 4, 6, 8, 10, 12 into equal lower and upper halves.

TASK 3 · FOUNDATION 3

Compute $73 - 28$.

TASK 4 · FOUNDATION 4

A line has ticks at 0, 4, 8, 12, 16. Which value is halfway between 8 and 12?

One strategy or model I used: _____

My next step: ☐ Explain my steps ☐ Try another problem ☐ Review with a partner

Lesson 2-4: Represent and Describe Data in a Box Plot

Connect & apply · 8 tasks · Prepares for Standard 6.SP.B.4

Name: _____ Date: _____ Period: _____

Show complete thinking. Label units. Use an equation, sketch, or model. Accuracy before speed.

TASK 5 · QUICK CHECK A

Ordered: 3, 5, 8, 10, 12, 14, 18, 20. Find the median of the lower half.

TASK 6 · QUICK CHECK B


Ordered: 2, 6, 9, 11, 15, 19, 22, 28. Find the median of the lower half.

TASK 7 · QUICK CHECK C

Ordered: 4, 7, 10, 13, 18, 20. Find the median of the upper half.

TASK 8 · TRANSFER & EXTEND

A box plot has min 3, Q1 7, median 12, Q3 18, max 25. Between which two values do the middle half of the data sit?



One strategy or model I used: _____

My next step: ☐ Explain my steps ☐ Try another problem ☐ Review with a partner

Lesson 2-5: Describe Data by Range and Interquartile Range

Connect & apply • 8 tasks • Prepares for Standard 6.SP.B.5.c

Name: _____ Date: _____ Period: _____

Show complete thinking. Label units. Use an equation, sketch, or model. Accuracy before speed.

TASK 1 • FOUNDATION 1

Give the minimum and maximum of 18, 7, 24, 11, 16.

TASK 2 • FOUNDATION 2

Compute $100 - 37$.

TASK 3 • FOUNDATION 3

For 2, 4, 6, 8, 10, 12, 14, 16, find Q1 and Q3 using the medians of the two halves.

TASK 4 • FOUNDATION 4

Set A ranges from 12 to 30. Set B ranges from 8 to 31. Which has the larger range?

One strategy or model I used: _____

My next step: ☐ Explain my steps ☐ Try another problem ☐ Review with a partner

Lesson 2-5: Describe Data by Range and Interquartile Range

Connect & apply · 8 tasks · Prepares for Standard 6.SP.B.5.c

Name: _____ Date: _____ Period: _____

Show complete thinking. Label units. Use an equation, sketch, or model. Accuracy before speed.

TASK 5 • QUICK CHECK A

Range of 12, 7, 19, 4, 15? If $Q1 = 6$ and $Q3 = 17$, what is $Q3 - Q1$?

TASK 6 • QUICK CHECK B

Range of 23, 8, 41, 16, 30? If $Q_1 = 12$ and $Q_3 = 35$, what is $Q_3 - Q_1$?

TASK 7 • QUICK CHECK C

Range of 100, 62, 85, 71, 94? If $Q_1 = 68$ and $Q_3 = 92$, what is $Q_3 - Q_1$?

TASK 8 · TRANSFER & EXTEND

Two classes both have range 20, but Class A has IQR 4 and Class B has IQR 16. What does that tell you?

One strategy or model I used: _____

My next step: ☐ Explain my steps ☐ Try another problem ☐ Review with a partner

Lesson 2-6: Divide Multi-Digit Numbers Using an Algorithm

Connect & apply • 8 tasks • Prepares for Standard 6.NS.B.2

Name: _____ Date: _____ Period: _____

Show complete thinking. Label units. Use an equation, sketch, or model. Accuracy before speed.

TASK 5 • QUICK CHECK A

Compute $156 \div 6$. Explain how multiplication checks your quotient.

TASK 6 • QUICK CHECK B

Compute $252 \div 7$. Check with multiplication.

TASK 7 • QUICK CHECK C

Compute $325 \div 5$. Check with multiplication.

TASK 8 • TRANSFER & EXTEND

There are 347 students. Each bus seats at most 24 students. What is the fewest buses needed? Explain how the remainder affects your answer.

One strategy or model I used: _____

My next step: ☐ Explain my steps ☐ Try another problem ☐ Review with a partner

Connect & apply · 8 tasks · Prepares for Standard 6.NS.B.3

Name: _____ Date: _____ Period: _____

TASK 1 • FOUNDATION 1

My next step: ☐ Explain my steps ☐ Try another problem ☐ Review with a partner

Lesson 2-7: Divide Decimals Using an Algorithm

Connect & apply · 8 tasks · Prepares for Standard 6.NS.B.3

Name: _____ Date: _____ Period: _____

Show complete thinking. Label units. Use an equation, sketch, or model. Accuracy before speed.

TASK 5 • QUICK CHECK A

 $84 \div 4?$ $4.8 \div 2?$ $0.6 \times 100?$

TASK 6 • QUICK CHECK B

 $96 \div 3?$ $6.9 \div 3?$ $0.8 \times 100?$

TASK 7 • QUICK CHECK C

$72 \div 6?$ $8.4 \div 4?$ $0.05 \times 1000?$

TASK 8 · TRANSFER & EXTEND

Why does $4.8 \div 0.2$ give the same answer as $48 \div 2$?

One strategy or model I used: _____

My next step: ☐ Explain my steps ☐ Try another problem ☐ Review with a partner

Lesson 2-8: Describe Data Using the Mean

Connect & apply · 8 tasks · Prepares for Standard 6.SP.B.5.c

Name: _____ Date: _____ Period: _____

Show complete thinking. Label units. Use an equation, sketch, or model. Accuracy before speed.

TASK 5 • QUICK CHECK A

Mean of 10, 14, 8, 12, 16? What must be added to 48 to reach 60?

TASK 6 • QUICK CHECK B

Mean of 20, 18, 25, 17? What must be added to 72 to reach 100?

TASK 7 • QUICK CHECK C

Mean of 9, 15, 6, 12, 18? What must be added to 55 to reach 90?

TASK 8 · TRANSFER & EXTEND

Four scores have a mean of 85. Three of them are 80, 90, and 88. What is the fourth?

One strategy or model I used: _____

My next step: ☐ Explain my steps ☐ Try another problem ☐ Review with a partner

Lesson 2-9: Describe Data by Mean Absolute Deviation

Connect & apply • 8 tasks • Prepares for Standard 6.SP.B.5.c

Name: _____ Date: _____ Period: _____

Show complete thinking. Label units. Use an equation, sketch, or model. Accuracy before speed.

TASK 1 • FOUNDATION 1

Find the mean of 4, 6, 8, 10.

TASK 2 • FOUNDATION 2

What is the distance between 3 and 11 on a number line?

TASK 3 • FOUNDATION 3

Add the distances 3, 1, 1, 3.

TASK 4 • FOUNDATION 4

Eight units of total deviation are shared across four values. What is $8 \div 4$?

One strategy or model I used: _____

My next step: ☐ Explain my steps ☐ Try another problem ☐ Review with a partner

Lesson 2-9: Describe Data by Mean Absolute Deviation

Connect & apply • 8 tasks • Prepares for Standard 6.SP.B.5.c

Name: _____ Date: _____ Period: _____

Show complete thinking. Label units. Use an equation, sketch, or model. Accuracy before speed.

TASK 5 • QUICK CHECK A

The mean is 20. How far is 26 from the mean?
How far is 14?

TASK 6 • QUICK CHECK B

The mean is 30. How far is 37 from the mean?
How far is 22?

TASK 7 • QUICK CHECK C

The mean is 50. How far is 50 from the mean?
How far is 43?

TASK 8 • TRANSFER & EXTEND

A set has mean 10 and MAD 0. What must be true of the data?

One strategy or model I used: _____

My next step: ☐ Explain my steps ☐ Try another problem ☐ Review with a partner

Lesson 2-10: Choose Appropriate Measures

Connect & apply · 8 tasks · Prepares for Standard 6.SP.B.5.d


Name: _____ Date: _____ Period: _____

Show complete thinking. Label units. Use an equation, sketch, or model. Accuracy before speed.

TASK 1 · FOUNDATION 1
For 2, 4, 6, 8, find mean, median, range, IQR, and MAD. Use medians of the two halves for quartiles.

TASK 2 · FOUNDATION 2
Which value is a likely outlier: 8, 9, 10, 11, 52?

TASK 3 · FOUNDATION 3
A dot plot has 1 dot at 1, 2 dots at 2, 3 dots at 3, 2 dots at 4, and 1 dot at 5. Is it symmetric or skewed?



TASK 4 · FOUNDATION 4
Replace 6 with 60 in 2, 4, 6. Which changes more: mean or median?

One strategy or model I used: _____

My next step: ☐ Explain my steps ☐ Try another problem ☐ Review with a partner

Lesson 2-10: Choose Appropriate Measures

Connect & apply • 8 tasks • Prepares for Standard 6.SP.B.5.d

Name: _____ Date: _____ Period: _____

Show complete thinking. Label units. Use an equation, sketch, or model. Accuracy before speed.

TASK 5 • QUICK CHECK A

Which measure of center fits 2, 3, 3, 4, 50 — mean or median? Why?

TASK 6 • QUICK CHECK B

Which measure of center fits 5, 6, 6, 7, 80 — mean or median? Why?

TASK 7 • QUICK CHECK C

Which measure of center fits 41, 44, 45, 46, 49 — mean or median? Why?

TASK 8 • TRANSFER & EXTEND

Give a data set of five values where mean and median are equal but the range is 40.

One strategy or model I used: _____

My next step: ☐ Explain my steps ☐ Try another problem ☐ Review with a partner