



**Teacher Copy — includes the Answer Key & Teacher Guide. Do not distribute to students.**

UNIT 2 • STANDARD 6.NOS.3

# Divide Decimals Using an Algorithm

Lesson 2-7 • Teacher Copy

**Name:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**Class:** \_\_\_\_\_



## TODAY'S OBJECTIVES

**Content Objective:** I can divide with decimals by making the divisor a whole number first.

**Language Objective:** I can explain my work using the words dividend, divisor, quotient, and equivalent division.



See **Learn It** for the explanation and worked examples, and the **Vocab** tab for the words. These are your notes to fill in and keep.



Fill in each blank as we go. Use the Word Bank to help you.



## WORD BANK — FILL EACH BLANK WITH THE BEST WORD

Dividend

Divisor

Quotient

Decimal Division Algorithm

Equivalent division

Annex a zero

Algorithm

Power of ten



Tap any word to see its meaning and a picture.

1

In a division problem, the total amount being divided is the

2

In a division problem, the number of equal groups you divide into is the

3

The answer to a division problem is the

4

The steps that make the divisor whole before you divide are called the

5

Multiplying both the dividend and divisor by the same power of 10 creates an

 that is easier to solve.

6 Writing 7.2 as 7.20 is called  a zero.

7 Steps you follow the same way every time make an .

8 10, 100, and 1,000 are each a .

## Write About the Math

**How does decimal division help you figure out how many pieces you can cut?**

*¿Cómo te ayuda la división de decimales a averiguar cuántas piezas puedes cortar?*

Say your answer to a partner first. Then write it, using at least two of these words:

☐ **Dividend**  
*Dividendo*

☐ **Divisor**  
*Divisor*

☐ **Quotient**  
*Cociente*

☐ **Decimal Division Algorithm**  
*Algoritmo de división decimal*

☐ **Equivalent division**  
*División equivalente*

**Model:** Move both decimal points the same number of places so the value stays equal. — Students rewrite  $18.9 \div 6.3$  as  $189 \div 63 = 3$ , explaining moving both points one place keeps the division equivalent, so 3 pods are filled.

### Start

Complete the frames. Use the word bank.

*Completa las oraciones. Usa el banco de palabras.*

- **I can cut \_\_\_\_ pieces because  $16.8 \div 2.4 =$  \_\_\_\_.**
- **My answer is \_\_\_\_ because \_\_\_\_.**  
*Mi respuesta es \_\_\_\_ porque \_\_\_\_.*

---

---

### Build

Write two connected sentences. Use because, so, or but.

*Escribe dos oraciones conectadas. Usa porque, entonces o pero.*

- **My claim is \_\_\_\_.**  
*Mi afirmación es \_\_\_\_.*
- **My evidence is \_\_\_\_, so \_\_\_\_.**  
*Mi evidencia es \_\_\_\_, entonces \_\_\_\_.*

---

---

---

### Explain

Write a claim, give math evidence, and explain your reasoning.

*Escribe una afirmación, da evidencia matemática y explica tu razonamiento.*

---

---

---

---

---

☐ I answered the question.

☐ I used math evidence: numbers, an equation, or a model.

☐ I used at least two math words.

---

## Writing Guide — Teacher Copy

- The answer to the math question is correct.
- The evidence is real lesson mathematics (numbers, equation, or model), not restated claim.
- The support level changed the language scaffolding, never the mathematical expectation.

---

## Answer Key & Teacher Guide

1. **Notes 1:** Dividend
2. **Notes 2:** Divisor
3. **Notes 3:** Quotient
4. **Notes 4:** Decimal Division Algorithm
5. **Notes 5:** Equivalent division
6. **Notes 6:** Annex a zero
7. **Notes 7:** Algorithm
8. **Notes 8:** Power of ten
9. **Watch for this mistake:** *A common mistake in Divide Decimals is moving the decimal point in the divisor but forgetting to move it the same number of places in the dividend. For example, in  $6.4 \div 0.8$  a student changes 0.8 to 8 but leaves the dividend as 6.4, then divides  $6.4 \div 8 = 0.8$  instead of moving both points to get  $64 \div 8 = 8$ . A second version of this mistake happens when the divisor has two decimal places, like 0.12: students move both points only 1 place instead of 2, turning  $9.6 \div 0.12$  into  $96 \div 1.2$  instead of the correct  $960 \div 12$ . Count the divisor's decimal places first, then move BOTH points that same number of places.*
10. **Try It 1:** B. 3 batches —  $9.6 \div 3.2$ . The divisor 3.2 has one decimal place, so multiply BOTH numbers by 10:  $96 \div 32 = 3$ . The flour makes 3 batches.
11. **Try It 2:** C. 9 strips — Multiply both by 10:  $81 \div 9 = 9$  strips.