

## 2-1 · Understand Statistical Questions

Connect & apply · 8 tasks · Prepares for 6.SP.A.1

Use the explanation to discuss strategies. Accept mathematically equivalent answers.

### 1. FOUNDATION 1

Order 18, 7, 12, 7, 25 from least to greatest.

**7, 7, 12, 18, 25**

Keep both 7s; repeated values still count.

Skill: Order a list of up to 10 whole numbers least to greatest

### 2. FOUNDATION 2

A number line goes from 0 to 30 in 6 equal jumps. How much is one jump?

**5**

Divide the total distance by the number of equal jumps:  $30 \div 6 = 5$ .

Skill: Read a scaled number line and say what one tick mark is worth

### 3. FOUNDATION 3

A survey records 4 yes responses, then 5 yes responses, then 3 yes responses. How many yes responses?

**12**

Add each group once:  $4 + 5 + 3 = 12$ .

Skill: Tally and count a set of up to 30 responses without losing place

### 4. FOUNDATION 4

Which is greater: 47 or 74?

**74**

Compare the tens digits: 7 tens is greater than 4 tens.

Skill: Compare two whole numbers and say which is greater

## 2-1 · Understand Statistical Questions

Connect & apply · 8 tasks · Prepares for 6.SP.A.1

Use the explanation to discuss strategies. Accept mathematically equivalent answers.

### 5. CHECK A

Order 7, 3, 12, 5, 9. On a line from 0 to 10 split into 5 equal jumps, what is one jump worth?

**Ordered list: 3, 5, 7, 9, 12. Line jump value:  $10 \div 5 = 2$  units per jump.**

Compare each part of your work with the worked solution.

### 6. CHECK B

Order 15, 8, 22, 11, 4. On a line from 0 to 40 split into 4 equal jumps, what is one jump worth?

**Ordered: 4, 8, 11, 15, 22. One jump =  $40 \div 4 = 10$ .**

Compare each part of your work with the worked solution.

### 7. CHECK C

Order 6, 1, 9, 3, 7. On a line from 0 to 100 split into 10 equal jumps, what is one jump worth?

**Ordered: 1, 3, 6, 7, 9. One jump =  $100 \div 10 = 10$ .**

Compare each part of your work with the worked solution.

### 8. TRANSFER

A line runs from 0 to 30 with 6 equal jumps. Where does 25 sit — on a tick mark or between two?

**One jump =  $30 \div 6 = 5$ , so ticks are 0, 5, 10, 15, 20, 25, 30. The value 25 lands exactly on a tick mark.**

Explain why your method works and include units when needed.

## 2-2 · Represent and Describe Data in a Histogram

Connect & apply · 8 tasks · Prepares for 6.SP.B.4

Use the explanation to discuss strategies. Accept mathematically equivalent answers.

### 1. FOUNDATION 1

Which interval contains 29: 10–19, 20–29, or 30–39?

**20–29**

The endpoints are included, so 29 belongs in 20–29.

Skill: Decide which interval a value belongs to (is 19 in 10–19 or 20–29?)

### 2. FOUNDATION 2

Sort 2, 8, 11, 14, 19, 22 into intervals 0–9, 10–19, 20–29. Give the three frequencies in order.

**2, 3, 1**

The bins contain (2, 8), (11, 14, 19), and (22). The frequencies sum to 6.

Skill: Sort up to 20 values into given intervals and count each bin

### 3. FOUNDATION 3

Find the total frequency:  $8 + 12 + 7 + 3$ .

**30**

Pair  $8 + 12 = 20$  and  $7 + 3 = 10$ ; total 30.

Skill: Add a column of one- and two-digit numbers to a total

### 4. FOUNDATION 4

A frequency axis is labeled 0, 5, 10, 15. What value is two labeled steps above 0?

**10**

Each labeled step adds 5, so two steps give 10.

Skill: Read a graph scale that skip-counts by 2, 5, or 10

## 2-2 · Represent and Describe Data in a Histogram

Connect & apply · 8 tasks · Prepares for 6.SP.B.4

Use the explanation to discuss strategies. Accept mathematically equivalent answers.

### 5. CHECK A

Which interval holds 29: 20–29 or 30–39? How many of 4, 11, 19, 21, 25 land in 10–19?

**Interval assignment: 29 belongs in the 20–29 interval. Bin count: Values in 10–19 are 11 and 19 (Total = 2 values).**

Compare each part of your work with the worked solution.

### 6. CHECK B

Which interval holds 40: 30–39 or 40–49? How many of 12, 35, 41, 44, 58 land in 40–49?

**40 belongs in 40–49. Values in 40–49: 41 and 44 — a frequency of 2.**

Compare each part of your work with the worked solution.

### 7. CHECK C

Which interval holds 60: 50–59 or 60–69? How many of 51, 60, 64, 70, 72 land in 60–69?

**60 belongs in 60–69. Values in 60–69: 60 and 64 — a frequency of 2.**

Compare each part of your work with the worked solution.

### 8. TRANSFER

A data set has 24 values sorted into bins with frequencies 5, 8, 6, and \_\_\_\_\_. What is the missing frequency?

**$5 + 8 + 6 = 19$ , so the missing frequency is  $24 - 19 = 5$ .**

Explain why your method works and include units when needed.

## 2-3 · Describe the Data Using the Median

Connect & apply · 8 tasks · Prepares for 6.SP.B.5.c

Use the explanation to discuss strategies. Accept mathematically equivalent answers.

### 1. FOUNDATION 1

Order 15, 8, 12, 8, 17, 10.

**8, 8, 10, 12, 15, 17**

Include both 8s and arrange all six values.

Skill: Order up to 12 numbers least to greatest

### 2. FOUNDATION 2

Find the median of 3, 5, 8, 11, 14.

**8**

The third value has two values on each side.

Skill: Find the middle position of an odd-length list by counting in from both ends

### 3. FOUNDATION 3

What number is halfway between 18 and 26?

**22**

The gap is 8; move half the gap, 4, from 18.

Skill: Find the number halfway between two numbers

### 4. FOUNDATION 4

Compute  $46 \div 2$ .

**23**

Split 46 into  $40 + 6$ , then halve each part:  $20 + 3$ .

Skill: Divide a two-digit sum by 2

## 2-3 · Describe the Data Using the Median

Connect & apply · 8 tasks · Prepares for 6.SP.B.5.c

Use the explanation to discuss strategies. Accept mathematically equivalent answers.

### 5. CHECK A

Put in order: 9, 4, 15, 6, 11. What number is halfway between 12 and 17?

**Ordered list: 4, 6, 9, 11, 15 (Middle value = 9).  
Halfway point:  $(12 + 17) \div 2 = 29 \div 2 = 14.5$  (or  $14 \frac{1}{2}$ ).**

Compare each part of your work with the worked solution.

### 6. CHECK B

Put in order: 14, 6, 21, 9, 17. What number is halfway between 20 and 25?

**Ordered: 6, 9, 14, 17, 21 (median 14). Halfway:  $(20 + 25) \div 2 = 45 \div 2 = 22.5$ .**

Compare each part of your work with the worked solution.

### 7. CHECK C

Put in order: 30, 12, 25, 18, 21. What number is halfway between 8 and 15?

**Ordered: 12, 18, 21, 25, 30 (median 21).  
Halfway:  $(8 + 15) \div 2 = 23 \div 2 = 11.5$ .**

Compare each part of your work with the worked solution.

### 8. TRANSFER

A set of six values has median 10. The four values 4, 8, 12, 16 are known. Give one possible pair for the other two.

**Many answers. The two middle values must average 10 — for example, adding 2 and 20 gives ordered 2, 4, 8, 12, 16, 20 with median  $(8 + 12) \div 2 = 10$ .**

Explain why your method works and include units when needed.

## 2-4 · Represent and Describe Data in a Box Plot

Connect & apply · 8 tasks · Prepares for 6.SP.B.4

Use the explanation to discuss strategies. Accept mathematically equivalent answers.

### 1. FOUNDATION 1

Find the median of 12, 4, 8, 6, 10.

**8**

Order the list as 4, 6, 8, 10, 12; the middle value is 8.

Skill: Order a data set and find its median

### 2. FOUNDATION 2

Split 2, 4, 6, 8, 10, 12 into equal lower and upper halves.

**Lower: 2, 4, 6; upper: 8, 10, 12**

There are six values, so put three in each half.

Skill: Split an ordered list into a lower half and an upper half

### 3. FOUNDATION 3

Compute  $73 - 28$ .

**45**

Regroup one ten:  $13 - 8 = 5$  and 6 tens  $- 2$  tens = 4 tens.

Skill: Subtract two-digit whole numbers

### 4. FOUNDATION 4

A line has ticks at 0, 4, 8, 12, 16. Which value is halfway between 8 and 12?

**10**

Half of the interval of 4 is 2;  $8 + 2 = 10$ .

Skill: Plot a point at the right place on a scaled number line

## 2-4 · Represent and Describe Data in a Box Plot

Connect & apply · 8 tasks · Prepares for 6.SP.B.4

Use the explanation to discuss strategies. Accept mathematically equivalent answers.

### 5. CHECK A

Ordered: 3, 5, 8, 10, 12, 14, 18, 20. Find the median of the lower half.

**Ordered list split: [3, 5, 8, 10] | [12, 14, 18, 20]. Lower half: 3, 5, 8, 10. Median of lower half (Q1):  $(5 + 8) \div 2 = 13 \div 2 = 6.5$ .**

Compare each part of your work with the worked solution.

### 6. CHECK B

Ordered: 2, 6, 9, 11, 15, 19, 22, 28. Find the median of the lower half.

**Lower half: 2, 6, 9, 11.  $Q1 = (6 + 9) \div 2 = 15 \div 2 = 7.5$ .**

Compare each part of your work with the worked solution.

### 7. CHECK C

Ordered: 4, 7, 10, 13, 18, 20. Find the median of the upper half.

**Upper half: 13, 18, 20.  $Q3 = 18$ .**

Compare each part of your work with the worked solution.

### 8. TRANSFER

A box plot has min 3, Q1 7, median 12, Q3 18, max 25. Between which two values do the middle half of the data sit?

**Between  $Q1 = 7$  and  $Q3 = 18$ . That middle 50% spans  $18 - 7 = 11$  units.**

Explain why your method works and include units when needed.

## 2-5 · Describe Data by Range and Interquartile Range

Connect & apply · 8 tasks · Prepares for 6.SP.B.5.c

Use the explanation to discuss strategies. Accept mathematically equivalent answers.

### 1. FOUNDATION 1

Give the minimum and maximum of 18, 7, 24, 11, 16.

**Minimum 7; maximum 24**

The minimum is the least value and the maximum is the greatest.

Skill: Find the maximum and minimum of a data set

### 2. FOUNDATION 2

Compute  $100 - 37$ .

**63**

Count up from 37: 3 to 40 and 60 to 100, giving 63.

Skill: Subtract whole numbers, including across zeros

### 3. FOUNDATION 3

For 2, 4, 6, 8, 10, 12, 14, 16, find Q1 and Q3 using the medians of the two halves.

**Q1 = 5; Q3 = 13**

Lower half median is  $(4 + 6) \div 2 = 5$ ; upper half median is  $(12 + 14) \div 2 = 13$ .

Skill: Locate Q1 and Q3 in an ordered set

### 4. FOUNDATION 4

Set A ranges from 12 to 30. Set B ranges from 8 to 31. Which has the larger range?

**Set B**

A has range 18; B has range 23, which is larger.

Skill: Compare two differences to say which spread is larger

## 2-5 · Describe Data by Range and Interquartile Range

Connect & apply · 8 tasks · Prepares for 6.SP.B.5.c

Use the explanation to discuss strategies. Accept mathematically equivalent answers.

### 5. CHECK A

Range of 12, 7, 19, 4, 15? If  $Q1 = 6$  and  $Q3 = 17$ , what is  $Q3 - Q1$ ?

**Range: Maximum – Minimum =  $19 - 4 = 15$ .**

**IQR:  $Q3 - Q1 = 17 - 6 = 11$ .**

Compare each part of your work with the worked solution.

### 6. CHECK B

Range of 23, 8, 41, 16, 30? If  $Q1 = 12$  and  $Q3 = 35$ , what is  $Q3 - Q1$ ?

**Range =  $41 - 8 = 33$ . IQR =  $35 - 12 = 23$ .**

Compare each part of your work with the worked solution.

### 7. CHECK C

Range of 100, 62, 85, 71, 94? If  $Q1 = 68$  and  $Q3 = 92$ , what is  $Q3 - Q1$ ?

**Range =  $100 - 62 = 38$ . IQR =  $92 - 68 = 24$ .**

Compare each part of your work with the worked solution.

### 8. TRANSFER

Two classes both have range 20, but Class A has IQR 4 and Class B has IQR 16. What does that tell you?

**Class A's values cluster tightly with one or two far-out values stretching the range; Class B's values are genuinely spread throughout.**

Explain why your method works and include units when needed.

## 2-6 · Divide Multi-Digit Numbers Using an Algorithm

Connect & apply · 8 tasks · Prepares for 6.NS.B.2

Use the explanation to discuss strategies. Accept mathematically equivalent answers.

### 1. FOUNDATION 1

Compute  $84 \div 7$ .

**12**

$7 \times 12 = 84$ , so the quotient is 12.

Skill: Recall multiplication and division facts through  $12 \times 12$

### 2. FOUNDATION 2

Compute  $248 \div 4$ .

**62**

$24 \text{ tens} \div 4 = 6 \text{ tens}$ ;  $8 \text{ ones} \div 4 = 2 \text{ ones}$ .

Combine to get 62.

Skill: Use place value to divide hundreds, tens, and ones

### 3. FOUNDATION 3

Compute  $302 - 178$ .

**124**

Regroup across the zero or count up:  $178 + 22 = 200$  and  $200 + 102 = 302$ ; total 124.

Skill: Subtract multi-digit whole numbers with regrouping

### 4. FOUNDATION 4

Estimate  $238 \div 6$  using the nearby compatible dividend 240.

**40**

$240 \div 6 = 40$ . Since 238 is slightly less than 240, the exact quotient will be slightly less than 40.

Skill: Estimate a quotient and check with multiplication

## 2-6 · Divide Multi-Digit Numbers Using an Algorithm

Connect & apply · 8 tasks · Prepares for 6.NS.B.2

Use the explanation to discuss strategies. Accept mathematically equivalent answers.

### 5. CHECK A

Compute  $156 \div 6$ . Explain how multiplication checks your quotient.

**$156 \div 6 = 26$ . Divide 15 tens by 6: 2 tens with 3 tens remaining. Combine those 3 tens with 6 ones to get 36 ones. Divide 36 by 6 to get 6 ones. Check:  $26 \times 6 = 156$ .**

Compare each part of your work with the worked solution.

### 6. CHECK B

Compute  $252 \div 7$ . Check with multiplication.

**$252 \div 7 = 36$ . Divide 25 tens by 7 to get 3 tens with 4 tens remaining; 42 ones  $\div 7 = 6$  ones. Check:  $36 \times 7 = 252$ .**

Compare each part of your work with the worked solution.

### 7. CHECK C

Compute  $325 \div 5$ . Check with multiplication.

**$325 \div 5 = 65$ . Divide 32 tens by 5 to get 6 tens with 2 tens remaining; 25 ones  $\div 5 = 5$  ones. Check:  $65 \times 5 = 325$ .**

Compare each part of your work with the worked solution.

### 8. TRANSFER

There are 347 students. Each bus seats at most 24 students. What is the fewest buses needed? Explain how the remainder affects your answer.

**$347 \div 24 = 14$  remainder 11, because  $24 \times 14 = 336$ . The 11 remaining students need another bus, so 15 buses are needed.**

Explain why your method works and include units when needed.

## 2-7 · Divide Decimals Using an Algorithm

Connect & apply · 8 tasks · Prepares for 6.NS.B.3

Use the explanation to discuss strategies. Accept mathematically equivalent answers.

### 1. FOUNDATION 1

Compute  $96 \div 8$ .

**12**

Use the related multiplication fact:  $8 \times 12 = 96$ .

Skill: Recall division facts through  $12 \times 12$

### 2. FOUNDATION 2

Compute  $156 \div 6$ .

**26**

$120 \div 6 = 20$  and  $36 \div 6 = 6$ ; add  $20 + 6$ .

Skill: Divide multi-digit whole numbers with the standard algorithm

### 3. FOUNDATION 3

Compute  $4.8 \times 100$ .

**480**

Every digit becomes worth 100 times as much.

Skill: Multiply and divide by 10, 100, 1000 by shifting the decimal point

### 4. FOUNDATION 4

Compute  $7.5 \div 2$ .

**3.75**

Write 7.50; divide 750 hundredths by 2 to get 375 hundredths.

Skill: Line up decimal places and annex zeros to keep dividing

## 2-7 · Divide Decimals Using an Algorithm

Connect & apply · 8 tasks · Prepares for 6.NS.B.3

Use the explanation to discuss strategies. Accept mathematically equivalent answers.

### 5. CHECK A

$84 \div 4$ ?  $4.8 \div 2$ ?  $0.6 \times 100$ ?

**$84 \div 4 = 21$   $4.8 \div 2 = 2.4$   $0.6 \times 100 = 60$  (shift decimal 2 places right and annex zero).**

Compare each part of your work with the worked solution.

### 6. CHECK B

$96 \div 3$ ?  $6.9 \div 3$ ?  $0.8 \times 100$ ?

**$96 \div 3 = 32$ .  $6.9 \div 3 = 2.3$ .  $0.8 \times 100 = 80$ .**

Compare each part of your work with the worked solution.

### 7. CHECK C

$72 \div 6$ ?  $8.4 \div 4$ ?  $0.05 \times 1000$ ?

**$72 \div 6 = 12$ .  $8.4 \div 4 = 2.1$ .  $0.05 \times 1000 = 50$ .**

Compare each part of your work with the worked solution.

### 8. TRANSFER

Why does  $4.8 \div 0.2$  give the same answer as  $48 \div 2$ ?

**Multiplying both the dividend and the divisor by 10 does not change the quotient; it only rewrites the problem with a whole-number divisor. Both equal 24.**

Explain why your method works and include units when needed.

## 2-8 · Describe Data Using the Mean

Connect & apply · 8 tasks · Prepares for 6.SP.B.5.c

Use the explanation to discuss strategies. Accept mathematically equivalent answers.

### 1. FOUNDATION 1

Add  $12 + 18 + 15 + 25 + 10$ .

**80**

Pair  $12 + 18 = 30$  and  $15 + 25 = 40$ , then add 10.

Skill: Add a list of 5–10 two-digit numbers accurately

### 2. FOUNDATION 2

Compute  $144 \div 6$ .

**24**

$6 \times 24 = 144$ ; use multiplication to check division.

Skill: Divide a three-digit number by a one-digit number

### 3. FOUNDATION 3

How many values are in 4, 4, 7, 9, 9, 9?

**6**

Count every entry, including repeated values.

Skill: Count how many values are in a data set

### 4. FOUNDATION 4

Find the missing addend:  $18 + 22 + \underline{\quad} = 65$ .

**25**

The known addends total 40;  $65 - 40 = 25$ .

Skill: Find a missing addend that reaches a given total

## 2-8 · Describe Data Using the Mean

Connect & apply · 8 tasks · Prepares for 6.SP.B.5.c

Use the explanation to discuss strategies. Accept mathematically equivalent answers.

### 5. CHECK A

Mean of 10, 14, 8, 12, 16? What must be added to 48 to reach 60?

**Sum:  $10 + 14 + 8 + 12 + 16 = 60$ . Count: 5 values. Mean:  $60 \div 5 = 12$ . Missing addend:  $60 - 48 = 12$ .**

Compare each part of your work with the worked solution.

### 6. CHECK B

Mean of 20, 18, 25, 17? What must be added to 72 to reach 100?

**Sum = 80, count = 4, mean =  $80 \div 4 = 20$ .  
Missing addend:  $100 - 72 = 28$ .**

Compare each part of your work with the worked solution.

### 7. CHECK C

Mean of 9, 15, 6, 12, 18? What must be added to 55 to reach 90?

**Sum = 60, count = 5, mean =  $60 \div 5 = 12$ .  
Missing addend:  $90 - 55 = 35$ .**

Compare each part of your work with the worked solution.

### 8. TRANSFER

Four scores have a mean of 85. Three of them are 80, 90, and 88. What is the fourth?

**Total must be  $4 \times 85 = 340$ . The known three sum to 258, so the fourth is  $340 - 258 = 82$ .**

Explain why your method works and include units when needed.

## 2-9 · Describe Data by Mean Absolute Deviation

Connect & apply · 8 tasks · Prepares for 6.SP.B.5.c

Use the explanation to discuss strategies. Accept mathematically equivalent answers.

### 1. FOUNDATION 1

Find the mean of 4, 6, 8, 10.

**7**

The total is 28 and there are 4 values;  $28 \div 4 = 7$ .

Skill: Find the mean of a data set

### 2. FOUNDATION 2

What is the distance between 3 and 11 on a number line?

**8**

Distance is nonnegative:  $11 - 3 = 8$ .

Skill: Subtract to find the distance between two numbers and keep it positive

### 3. FOUNDATION 3

Add the distances 3, 1, 1, 3.

**8**

$3 + 1 + 1 + 3 = 8$ .

Skill: Add a list of distances

### 4. FOUNDATION 4

Eight units of total deviation are shared across four values. What is  $8 \div 4$ ?

**2**

Divide total deviation by the number of values.

Skill: Divide a total by the number of values

## 2-9 · Describe Data by Mean Absolute Deviation

Connect & apply · 8 tasks · Prepares for 6.SP.B.5.c

Use the explanation to discuss strategies. Accept mathematically equivalent answers.

### 5. CHECK A

The mean is 20. How far is 26 from the mean?  
How far is 14?

**Distance of 26:  $|26 - 20| = 6$ . Distance of 14:  $|14 - 20| = 6$ . (Both distances are strictly 6 units).**

Compare each part of your work with the worked solution.

### 6. CHECK B

The mean is 30. How far is 37 from the mean?  
How far is 22?

**$|37 - 30| = 7$ .  $|22 - 30| = 8$ .**

Compare each part of your work with the worked solution.

### 7. CHECK C

The mean is 50. How far is 50 from the mean?  
How far is 43?

**$|50 - 50| = 0$ .  $|43 - 50| = 7$ .**

Compare each part of your work with the worked solution.

### 8. TRANSFER

A set has mean 10 and MAD 0. What must be true of the data?

**Every value equals 10. A MAD of zero means no value deviates from the mean at all.**

Explain why your method works and include units when needed.

## 2-10 · Choose Appropriate Measures

Connect & apply · 8 tasks · Prepares for 6.SP.B.5.d

Use the explanation to discuss strategies. Accept mathematically equivalent answers.

### 1. FOUNDATION 1

For 2, 4, 6, 8, find mean, median, range, IQR, and MAD. Use medians of the two halves for quartiles.

**Mean 5; median 5; range 6; IQR 4; MAD 2**

Mean:  $20 \div 4$ . Median:  $(4 + 6) \div 2$ . Range:  $8 - 2$ .  
Q1 = 3, Q3 = 7. Distances from 5 are 3, 1, 1, 3;  
their mean is 2.

Skill: Compute mean, median, range, IQR, and MAD on demand

### 2. FOUNDATION 2

Which value is a likely outlier: 8, 9, 10, 11, 52?

**52**

Four values are close together; 52 is far from that cluster.

Skill: Spot an outlier in a short list

### 3. FOUNDATION 3

A dot plot has 1 dot at 1, 2 dots at 2, 3 dots at 3, 2 dots at 4, and 1 dot at 5. Is it symmetric or skewed?

**Symmetric**

Frequencies mirror each other around 3.

Skill: Read a dot plot or histogram as symmetric or skewed

### 4. FOUNDATION 4

Replace 6 with 60 in 2, 4, 6. Which changes more: mean or median?

**Mean**

The median stays 4. The mean changes from 4 to 22.

Skill: Compare two measures and say which is pulled by an extreme value

## 2-10 · Choose Appropriate Measures

Connect & apply · 8 tasks · Prepares for 6.SP.B.5.d

Use the explanation to discuss strategies. Accept mathematically equivalent answers.

### 5. CHECK A

Which measure of center fits 2, 3, 3, 4, 50 — mean or median? Why?

**Best Measure: Median (3). Why: 50 is an extreme outlier that skews the data. The mean is  $62 \div 5 = 12.4$ , which is higher than 4 out of the 5 data values and does not represent the center. The median (3) accurately reflects the typical value.**

Compare each part of your work with the worked solution.

### 6. CHECK B

Which measure of center fits 5, 6, 6, 7, 80 — mean or median? Why?

**Median (6). The mean is  $104 \div 5 = 20.8$ , which is larger than four of the five values because 80 pulls it up.**

Compare each part of your work with the worked solution.

### 7. CHECK C

Which measure of center fits 41, 44, 45, 46, 49 — mean or median? Why?

**Either works. The data are symmetric with no outlier; the mean (45) and median (45) agree.**

Compare each part of your work with the worked solution.

### 8. TRANSFER

Give a data set of five values where mean and median are equal but the range is 40.

**Many answers. For example 10, 25, 30, 35, 50: mean =  $150 \div 5 = 30$ , median = 30, range =  $50 - 10 = 40$ .**

Explain why your method works and include units when needed.