Unit 2 Word Wall & Study Cards

Cut on the dashed lines. Use for a word wall, partner quizzing, or a ring of study cards.

LESSON 2-1

statistical question

pregunta estadística

A question whose answers are expected to vary.

Example How many pets does each student have?

LESSON 2-1

variability

variabilidad

How different the answers in a data set are.

Example 0, 2, 5, 1 pets

LESSON 2-1

data

datos

Facts or numbers you collect to answer a question.

Example 6, 8, 9 hours of sleep

LESSON 2-1

dot plot

diagrama de puntos

A number line with one dot for each data value.

Example 3 dots above 2 = three 2s



Cover the definition. Explain how the picture shows this word.


LESSON 2-1

peak

pico

The tallest stack; it shows the most common value.

Example tallest stack above 5



Cover the definition. Explain how the picture shows this word.


LESSON 2-1

symmetric

simétrico

The left and right sides of the plot match.

Example stacks 1, 3, 5, 3, 1



Cover the definition. Explain how the picture shows this word.

LESSON 2-1

skewed

sesgado

The data has a long tail on one side.

Example tail to the right: skewed right

LESSON 2-2

histogram

histograma

A graph of touching bars; each bar counts the values in one interval.

Example bars over 0–9, 10–19, 20–29

LESSON 2-2

interval

intervalo

A group of numbers, like 10–19. All intervals have the same width.

Example 10–19 holds 10 whole numbers

LESSON 2-2

frequency

frecuencia

How many values land in one interval.

Example 10–19: 3 values

LESSON 2-2

skewed right

sesgado a la derecha

The long tail stretches to the right.

Example 9, 5, 2, 1, 1

LESSON 2-2

skewed left

sesgado a la izquierda

The long tail stretches to the left.

Example 1, 2, 3, 6, 8

LESSON 2-3

median

mediana

The middle value of a data set in order.

Example 2, 4, **6**, 7, 9

LESSON 2-3

data set

conjunto de datos

A group of values you collect.

Example 7, 2, 9, 4, 6

LESSON 2-3

order

ordenar

To list values from least to greatest.

Example 2, 4, 6, 7, 9

LESSON 2-3

even number of values

número par de valores

A data set with two values in the middle.

Example 8, **12, 15**, 19

LESSON 2-3

middle values

valores centrales

The two values left after you cross off from both ends.

Example 12 and 15

LESSON 2-3

average of two numbers

promedio de dos números

Add the two numbers, then divide by 2.

Example (12 + 15) ÷ 2 = 13.5

LESSON 2-4

five-number summary

resumen de cinco números

Min, Q1, median, Q3 and max.

Example 5, 9, 14, 20, 23

LESSON 2-4

quartile

cuartil

Q1 is the median of the lower half; Q3 is the median of the upper half.

Example lower half 5, 9, 11: Q1 = 9

LESSON 2-4

box plot

diagrama de caja

A graph of the five-number summary: a box from Q1 to Q3 and two whiskers.

Example box 9 to 20, line at 14

LESSON 2-4

center

centro

A typical value; on a box plot, the median line.

Example median 20 min

LESSON 2-4

box width

ancho de la caja

Q3 minus Q1; the spread of the middle half.

Example 22 − 18 = 4

LESSON 2-4

consistent

constante

Values are close together; the box is narrow.

Example box 18 to 22

LESSON 2-5

range

rango

The greatest value minus the least value.

Example 20 − 5 = 15

LESSON 2-5

interquartile range (IQR)

rango intercuartil

Q3 minus Q1; the spread of the middle half.

Example 18 − 8 = 10

LESSON 2-5

extreme value

valor extremo

A value far from the others; it changes the range a lot.

Example 62 in 11, 14, 16, 19, 62

LESSON 2-5

measure of variability

medida de variabilidad

A number that tells how spread out data are.

Example range, IQR

LESSON 2-6

outlier

valor atípico

A value far from all the others.

Example 120 in 39, 41, 43, 44, 45, 47, 120

LESSON 2-6

mean

media

The sum of the values divided by how many values there are.

Example (2 + 4 + 9) ÷ 3 = 5

LESSON 2-6

distribution

distribución

How the data values are spread across their range.

Example a box plot shows it

LESSON 2-6

center (median)

centro (mediana)

The typical value of a data set.

Example median wait 8 min

LESSON 2-6

spread (IQR)

dispersión (rango intercuartil)

How close together the middle half is.

Example IQR 7 min

LESSON 2-7

dividend

dividendo

The number being divided; the amount you share.

Example In 84.6 ÷ 6, it is 84.6

LESSON 2-7

divisor

divisor

The number you divide by.

Example In 84.6 ÷ 6, it is 6

LESSON 2-7

quotient

cociente

The answer to a division problem.

Example 84.6 ÷ 6 = 14.1

LESSON 2-7

annex a zero

agregar un cero

Write a 0 at the end of a decimal; the value stays the same.

Example 7.2 = 7.20

LESSON 2-7

equivalent division

división equivalente

A new division problem with the same quotient.

Example 8.4 ÷ 0.2 = 84 ÷ 2

LESSON 2-7

power of ten

potencia de diez

10, 100, 1,000 and so on; each one is 10 times the last.

Example 0.25 × 100 = 25

LESSON 2-8

average

promedio

Another name for the mean.

Example the average score

LESSON 2-8

measure of center

medida de centro

One number that tells a typical value of the data.

Example mean, median

LESSON 2-8

target mean

media objetivo

The mean you want to reach.

Example a goal mean of 29

LESSON 2-8

target total

total objetivo

Target mean × number of values.

Example 8 × 4 = 32

LESSON 2-8

missing value

valor faltante

Target total − the sum you already have.

Example 32 − 22 = 10

LESSON 2-9

mean absolute deviation (MAD)

desviación media absoluta

The mean of the distances from the mean.

Example distances 4, 0, 1, 3: MAD 2

LESSON 2-9

deviation

desviación

How far one value is from the mean.

Example mean 19, value 23: 4

LESSON 2-9

absolute value

valor absoluto

A number's distance from 0; it is never negative.

Example $|-5| = 5$

LESSON 2-9

spread

dispersión

How far apart the values are.

Example small MAD = tight set

LESSON 2-9

variation

variación

How different the values are from each other.

Example larger MAD = more variation

LESSON 2-9

MAD

desviación media absoluta

The mean distance of the values from the mean.

Example MAD 1.5 versus MAD 4

LESSON 2-10

mean and MAD

media y DMA

The pair for symmetric data with no outlier.

Example center plus average distance

LESSON 2-10

median and IQR

mediana y rango intercuartil

The pair for skewed data or data with an outlier.

Example middle plus middle half