Lesson 2.1 Teaching Support Guide

Teach-tomorrow route

Print: current Guided Notes and Practice A for the class; Exit Tickets; optional Language Support and supported homework. Keep this guide and answer keys teacher-facing. Use the full-size model pages in the updated notes.

Phase	Planned minutes	Teaching move
Retrieve	5	Warm-Up items 1–4; note the missing prerequisite before launch.
Launch	7	Name the session target and invite a prediction from the conceptual task.
Model	10	Link a visual model to the worked example; rehearse the mathematical explanation.
Practice	18	Core: A #1, #2, #4, #6 and the error task. Choose remaining items from evidence.
Check	5	Exit Ticket; use the diagnostic page before assigning reteaching.

This is a planned 45-minute route, not a measured classroom duration. For a shorter lesson, keep the model and exit; reduce repeated practice. Form B is parallel practice or reassessment only when its items are unseen.

S1: Statistical Questions · I can tell whether a question is statistical by deciding if the answers will vary.

S2: Dot Plots and Shape · I can build a dot plot and describe the shape of the data it shows.

Spaced retrieval: revisit one item after 2 lessons and after approximately 1 week. Mix it with the next unit’s prerequisite check; do not announce the operation before students choose a method.

Session 1 · Statistical Questions

I can tell whether a question is statistical by deciding if the answers will vary. · 6.SP.A.1

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. N b. S	Name what is measured, on which objects or occasions, and why its values could differ.
2	Model: “How many people live in each student’s home?”	Name what is measured, on which objects or occasions, and why its values could differ.
3	C — How many minutes did each student read?	Ask the learner to show why C — How many minutes did each student read? is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Counts the number of people rather than deciding whether the measured values can vary..

Response: Name what is measured, on which objects or occasions, and why its values could differ.

Also check: Thinking any question with a number answer is statistical (“How many minutes are in an hour?”).

Also check: Calling a question about one person or one object statistical (“How tall is the flagpole?”).

If calculation alone is wrong, use Session 1 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 1 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

A gardener measures the height of every plant in one tray. Is 'How tall are the plants in this tray?' statistical? Explain.

Teacher solution: Yes. The population is plants in the tray, the variable is height, and different heights are anticipated. State an appropriate unit such as centimeters.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: A is statistical: the variable is daily running time in minutes, measured over six days, and times may vary. B requests one recorded value. A statistical investigation need not involve many different people.

Misconception response anchor: Counts the number of people rather than deciding whether the measured values can vary.. Use name what is measured, on which objects or occasions, and why its values could differ.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The question is statistical because the values of ___ may ___.

Session 2 · Dot Plots and Shape

I can build a dot plot and describe the shape of the data it shows. · 6.SP.B.4

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. 3 b. 6	Cross off one observation only after drawing its dot. Compare the observation count with the dot count.
2	Skewed left (peak at 3, tail toward 1)	Cross off one observation only after drawing its dot. Compare the observation count with the dot count.
3	B — 10	Ask the learner to show why B — 10 is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Plots one dot for each distinct value and loses repetitions..

Response: Cross off one observation only after drawing its dot. Compare the observation count with the dot count.

Also check: Drawing one dot per different value instead of one dot per data value.

Also check: Naming skew by where the dots pile up instead of by the tail.

If calculation alone is wrong, use Session 2 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 2 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

Data are 1, 2, 2, 4, 4, 4, 5. Describe the dots at 2 and 4 and state the total number of dots.

Teacher solution: Two dots at 2; three at 4; seven dots total.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: One dot at 2, three at 3, one at 5, one at 6; six dots total. Peak: 3 books. Gap within the observed range: 4 books. Each observation contributes exactly one dot.

Misconception response anchor: Plots one dot for each distinct value and loses repetitions.. Use cross off one observation only after drawing its dot. Compare the observation count with the dot count.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The peak is ___ because ___. The plot represents all ___ observations because ___.