Lesson 2.2 Teaching Support Guide

Teach-tomorrow route

Print: current Guided Notes and Practice A for the class; Exit Tickets; optional Language Support and supported homework. Keep this guide and answer keys teacher-facing. Use the full-size model pages in the updated notes.

Phase	Planned minutes	Teaching move
Retrieve	5	Warm-Up items 1–4; note the missing prerequisite before launch.
Launch	7	Name the session target and invite a prediction from the conceptual task.
Model	10	Link a visual model to the worked example; rehearse the mathematical explanation.
Practice	18	Core: A #1, #2, #4, #6 and the error task. Choose remaining items from evidence.
Check	5	Exit Ticket; use the diagnostic page before assigning reteaching.

This is a planned 45-minute route, not a measured classroom duration. For a shorter lesson, keep the model and exit; reduce repeated practice. Form B is parallel practice or reassessment only when its items are unseen.

S1: Building a Histogram · I can group data into equal intervals and build a histogram from a frequency table.

S2: Describing Histogram Shape · I can describe the shape of a histogram using its peak, spread, and balance.

Spaced retrieval: revisit one item after 2 lessons and after approximately 1 week. Mix it with the next unit’s prerequisite check; do not announce the operation before students choose a method.

Session 1 · Building a Histogram

I can group data into equal intervals and build a histogram from a frequency table. · 6.SP.B.4

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. 2 b. 3 c. 2	Underline each interval's endpoints. Assign each observation to one interval, then check the total.
2	15 − 10 = 5	Underline each interval's endpoints. Assign each observation to one interval, then check the total.
3	A — 0–4, 5–9, 10–14	Ask the learner to show why A — 0–4, 5–9, 10–14 is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Counts a boundary value in two intervals or leaves it out..

Response: Underline each interval's endpoints. Assign each observation to one interval, then check the total.

Also check: Using overlapping intervals such as 5–10 and 10–15, so a value is counted twice.

Also check: Leaving gaps between bars as in a bar graph.

If calculation alone is wrong, use Session 1 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 1 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

Group 4, 10, 12, 20, 21, 28 into 0–9, 10–19, and 20–29. Give the frequencies and their sum.

Teacher solution: 1, 2, 3; sum 6.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: Frequencies are 2, 2, 3, 1. Ten belongs only in 10–19 and twenty only in 20–29. Eight observations are counted exactly once.

Misconception response anchor: Counts a boundary value in two intervals or leaves it out.. Use underline each interval's endpoints. Assign each observation to one interval, then check the total.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The value ___ belongs in ___ because its lower bound is ___ and its upper bound is ___.

Session 2 · Describing Histogram Shape

I can describe the shape of a histogram using its peak, spread, and balance. · 6.SP.B.4

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. symmetric b. skewed left	Start at the cluster of high bars and trace the thinning bars outward; name that tail.
2	20–29; 16 values	Start at the cluster of high bars and trace the thinning bars outward; name that tail.
3	B — 6 values are from 40 to 49	Ask the learner to show why B — 6 values are from 40 to 49 is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Names the skew for the side with the tallest bar..

Response: Start at the cluster of high bars and trace the thinning bars outward; name that tail.

Also check: Naming skew by where the tall bars are instead of by the tail (calling 9, 5, 2, 1, 1 skewed left).

Also check: Thinking a bar shows one exact value that repeats.

If calculation alone is wrong, use Session 2 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 2 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

A histogram has frequencies 6, 4, 2, 1 from left to right. Name the tail and justify the shape.

Teacher solution: Tail to the right; frequencies diminish toward larger values, so the display is right-skewed.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: The tail extends left, toward the lower-frequency intervals. The highest bar is at the right, but skew is named for the tail, so this display is left-skewed.

Misconception response anchor: Names the skew for the side with the tallest bar.. Use start at the cluster of high bars and trace the thinning bars outward; name that tail.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The tail extends to the ___, so I describe the distribution as ___.