Lesson 2.3 Teaching Support Guide

Teach-tomorrow route

Print: current Guided Notes and Practice A for the class; Exit Tickets; optional Language Support and supported homework. Keep this guide and answer keys teacher-facing. Use the full-size model pages in the updated notes.

Phase	Planned minutes	Teaching move
Retrieve	5	Warm-Up items 1–4; note the missing prerequisite before launch.
Launch	7	Name the session target and invite a prediction from the conceptual task.
Model	10	Link a visual model to the worked example; rehearse the mathematical explanation.
Practice	18	Core: A #1, #2, #4, #6 and the error task. Choose remaining items from evidence.
Check	5	Exit Ticket; use the diagnostic page before assigning reteaching.

This is a planned 45-minute route, not a measured classroom duration. For a shorter lesson, keep the model and exit; reduce repeated practice. Form B is parallel practice or reassessment only when its items are unseen.

S1: Finding the Median · I can find the median of a data set by ordering the values and taking the middle one.

S2: Median of an Even Data Set · I can find the median of a data set with an even number of values by averaging the two middle values.

Spaced retrieval: revisit one item after 2 lessons and after approximately 1 week. Mix it with the next unit’s prerequisite check; do not announce the operation before students choose a method.

Session 1 · Finding the Median

I can find the median of a data set by ordering the values and taking the middle one. · 6.SP.B.5c

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. 6 b. 16	Use one card for every observation, sort all cards, and mark the middle position.
2	Order: 1, 2, 2, 3, 3, 3, 5. Median = 3 (the 4th value)	Use one card for every observation, sort all cards, and mark the middle position.
3	B — order the values	Ask the learner to show why B — order the values is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Selects the middle entry before sorting or removes repeated observations..

Response: Use one card for every observation, sort all cards, and mark the middle position.

Also check: Taking the middle value of the list as written instead of the ordered list.

Also check: Choosing the largest value or the most common value as the median.

If calculation alone is wrong, use Session 1 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 1 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

Find the median of 12, 4, 9, 4, 6 and show the ordering.

Teacher solution: 4, 4, 6, 9, 12; median 6.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: Ordered data: 3, 3, 7, 8, 9. Median: 7. Both 3s are separate observations; removing one changes the data and the middle positions.

Misconception response anchor: Selects the middle entry before sorting or removes repeated observations.. Use use one card for every observation, sort all cards, and mark the middle position.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: After ordering all ___ observations, the middle value is ___ because ___.

Session 2 · Median of an Even Data Set

I can find the median of a data set with an even number of values by averaging the two middle values. · 6.SP.B.5c

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. 9 b. 5.5	Number the sorted positions. For four observations, mark positions 2 and 3 before calculating.
2	Order: 1, 2, 2, 3, 4, 5. (2 + 3) ÷ 2 = 2.5	Number the sorted positions. For four observations, mark positions 2 and 3 before calculating.
3	A — 28 and 32	Ask the learner to show why A — 28 and 32 is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Averages the minimum and maximum or selects only one middle value..

Response: Number the sorted positions. For four observations, mark positions 2 and 3 before calculating.

Also check: Giving two numbers as the median instead of averaging them.

Also check: Averaging the two middle values of the list as written instead of the ordered list.

If calculation alone is wrong, use Session 2 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 2 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

Find the median of 4, 15, 10, 7 and explain which numbers you average.

Teacher solution: Order 4, 7, 10, 15; average 7 and 10 to obtain 8.5.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: Ordered data: 3, 5, 8, 12. Median = (5 + 8) ÷ 2 = 6.5. The median need not be an observed value.

Misconception response anchor: Averages the minimum and maximum or selects only one middle value.. Use number the sorted positions. For four observations, mark positions 2 and 3 before calculating.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The median is between ___ and ___, so I calculate ___.