Lesson 2.4 Teaching Support Guide

Teach-tomorrow route

Print: current Guided Notes and Practice A for the class; Exit Tickets; optional Language Support and supported homework. Keep this guide and answer keys teacher-facing. Use the full-size model pages in the updated notes.

Phase	Planned minutes	Teaching move
Retrieve	5	Warm-Up items 1–4; note the missing prerequisite before launch.
Launch	7	Name the session target and invite a prediction from the conceptual task.
Model	10	Link a visual model to the worked example; rehearse the mathematical explanation.
Practice	18	Core: A #1, #2, #4, #6 and the error task. Choose remaining items from evidence.
Check	5	Exit Ticket; use the diagnostic page before assigning reteaching.

This is a planned 45-minute route, not a measured classroom duration. For a shorter lesson, keep the model and exit; reduce repeated practice. Form B is parallel practice or reassessment only when its items are unseen.

S1: Building a Box Plot · I can find the five-number summary of a data set and use it to build a box plot.

S2: Comparing Box Plots · I can compare two groups by reading the medians and box widths of their box plots.

Spaced retrieval: revisit one item after 2 lessons and after approximately 1 week. Mix it with the next unit’s prerequisite check; do not announce the operation before students choose a method.

Session 1 · Building a Box Plot

I can find the five-number summary of a data set and use it to build a box plot. · 6.SP.B.4

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	Order: 2, 4, 6, 7, 9, 11, 13. a. 4 b. 7 c. 11	Circle the overall median and set it aside while finding the medians of the two remaining halves.
2	14 − 6 = 8	Circle the overall median and set it aside while finding the medians of the two remaining halves.
3	B — 1/2	Ask the learner to show why B — 1/2 is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Includes the overall median in the lower and upper halves despite the stated convention..

Response: Circle the overall median and set it aside while finding the medians of the two remaining halves.

Also check: Using the values next to the median as Q1 and Q3.

Also check: Including the median in both halves when the count is odd.

If calculation alone is wrong, use Session 1 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 1 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

Find the five-number summary for 1, 3, 5, 7, 9, 11, 15 using the stated convention.

Teacher solution: 1, 3, 7, 11, 15.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: Minimum 2, Q1 4, median 8, Q3 12, maximum 14. The box extends 4 to 12, with a median line at 8 and whiskers to 2 and 14.

Misconception response anchor: Includes the overall median in the lower and upper halves despite the stated convention.. Use circle the overall median and set it aside while finding the medians of the two remaining halves.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: I used ___ as the overall median; the lower half is ___, so Q1 is ___.

Session 2 · Comparing Box Plots

I can compare two groups by reading the medians and box widths of their box plots. · 6.SP.B.4

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. 12 b. 6 c. K	Label the axis as values, not counts. Ask which information a five-number summary does and does not contain.
2	Class B, by 7	Label the axis as values, not counts. Ask which information a five-number summary does and does not contain.
3	B — S is more spread out	Ask the learner to show why B — S is more spread out is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Uses box length to infer the number of observations..

Response: Label the axis as values, not counts. Ask which information a five-number summary does and does not contain.

Also check: Comparing whisker lengths instead of median lines to judge center.

Also check: Thinking the same box width means the same spread when the whiskers differ a lot.

If calculation alone is wrong, use Session 2 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 2 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

A has Q1 5, median 7, Q3 9; B has Q1 4, median 8, Q3 12. Compare medians and IQRs.

Teacher solution: A: median 7, IQR 4; B: median 8, IQR 8. A has a lower center and a less spread-out middle half.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: A has median 8 and IQR 4; B has median 10 and IQR 8. A has the lower median and smaller middle-half spread. Sample sizes cannot be determined from these box plots alone.

Misconception response anchor: Uses box length to infer the number of observations.. Use label the axis as values, not counts. Ask which information a five-number summary does and does not contain.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: Group ___ has a smaller IQR because ___ − ___ = ___, compared with ___.