Lesson 2.7 Teaching Support Guide

Teach-tomorrow route

Print: current Guided Notes and Practice A for the class; Exit Tickets; optional Language Support and supported homework. Keep this guide and answer keys teacher-facing. Use the full-size model pages in the updated notes.

Phase	Planned minutes	Teaching move
Retrieve	5	Warm-Up items 1–4; note the missing prerequisite before launch.
Launch	7	Name the session target and invite a prediction from the conceptual task.
Model	10	Link a visual model to the worked example; rehearse the mathematical explanation.
Practice	18	Core: A #1, #2, #4, #6 and the error task. Choose remaining items from evidence.
Check	5	Exit Ticket; use the diagnostic page before assigning reteaching.

This is a planned 45-minute route, not a measured classroom duration. For a shorter lesson, keep the model and exit; reduce repeated practice. Form B is parallel practice or reassessment only when its items are unseen.

S1: Dividing a Decimal by a Whole Number · I can divide a decimal by a whole number and place the decimal point correctly.

S2: Dividing by a Decimal · I can divide by a decimal by making the divisor a whole number first.

Spaced retrieval: revisit one item after 2 lessons and after approximately 1 week. Mix it with the next unit’s prerequisite check; do not announce the operation before students choose a method.

Session 1 · Dividing a Decimal by a Whole Number

I can divide a decimal by a whole number and place the decimal point correctly. · 6.NS.B.3

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. 9.3 b. 1.575 c. 3.24	Rename the amount in tenths and keep that unit through the division before renaming in whole units.
2	27.6 ÷ 8 = 3.45 kg (annex a zero: 27.60)	Rename the amount in tenths and keep that unit through the division before renaming in whole units.
3	B — The answer is 5.25.	Ask the learner to show why B — The answer is 5.25. is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Divides whole-number digits correctly but loses the value represented by each digit..

Response: Rename the amount in tenths and keep that unit through the division before renaming in whole units.

Also check: Placing the decimal point by counting digits instead of lining it up above the dividend’s point (36.8 ÷ 4 written as 0.92).

Also check: Stopping at a remainder instead of annexing a zero and continuing (23.4 ÷ 8).

If calculation alone is wrong, use Session 1 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 1 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

Share 9.6 liters equally among 4 containers. Show a place-value explanation and multiplication check.

Teacher solution: 96 tenths ÷ 4 = 24 tenths = 2.4 L; 2.4 × 4 = 9.6.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: 72 tenths ÷ 3 = 24 tenths = 2.4 meters. An estimate is 6 ÷ 3 = 2, so 2.4 is reasonable. Check 2.4 × 3 = 7.2.

Misconception response anchor: Divides whole-number digits correctly but loses the value represented by each digit.. Use rename the amount in tenths and keep that unit through the division before renaming in whole units.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: I divided ___ tenths into ___ groups, so each group has ___ tenths, or ___.

Session 2 · Dividing by a Decimal

I can divide by a decimal by making the divisor a whole number first. · 6.NS.B.3

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. 315 ÷ 35 = 9 b. 78 ÷ 6 = 13 c. 330 ÷ 11 = 30	Label both measurements in the same smaller unit and interpret what the quotient counts.
2	156 ÷ 12 = 13 labels	Label both measurements in the same smaller unit and interpret what the quotient counts.
3	C — 6 ÷ 0.5 = 12	Ask the learner to show why C — 6 ÷ 0.5 = 12 is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Moves a decimal in only one number or assumes division always makes a number smaller..

Response: Label both measurements in the same smaller unit and interpret what the quotient counts.

Also check: Moving the decimal point in only one number (the divisor or the dividend), which changes the quotient by a power of 10.

Also check: Using × 10 when the divisor has two decimal places (3.6 ÷ 0.12 rewritten as 36 ÷ 12).

If calculation alone is wrong, use Session 2 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 2 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

How many 0.4-meter pieces fit in 3.2 meters? Explain an equivalent whole-number division.

Teacher solution: 32 tenths ÷ 4 tenths = 8 pieces; 3.2 ÷ 0.4 = 32 ÷ 4.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: 4.8 L is 48 tenths and 0.6 L is 6 tenths, so 48 ÷ 6 = 8 bottles. Scaling both numbers by 10 preserves their ratio; scaling only one changes it. Check 8 × 0.6 = 4.8.

Misconception response anchor: Moves a decimal in only one number or assumes division always makes a number smaller.. Use label both measurements in the same smaller unit and interpret what the quotient counts.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: Both quantities became ___ times as large numerically, but their ratio stayed ___ because ___.