Lesson 3.1 Teaching Support Guide

Teach-tomorrow route

Print: current Guided Notes and Practice A for the class; Exit Tickets; optional Language Support and supported homework. Keep this guide and answer keys teacher-facing. Use the full-size model pages in the updated notes.

Phase	Planned minutes	Teaching move
Retrieve	5	Warm-Up items 1–4; note the missing prerequisite before launch.
Launch	7	Name the session target and invite a prediction from the conceptual task.
Model	10	Link a visual model to the worked example; rehearse the mathematical explanation.
Practice	18	Core: A #1, #2, #4, #6 and the error task. Choose remaining items from evidence.
Check	5	Exit Ticket; use the diagnostic page before assigning reteaching.

This is a planned 45-minute route, not a measured classroom duration. For a shorter lesson, keep the model and exit; reduce repeated practice. Form B is parallel practice or reassessment only when its items are unseen.

S1: Understanding Ratios · I can describe a relationship between two quantities using ratio language.

S2: Ratios and Tape Diagrams · I can use a tape diagram to share a total according to a given ratio.

Spaced retrieval: revisit one item after 2 lessons and after approximately 1 week. Mix it with the next unit’s prerequisite check; do not announce the operation before students choose a method.

Session 1 · Understanding Ratios

I can describe a relationship between two quantities using ratio language. · 6.RP.A.1

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. 6 : 9 = 2 : 3 b. 9 : 15 = 3 : 5	Label each color and circle the whole collection; say both quantity names before writing the ratio.
2	8 : 20 = 2 : 5	Label each color and circle the whole collection; say both quantity names before writing the ratio.
3	A — 2 : 5	Ask the learner to show why A — 2 : 5 is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Uses the other part as the whole or reverses the requested order..

Response: Label each color and circle the whole collection; say both quantity names before writing the ratio.

Also check: Writing the terms in the wrong order (dogs to cats written as cats to dogs).

Also check: Using one group as the whole in a part-to-whole ratio instead of adding both groups.

If calculation alone is wrong, use Session 1 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 1 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

There are 3 red and 9 green counters. Give red:green and red:all in simplest form.

Teacher solution: 1:3 and 1:4; the whole contains 12 counters.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: Blue:yellow = 4:6 = 2:3; yellow:blue = 6:4 = 3:2; blue:all = 4:10 = 2:5. Order and the meaning of the second quantity matter.

Misconception response anchor: Uses the other part as the whole or reverses the requested order.. Use label each color and circle the whole collection; say both quantity names before writing the ratio.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The second term counts ___, so my ratio is ___ rather than ___.

Session 2 · Ratios and Tape Diagrams

I can use a tape diagram to share a total according to a given ratio. · 6.RP.A.1

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. 7 b. 7 c. 8	Count all equal tape units before finding the value of one unit.
2	9 parts; 36 ÷ 9 = 4; 8 and 28	Count all equal tape units before finding the value of one unit.
3	A — total parts	Ask the learner to show why A — total parts is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Divides the total by only one ratio term..

Response: Count all equal tape units before finding the value of one unit.

Also check: Dividing the total by one ratio term instead of the total parts.

Also check: Using the unit value as the answer without multiplying by the group’s number of boxes.

If calculation alone is wrong, use Session 2 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 2 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

Split 48 tickets in the ratio 1:3. Explain the value of one part.

Teacher solution: Four parts; each 12 tickets; shares 12 and 36.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: Five equal units; 35 ÷ 5 = 7 per unit. Shares 14 and 21; 14 + 21 = 35 and 14:21 = 2:3.

Misconception response anchor: Divides the total by only one ratio term.. Use count all equal tape units before finding the value of one unit.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: There are ___ equal parts in all, so one part is ___ and the shares are ___.