Lesson 3.3 Teaching Support Guide

Teach-tomorrow route

Print: current Guided Notes and Practice A for the class; Exit Tickets; optional Language Support and supported homework. Keep this guide and answer keys teacher-facing. Use the full-size model pages in the updated notes.

Phase	Planned minutes	Teaching move
Retrieve	5	Warm-Up items 1–4; note the missing prerequisite before launch.
Launch	7	Name the session target and invite a prediction from the conceptual task.
Model	10	Link a visual model to the worked example; rehearse the mathematical explanation.
Practice	18	Core: A #1, #2, #4, #6 and the error task. Choose remaining items from evidence.
Check	5	Exit Ticket; use the diagnostic page before assigning reteaching.

This is a planned 45-minute route, not a measured classroom duration. For a shorter lesson, keep the model and exit; reduce repeated practice. Form B is parallel practice or reassessment only when its items are unseen.

S1: Equivalent Ratios and Tables · I can build a ratio table by scaling both rows by the same factor.

S2: The Bridge Strategy (Scaling Ratios) · I can use the bridge strategy to scale a ratio when I cannot multiply by a whole number.

Spaced retrieval: revisit one item after 2 lessons and after approximately 1 week. Mix it with the next unit’s prerequisite check; do not announce the operation before students choose a method.

Session 1 · Equivalent Ratios and Tables

I can build a ratio table by scaling both rows by the same factor. · 6.RP.A.3a

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. 15 b. 3	Draw matching scale-factor arrows on both quantities and check the original ratio.
2	White: 4, 8, 12	Draw matching scale-factor arrows on both quantities and check the original ratio.
3	B — 2 : 3	Ask the learner to show why B — 2 : 3 is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Uses equal addition rather than equal scaling..

Response: Draw matching scale-factor arrows on both quantities and check the original ratio.

Also check: Adding the same number to both terms (writing 4 : 6 as 6 : 8) instead of multiplying.

Also check: Multiplying only one row of the table by the scale factor.

If calculation alone is wrong, use Session 1 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 1 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

A ratio is 4:7. Complete the second quantity when the first is 8 and 12, and explain.

Teacher solution: 14 and 21; both quantities scale by 2 and by 3.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: Seeds: 4, 6, 8. Multiply both terms by 2, 3, or 4. Adding 3 gives 6:5, while the equivalent ratio for 6 cups oats is 6:4.

Misconception response anchor: Uses equal addition rather than equal scaling.. Use draw matching scale-factor arrows on both quantities and check the original ratio.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: Both quantities are multiplied by ___, so the relationship remains ___.

Session 2 · The Bridge Strategy (Scaling Ratios)

I can use the bridge strategy to scale a ratio when I cannot multiply by a whole number. · 6.RP.A.3a

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. 3 : 5 b. 2 : 3	Choose an equivalent pair whose first term divides the target, or compute the unit rate.
2	6 : 4 ÷ 2 = 3 : 2; × 5 = 15 : 10, so 15 cups	Choose an equivalent pair whose first term divides the target, or compute the unit rate.
3	B — divide both terms by the same number	Ask the learner to show why B — divide both terms by the same number is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Assumes the scale factor must be a whole number..

Response: Choose an equivalent pair whose first term divides the target, or compute the unit rate.

Also check: Adding the same amount to both terms to reach the target (writing 4 : 6 as 10 : 12).

Also check: Multiplying by a factor that only gets “close” to the target (12 × 2 = 24 instead of 20).

If calculation alone is wrong, use Session 2 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 2 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

A mixture is 8:12. Find the second quantity when the first is 14; show a bridge or unit rate.

Teacher solution: 21; for example divide by 4 to get 2:3, then multiply by 7.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: Bridge: 6:8 ÷ 2 = 3:4, then × 5 = 15:20. Direct factor 15 ÷ 6 = 2.5; 8 × 2.5 = 20. Both preserve the ratio.

Misconception response anchor: Assumes the scale factor must be a whole number.. Use choose an equivalent pair whose first term divides the target, or compute the unit rate.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: I used the bridge ___ because it connects ___ to ___ with ___.