Lesson 3.4 Teaching Support Guide

Teach-tomorrow route

Print: current Guided Notes and Practice A for the class; Exit Tickets; optional Language Support and supported homework. Keep this guide and answer keys teacher-facing. Use the full-size model pages in the updated notes.

Phase	Planned minutes	Teaching move
Retrieve	5	Warm-Up items 1–4; note the missing prerequisite before launch.
Launch	7	Name the session target and invite a prediction from the conceptual task.
Model	10	Link a visual model to the worked example; rehearse the mathematical explanation.
Practice	18	Core: A #1, #2, #4, #6 and the error task. Choose remaining items from evidence.
Check	5	Exit Ticket; use the diagnostic page before assigning reteaching.

This is a planned 45-minute route, not a measured classroom duration. For a shorter lesson, keep the model and exit; reduce repeated practice. Form B is parallel practice or reassessment only when its items are unseen.

S1: Graphing Ratios on the Coordinate Plane · I can turn a ratio into ordered pairs and plot them on a coordinate plane.

S2: Interpreting Points on Ratio Graphs · I can explain what a point on a ratio graph means in the situation it describes.

Spaced retrieval: revisit one item after 2 lessons and after approximately 1 week. Mix it with the next unit’s prerequisite check; do not announce the operation before students choose a method.

Session 1 · Graphing Ratios on the Coordinate Plane

I can turn a ratio into ordered pairs and plot them on a coordinate plane. · 6.RP.A.3a

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. (2, 18) b. (4, 36)	Read each table row as (number of trays, number of muffins), then move horizontally before vertically.
2	Yes. Each point shows 2 for every 1, so they line up with (0, 0).	Read each table row as (number of trays, number of muffins), then move horizontally before vertically.
3	B — (0, 0)	Ask the learner to show why B — (0, 0) is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Swaps the coordinates or omits contextual units..

Response: Read each table row as (number of trays, number of muffins), then move horizontally before vertically.

Also check: Switching x and y, for example plotting (50, 1) for 1 hour at 50 miles per hour.

Also check: Using uneven steps on an axis, so the points no longer line up.

If calculation alone is wrong, use Session 1 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 1 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

Each bag contains 5 beads. Give the points for 0, 2, and 4 bags and interpret (2,10).

Teacher solution: (0,0),(2,10),(4,20); two bags contain ten beads.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: Points (0,0),(1,6),(2,12),(3,18). Horizontal: full trays; vertical: muffins. With zero trays there are zero muffins in this model.

Misconception response anchor: Swaps the coordinates or omits contextual units.. Use read each table row as (number of trays, number of muffins), then move horizontally before vertically.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The point (___, ___) means ___ trays hold ___ muffins.

Session 2 · Interpreting Points on Ratio Graphs

I can explain what a point on a ratio graph means in the situation it describes. · 6.RP.A.3a

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. (1, 7) b. (1, 1.5)	Divide cost by mass or multiply the known rate by the point's input and compare the output.
2	2 tickets cost $10. One ticket costs 10 ÷ 2 = $5.	Divide cost by mass or multiply the known rate by the point's input and compare the output.
3	B — none of either quantity	Ask the learner to show why B — none of either quantity is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Accepts a point because it is near the line without checking the ratio..

Response: Divide cost by mass or multiply the known rate by the point's input and compare the output.

Also check: Reading a point backwards: (1, 8) as “8 items for $1.”

Also check: Dividing x by y (3 ÷ 12) instead of y by x to find the unit rate.

If calculation alone is wrong, use Session 2 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 2 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

A rate is $4 per kilogram. Does (3,12) fit? Does (3,15)? Explain both with units.

Teacher solution: (3,12) fits: 3 kg cost $12. (3,15) does not; at the stated rate the cost is $12.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: Four pounds cost $12. (3,10) is not on this relationship because 3 pounds cost $9. Cost of 2.5 pounds is $7.50; fractional pounds are meaningful here.

Misconception response anchor: Accepts a point because it is near the line without checking the ratio.. Use divide cost by mass or multiply the known rate by the point's input and compare the output.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The point ___ fits/does not fit because ___ dollars per pound gives ___.