Lesson 3.5 Teaching Support Guide

Teach-tomorrow route

Print: current Guided Notes and Practice A for the class; Exit Tickets; optional Language Support and supported homework. Keep this guide and answer keys teacher-facing. Use the full-size model pages in the updated notes.

Phase	Planned minutes	Teaching move
Retrieve	5	Warm-Up items 1–4; note the missing prerequisite before launch.
Launch	7	Name the session target and invite a prediction from the conceptual task.
Model	10	Link a visual model to the worked example; rehearse the mathematical explanation.
Practice	18	Core: A #1, #2, #4, #6 and the error task. Choose remaining items from evidence.
Check	5	Exit Ticket; use the diagnostic page before assigning reteaching.

This is a planned 45-minute route, not a measured classroom duration. For a shorter lesson, keep the model and exit; reduce repeated practice. Form B is parallel practice or reassessment only when its items are unseen.

S1: Comparing Ratios with Common Terms · I can compare two ratios by scaling them until they share a common term.

S2: Comparing Rates with Benchmarks · I can use a benchmark to compare two rates without dividing.

Spaced retrieval: revisit one item after 2 lessons and after approximately 1 week. Mix it with the next unit’s prerequisite check; do not announce the operation before students choose a method.

Session 1 · Comparing Ratios with Common Terms

I can compare two ratios by scaling them until they share a common term. · 6.RP.A.3b

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. 15 b. 22	Label the common quantity in both rows, then compare only the corresponding other quantities.
2	A: 6 : 9; B: 6 : 10. Mix A (less water)	Label the common quantity in both rows, then compare only the corresponding other quantities.
3	B — less water	Ask the learner to show why B — less water is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Compares unequal reference amounts or confuses the water with the total mixture..

Response: Label the common quantity in both rows, then compare only the corresponding other quantities.

Also check: Comparing second terms without matching the first terms (“7 > 5, so B is greener”).

Also check: Adding to match the first terms (turning 2 : 5 into 6 : 9) instead of multiplying.

If calculation alone is wrong, use Session 1 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 1 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

A uses 1 cup concentrate to 3 cups water; B uses 2 to 5. Compare with 2 cups concentrate.

Teacher solution: A 2:6, B 2:5; B is stronger under the stated definition.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: A becomes 6:15; B becomes 6:14. B is stronger because it uses less water for the same concentrate. Keep concentrate:water distinct from concentrate:total mixture.

Misconception response anchor: Compares unequal reference amounts or confuses the water with the total mixture.. Use label the common quantity in both rows, then compare only the corresponding other quantities.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: For the same ___ cups of concentrate, ___ uses ___ water, so ___.

Session 2 · Comparing Rates with Benchmarks

I can use a benchmark to compare two rates without dividing. · 6.RP.A.3b

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. 15 miles b. $2.40	Put both outputs over one common time before comparing.
2	A: $3 × 3 = $9; B: $5 × 2 = $10. Pack A	Put both outputs over one common time before comparing.
3	A — divide	Ask the learner to show why A — divide is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Selects the larger produced quantity without considering elapsed time..

Response: Put both outputs over one common time before comparing.

Also check: Subtracting the two quantities (9 − 2) instead of comparing rates.

Also check: Choosing a benchmark that one amount cannot reach exactly (10 for a 4-pack and a 6-pack).

If calculation alone is wrong, use Session 2 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 2 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

A makes 18 items in 3 minutes; B makes 28 in 4. Which is faster? Show a common-time or unit-rate comparison.

Teacher solution: A 6 items/minute; B 7. B is faster. At 12 minutes: 72 versus 84 items.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: At 10 minutes A fills 40 gallons and B 30. Unit rates are 4 and 3 gallons/minute. A is faster; both methods compare equal times.

Misconception response anchor: Selects the larger produced quantity without considering elapsed time.. Use put both outputs over one common time before comparing.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: I compared ___ minutes for both, which gives ___ and ___, so ___.