Lesson 3.6 Teaching Support Guide

Teach-tomorrow route

Print: current Guided Notes and Practice A for the class; Exit Tickets; optional Language Support and supported homework. Keep this guide and answer keys teacher-facing. Use the full-size model pages in the updated notes.

Phase	Planned minutes	Teaching move
Retrieve	5	Warm-Up items 1–4; note the missing prerequisite before launch.
Launch	7	Name the session target and invite a prediction from the conceptual task.
Model	10	Link a visual model to the worked example; rehearse the mathematical explanation.
Practice	18	Core: A #1, #2, #4, #6 and the error task. Choose remaining items from evidence.
Check	5	Exit Ticket; use the diagnostic page before assigning reteaching.

This is a planned 45-minute route, not a measured classroom duration. For a shorter lesson, keep the model and exit; reduce repeated practice. Form B is parallel practice or reassessment only when its items are unseen.

S1: Customary Unit Conversions · I can convert between customary units by multiplying or dividing by the conversion rate.

S2: Metric Unit Conversions · I can convert between metric units by multiplying or dividing by powers of ten.

Spaced retrieval: revisit one item after 2 lessons and after approximately 1 week. Mix it with the next unit’s prerequisite check; do not announce the operation before students choose a method.

Session 1 · Customary Unit Conversions

I can convert between customary units by multiplying or dividing by the conversion rate. · 6.RP.A.3d

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. 72 in b. 4 gal	Write the equality 1 yd = 3 ft; test the neighboring whole-yard purchase amounts against the needed feet.
2	2.5 × 16 = 40 oz	Write the equality 1 yd = 3 ft; test the neighboring whole-yard purchase amounts against the needed feet.
3	A — multiply	Ask the learner to show why A — multiply is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Rounds a required purchase down or uses the wrong unit fact..

Response: Write the equality 1 yd = 3 ft; test the neighboring whole-yard purchase amounts against the needed feet.

Also check: Multiplying when changing to a bigger unit (60 in = 720 ft).

Also check: Using a wrong fact, such as 1 ft = 10 in or 1 qt = 2 cups.

If calculation alone is wrong, use Session 1 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 1 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

A project needs 14 feet. How many whole yards should be bought? Explain and check the smaller whole-number choice.

Teacher solution: Buy 5 yards = 15 feet; 4 yards = 12 feet is not enough.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: 8 ÷ 3 = 2 2/3 yards; buy 3 whole yards. Two yards is 6 feet, which is insufficient. The purchase is 9 feet, leaving 1 foot.

Misconception response anchor: Rounds a required purchase down or uses the wrong unit fact.. Use write the equality 1 yd = 3 ft; test the neighboring whole-yard purchase amounts against the needed feet.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The exact length is ___ yards, but I buy ___ because ___ would not be enough.

Session 2 · Metric Unit Conversions

I can convert between metric units by multiplying or dividing by powers of ten. · 6.RP.A.3d

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. 6,500 m b. 0.8 m	Rename both quantities in milliliters, then interpret how many equal portions fit.
2	2 × 1,000 = 2,000 mL; 2,000 ÷ 250 = 8 cups	Rename both quantities in milliliters, then interpret how many equal portions fit.
3	C — 400 g	Ask the learner to show why C — 400 g is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Divides numbers expressed in different units or moves a decimal without identifying a scale factor..

Response: Rename both quantities in milliliters, then interpret how many equal portions fit.

Also check: Dividing when changing to a smaller unit (3 m = 0.03 cm).

Also check: Using the wrong power of 10, such as 1 km = 100 m.

If calculation alone is wrong, use Session 2 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 2 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

A bottle holds 0.8 L. How many 200 mL cups can it fill? Explain the unit conversion first.

Teacher solution: 0.8 L = 800 mL; 800 ÷ 200 = 4 cups.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: 1 L = 1000 mL; 0.5 L = 500 mL; 1.5 L = 1500 mL. 1500 ÷ 250 = 6 cups. Smaller units produce a larger numerical measure of the same quantity.

Misconception response anchor: Divides numbers expressed in different units or moves a decimal without identifying a scale factor.. Use rename both quantities in milliliters, then interpret how many equal portions fit.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The numerical measure changed from ___ to ___, but the quantity stayed the same because ___.