Lesson 5.3 Teaching Support Guide

Teach-tomorrow route

Print: current Guided Notes and Practice A for the class; Exit Tickets; optional Language Support and supported homework. Keep this guide and answer keys teacher-facing. Use the full-size model pages in the updated notes.

Phase	Planned minutes	Teaching move
Retrieve	5	Warm-Up items 1–4; note the missing prerequisite before launch.
Launch	7	Name the session target and invite a prediction from the conceptual task.
Model	10	Link a visual model to the worked example; rehearse the mathematical explanation.
Practice	18	Core: A #1, #2, #4, #6 and the error task. Choose remaining items from evidence.
Check	5	Exit Ticket; use the diagnostic page before assigning reteaching.

This is a planned 45-minute route, not a measured classroom duration. For a shorter lesson, keep the model and exit; reduce repeated practice. Form B is parallel practice or reassessment only when its items are unseen.

S1: Trapezoids by Decomposing · I can find the area of a trapezoid by decomposing it into a rectangle and triangles.

S2: The Trapezoid Area Formula · I can find the area of a trapezoid using the trapezoid area formula.

Spaced retrieval: revisit one item after 2 lessons and after approximately 1 week. Mix it with the next unit’s prerequisite check; do not announce the operation before students choose a method.

Session 1 · Trapezoids by Decomposing

I can find the area of a trapezoid by decomposing it into a rectangle and triangles. · 6.G.A.1

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	Rectangle 9 × 12 = 108 yd²; triangle ½ × 8 × 12 = 48 yd²; total 156 yd²	Mark only the supplied parallel bases and height; do not infer symmetry from appearance.
2	a. 12 × 7 = 84 cm² b. 2 × (½ × 4 × 7) = 28 cm²	Mark only the supplied parallel bases and height; do not infer symmetry from appearance.
3	A — Add the areas of the pieces.	Ask the learner to show why A — Add the areas of the pieces. is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Assumes all trapezoids are isosceles..

Response: Mark only the supplied parallel bases and height; do not infer symmetry from appearance.

Also check: Using the whole leftover (long base − short base) as the base of EACH of two triangles instead of splitting it in half.

Also check: Finding only the rectangle and forgetting to add the triangles.

If calculation alone is wrong, use Session 1 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 1 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

Find area for bases 6 m and 14 m, height 3 m, by decomposition.

Teacher solution: 30 m²; rectangle 18 plus total triangle area 12 is one valid decomposition.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: Area 32 cm². A valid decomposition may use a 5 × 4 rectangle and triangle areas totaling 12. The leftover bases sum to 6 but need not be equal unless the geometry supports it.

Misconception response anchor: Assumes all trapezoids are isosceles.. Use mark only the supplied parallel bases and height; do not infer symmetry from appearance.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The relevant faces or regions are ___ because ___. My labeled dimensions show ___, so the measure is ___.

Session 2 · The Trapezoid Area Formula

I can find the area of a trapezoid using the trapezoid area formula. · 6.G.A.1

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. ½ × 14 × 4 = 28 cm² b. ½ × 26 × 3 = 39 ft²	Identify the two parallel lengths that combine when a copy is rotated.
2	½ × (12 + 20) × 6 = ½ × 32 × 6 = 96 ft²	Identify the two parallel lengths that combine when a copy is rotated.
3	C — ½ × (5 + 13) × 4	Ask the learner to show why C — ½ × (5 + 13) × 4 is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Adds the slanted sides instead of parallel bases..

Response: Identify the two parallel lengths that combine when a copy is rotated.

Also check: Forgetting the ½ (finding (b1 + b2) × h, which is the area of two trapezoids).

Also check: Using a slanted side as the height or as a base.

If calculation alone is wrong, use Session 2 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 2 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

Bases 8 cm and 12 cm, height 6 cm: explain and find area.

Teacher solution: 60 cm²; half the area of the 20-by-6 parallelogram formed by two copies.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: Combined base 20 m and height 5 m: area 100 m²; one trapezoid is 50 m². Formula (7+13) × 5 ÷ 2.

Misconception response anchor: Adds the slanted sides instead of parallel bases.. Use identify the two parallel lengths that combine when a copy is rotated.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The relevant faces or regions are ___ because ___. My labeled dimensions show ___, so the measure is ___.