Lesson 5.6 Teaching Support Guide

Teach-tomorrow route

Print: current Guided Notes and Practice A for the class; Exit Tickets; optional Language Support and supported homework. Keep this guide and answer keys teacher-facing. Use the full-size model pages in the updated notes.

Phase	Planned minutes	Teaching move
Retrieve	5	Warm-Up items 1–4; note the missing prerequisite before launch.
Launch	7	Name the session target and invite a prediction from the conceptual task.
Model	10	Link a visual model to the worked example; rehearse the mathematical explanation.
Practice	18	Core: A #1, #2, #4, #6 and the error task. Choose remaining items from evidence.
Check	5	Exit Ticket; use the diagnostic page before assigning reteaching.

This is a planned 45-minute route, not a measured classroom duration. For a shorter lesson, keep the model and exit; reduce repeated practice. Form B is parallel practice or reassessment only when its items are unseen.

S1: Drawing Nets of Solids · I can draw the net of a solid by unfolding its faces onto a flat surface.

S2: Reading Nets and Solids · I can name the solid a net makes by reading the shapes in the net.

Spaced retrieval: revisit one item after 2 lessons and after approximately 1 week. Mix it with the next unit’s prerequisite check; do not announce the operation before students choose a method.

Session 1 · Drawing Nets of Solids

I can draw the net of a solid by unfolding its faces onto a flat surface. · 6.G.A.4

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. 6 b. 4	Trace matching edges and predict the fold before constructing it.
2	½ × 10 × 8 = 40 cm²	Trace matching edges and predict the fold before constructing it.
3	B — 2 triangles + 3 rectangles	Ask the learner to show why B — 2 triangles + 3 rectangles is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Treats the right face count as proof a net is valid..

Response: Trace matching edges and predict the fold before constructing it.

Also check: Leaving out a face (or drawing one twice) so the net does not close.

Also check: Joining edges of different lengths, so the faces do not meet when folded.

If calculation alone is wrong, use Session 1 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 1 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

List and arrange faces for a 5-by-2-by-1 cm prism, explaining matching edges.

Teacher solution: Two 5×2, two 5×1, two 2×1 rectangles; accept a drawn valid nonoverlapping net.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: Two 4×3 faces, two 4×2 faces, and two 3×2 faces; shared edges must have matching lengths. A valid arrangement must fold without overlap, not merely contain these six faces.

Misconception response anchor: Treats the right face count as proof a net is valid.. Use trace matching edges and predict the fold before constructing it.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The relevant faces or regions are ___ because ___. My labeled dimensions show ___, so the measure is ___.

Session 2 · Reading Nets and Solids

I can name the solid a net makes by reading the shapes in the net. · 6.G.A.4

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. pentagonal pyramid b. triangular prism	Mark a base, identify opposite faces, and trace where each fold places the remaining faces.
2	Base 4 × 4 = 16; triangles 4 × (½ × 4 × 6) = 48; total 64 in²	Mark a base, identify opposite faces, and trace where each fold places the remaining faces.
3	B — 8	Ask the learner to show why B — 8 is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Infers a cube from any six squares..

Response: Mark a base, identify opposite faces, and trace where each fold places the remaining faces.

Also check: Counting edges and vertices on the flat net instead of the folded solid.

Also check: Calling any net with triangles a pyramid (a triangular prism has triangles too).

If calculation alone is wrong, use Session 2 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 2 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

A cube has edge 3 cm. Find its surface area and explain why total area alone cannot prove a proposed net folds.

Teacher solution: $6 \times 9 = 54$ cm²; folding also requires correct face adjacency without overlap.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: The cross-like second arrangement is a cube net; the row of six folds with overlaps and cannot close as a cube. Face count alone is insufficient.

Misconception response anchor: Infers a cube from any six squares.. Use mark a base, identify opposite faces, and trace where each fold places the remaining faces.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The relevant faces or regions are ___ because ___. My labeled dimensions show ___, so the measure is ___.