Lesson 6.2 Teaching Support Guide

Teach-tomorrow route

Print: current Guided Notes and Practice A for the class; Exit Tickets; optional Language Support and supported homework. Keep this guide and answer keys teacher-facing. Use the full-size model pages in the updated notes.

Phase	Planned minutes	Teaching move
Retrieve	5	Warm-Up items 1–4; note the missing prerequisite before launch.
Launch	7	Name the session target and invite a prediction from the conceptual task.
Model	10	Link a visual model to the worked example; rehearse the mathematical explanation.
Practice	18	Core: A #1, #2, #4, #6 and the error task. Choose remaining items from evidence.
Check	5	Exit Ticket; use the diagnostic page before assigning reteaching.

This is a planned 45-minute route, not a measured classroom duration. For a shorter lesson, keep the model and exit; reduce repeated practice. Form B is parallel practice or reassessment only when its items are unseen.

S1: Dividing a Fraction by a Fraction · I can divide a fraction by another fraction using the reciprocal.

S2: Dividing with Mixed Numbers · I can divide mixed numbers by writing them as improper fractions first.

Spaced retrieval: revisit one item after 2 lessons and after approximately 1 week. Mix it with the next unit’s prerequisite check; do not announce the operation before students choose a method.

Session 1 · Dividing a Fraction by a Fraction

I can divide a fraction by another fraction using the reciprocal. · 6.NS.A.1

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. 4 b. 6	Distinguish the division result from a whole-object production constraint.
2	7/8 ÷ 1/8 = 7/8 × 8 = 7 muffins	Distinguish the division result from a whole-object production constraint.
3	A — 3/5 × 7/2	Ask the learner to show why A — 3/5 × 7/2 is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Reports only complete pieces when the question asks for the numerical quotient..

Response: Distinguish the division result from a whole-object production constraint.

Also check: Flipping both fractions, or flipping the dividend instead of the divisor (3/5 ÷ 1/2 written as 5/3 × 2/1).

Also check: Multiplying straight across without flipping (5/12 ÷ 5/12 written as 25/144).

If calculation alone is wrong, use Session 1 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 1 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

Compute 3/4 ÷ 1/2 with a model and check.

Teacher solution: 1.5; one full half and another half of that group; 1.5 × 1/2 = 3/4.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: One piece is 2/8 m. Five eighths contain 2 1/2 groups of two eighths. 5/8 ÷ 1/4 = 5/2 = 2.5.

Misconception response anchor: Reports only complete pieces when the question asks for the numerical quotient.. Use distinguish the division result from a whole-object production constraint.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: My model or expression represents ___ because ___. The structure shows ___, so the result is ___.

Session 2 · Dividing with Mixed Numbers

I can divide mixed numbers by writing them as improper fractions first. · 6.NS.A.1

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. 13/4 b. 5	Multiply the proposed complete count by the required amount and compare it with the available total.
2	15/2 ÷ 3/2 = 15/2 × 2/3 = 5 pieces	Multiply the proposed complete count by the required amount and compare it with the available total.
3	A — 7/3 × 6/7	Ask the learner to show why A — 7/3 × 6/7 is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Rounds up to count a complete object that cannot be made..

Response: Multiply the proposed complete count by the required amount and compare it with the available total.

Also check: Converting a mixed number by adding the whole and numerator (4 1/4 written as 5/4).

Also check: Flipping a mixed number piece by piece (1 1/4 flipped to 1 4/1) instead of converting first.

If calculation alone is wrong, use Session 2 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 2 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

A roll has 5 1/4 m; each strip needs 1 1/2 m. Find quotient, full strips, and leftover.

Teacher solution: 3.5; three complete strips use 4.5 m and leave 0.75 m.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: 7/2 ÷ 3/4 = 14/3 = 4 2/3. Four complete strips use 3 m, leaving 1/2 m. The fractional quotient is part of a strip-length unit.

Misconception response anchor: Rounds up to count a complete object that cannot be made.. Use multiply the proposed complete count by the required amount and compare it with the available total.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: My model or expression represents ___ because ___. The structure shows ___, so the result is ___.