Lesson 7.2 Teaching Support Guide

Teach-tomorrow route

Print: current Guided Notes and Practice A for the class; Exit Tickets; optional Language Support and supported homework. Keep this guide and answer keys teacher-facing. Use the full-size model pages in the updated notes.

Phase	Planned minutes	Teaching move
Retrieve	5	Warm-Up items 1–4; note the missing prerequisite before launch.
Launch	7	Name the session target and invite a prediction from the conceptual task.
Model	10	Link a visual model to the worked example; rehearse the mathematical explanation.
Practice	18	Core: A #1, #2, #4, #6 and the error task. Choose remaining items from evidence.
Check	5	Exit Ticket; use the diagnostic page before assigning reteaching.

This is a planned 45-minute route, not a measured classroom duration. For a shorter lesson, keep the model and exit; reduce repeated practice. Form B is parallel practice or reassessment only when its items are unseen.

S1: Rational Numbers on a Number Line · I can plot a rational number and its opposite on a number line.

S2: Opposites of Rational Numbers · I can find the opposite of a rational number and explain what taking the opposite twice does.

Spaced retrieval: revisit one item after 2 lessons and after approximately 1 week. Mix it with the next unit’s prerequisite check; do not announce the operation before students choose a method.

Session 1 · Rational Numbers on a Number Line

I can plot a rational number and its opposite on a number line. · 6.NS.C.6c

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. −5 and −4 b. 2 and 3	Find the unit difference between neighboring labeled values and divide by the number of intervals.
2	−0.75 three fourths left of 0; 1.5 halfway between 1 and 2	Find the unit difference between neighboring labeled values and divide by the number of intervals.
3	B — −2.25	Ask the learner to show why B — −2.25 is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Counts ticks without identifying their scale..

Response: Find the unit difference between neighboring labeled values and divide by the number of intervals.

Also check: Counting tenths to the right of −3 to plot −3.4 (the point belongs between −4 and −3).

Also check: Splitting the gap by the numerator (7/4: split into 4 parts, not 7).

If calculation alone is wrong, use Session 1 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 1 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

Plot −2.5 on half-unit ticks and name adjacent integers.

Teacher solution: Midway between −3 and −2.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: Each interval is 0.25. −1.75 lies one interval right of −2, or three intervals left of −1.

Misconception response anchor: Counts ticks without identifying their scale.. Use find the unit difference between neighboring labeled values and divide by the number of intervals.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The location or direction is ___, but the distance is ___. I know this because ___.

Session 2 · Opposites of Rational Numbers

I can find the opposite of a rational number and explain what taking the opposite twice does. · 6.NS.C.6a

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. 3.2 b. 7/9 c. −1.4	Use equal distances from zero, then rename the value in the requested notation.
2	−6.5	Use equal distances from zero, then rename the value in the requested notation.
3	No. The opposite of −4 is 4, which is positive.	Use equal distances from zero, then rename the value in the requested notation.

Distinguish the error

Conceptual signal: Changes notation but not location or confuses opposite with reciprocal..

Response: Use equal distances from zero, then rename the value in the requested notation.

Also check: Believing the opposite of a number is always negative.

Also check: Reading −(−a) as “more negative” instead of “the opposite of −a.”

If calculation alone is wrong, use Session 2 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 2 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

Find and locate the opposite of −2.25.

Teacher solution: 2.25, the same distance on the other side of zero.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: −1.5 and 1.5, equal distances on opposite sides of zero. −(−1.5)=1.5; taking the opposite again returns −1.5.

Misconception response anchor: Changes notation but not location or confuses opposite with reciprocal.. Use use equal distances from zero, then rename the value in the requested notation.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The location or direction is ___, but the distance is ___. I know this because ___.