Lesson 8.2 Teaching Support Guide

Teach-tomorrow route

Print: current Guided Notes and Practice A for the class; Exit Tickets; optional Language Support and supported homework. Keep this guide and answer keys teacher-facing. Use the full-size model pages in the updated notes.

Phase	Planned minutes	Teaching move
Retrieve	5	Warm-Up items 1–4; note the missing prerequisite before launch.
Launch	7	Name the session target and invite a prediction from the conceptual task.
Model	10	Link a visual model to the worked example; rehearse the mathematical explanation.
Practice	18	Core: A #1, #2, #4, #6 and the error task. Choose remaining items from evidence.
Check	5	Exit Ticket; use the diagnostic page before assigning reteaching.

This is a planned 45-minute route, not a measured classroom duration. For a shorter lesson, keep the model and exit; reduce repeated practice. Form B is parallel practice or reassessment only when its items are unseen.

S1: Addition Equations · I can solve an addition equation by subtracting the same amount from both sides.

S2: Subtraction Equations · I can solve a subtraction equation by adding the same amount to both sides.

Spaced retrieval: revisit one item after 2 lessons and after approximately 1 week. Mix it with the next unit’s prerequisite check; do not announce the operation before students choose a method.

Session 1 · Addition Equations

I can solve an addition equation by subtracting the same amount from both sides. · 6.EE.B.7

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. a = 27 b. k = 4.5	Show the same operation on both sides and then substitute the result.
2	b + 25 = 71; b = 46 books	Show the same operation on both sides and then substitute the result.
3	B — subtract 18 from both sides	Ask the learner to show why B — subtract 18 from both sides is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Uses an unexplained move-across rule or changes one side only..

Response: Show the same operation on both sides and then substitute the result.

Also check: Subtracting from one side only (b + 26 = 40 gives b = 40).

Also check: Adding the number instead of subtracting it (y + 34 = 50 gives y = 84).

If calculation alone is wrong, use Session 1 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 1 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

Solve 6+p=19 and verify.

Teacher solution: p=13; 6+13=19.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: Subtract 8 from both sides: x=15. Check 15+8=23. Equal removal preserves balance; a one-sided change need not.

Misconception response anchor: Uses an unexplained move-across rule or changes one side only.. Use show the same operation on both sides and then substitute the result.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The value or set ___ makes the statement true because ___. I check it by ___.

Session 2 · Subtraction Equations

I can solve a subtraction equation by adding the same amount to both sides. · 6.EE.B.7

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. n = 42 b. p = 9.5	Name the operation that undoes the subtraction while preserving both sides.
2	s − 87 = 26; s = 113 snacks	Name the operation that undoes the subtraction while preserving both sides.
3	B — add 19 to both sides	Ask the learner to show why B — add 19 to both sides is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Subtracts again to solve a subtraction equation..

Response: Name the operation that undoes the subtraction while preserving both sides.

Also check: Subtracting again instead of adding (k − 19 = 33 gives 14).

Also check: Accepting an answer smaller than the number on the right side of x − a = b.

If calculation alone is wrong, use Session 2 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 2 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

Solve $t-4.5=9$ and check.

Teacher solution: $t=13.5$; $13.5-4.5=9$.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: First add 7 to both sides: $n=25$. Second subtract 7: $n=11$. The inverse operation depends on the original operation.

Misconception response anchor: Subtracts again to solve a subtraction equation.. Use name the operation that undoes the subtraction while preserving both sides.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The value or set ___ makes the statement true because ___. I check it by ___.