Lesson 8.3 Teaching Support Guide

Teach-tomorrow route

Print: current Guided Notes and Practice A for the class; Exit Tickets; optional Language Support and supported homework. Keep this guide and answer keys teacher-facing. Use the full-size model pages in the updated notes.

Phase	Planned minutes	Teaching move
Retrieve	5	Warm-Up items 1–4; note the missing prerequisite before launch.
Launch	7	Name the session target and invite a prediction from the conceptual task.
Model	10	Link a visual model to the worked example; rehearse the mathematical explanation.
Practice	18	Core: A #1, #2, #4, #6 and the error task. Choose remaining items from evidence.
Check	5	Exit Ticket; use the diagnostic page before assigning reteaching.

This is a planned 45-minute route, not a measured classroom duration. For a shorter lesson, keep the model and exit; reduce repeated practice. Form B is parallel practice or reassessment only when its items are unseen.

S1: Multiplication Equations · I can solve a multiplication equation by dividing both sides by the same number.

S2: Division Equations · I can solve a division equation by multiplying both sides by the same number.

Spaced retrieval: revisit one item after 2 lessons and after approximately 1 week. Mix it with the next unit’s prerequisite check; do not announce the operation before students choose a method.

Session 1 · Multiplication Equations

I can solve a multiplication equation by dividing both sides by the same number. · 6.EE.B.7

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. x = 8 b. k = 1.5	Label the coefficient as group count and split the total into that many equal groups.
2	8t = 96; t = $12	Label the coefficient as group count and split the total into that many equal groups.
3	B — coefficient	Ask the learner to show why B — coefficient is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Multiplies by the coefficient instead of dividing or expects only whole-number solutions..

Response: Label the coefficient as group count and split the total into that many equal groups.

Also check: Multiplying by the coefficient instead of dividing (5x = 65 gives 325).

Also check: Subtracting the coefficient (5x = 65 gives 60).

If calculation alone is wrong, use Session 1 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 1 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

Solve 4w=3.2 and check.

Teacher solution: w=0.8; 4×0.8=3.2.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: 6g=42; g=7; six equal groups of seven total 42.

Misconception response anchor: Multiplies by the coefficient instead of dividing or expects only whole-number solutions.. Use label the coefficient as group count and split the total into that many equal groups.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The value or set ___ makes the statement true because ___. I check it by ___.

Session 2 · Division Equations

I can solve a division equation by multiplying both sides by the same number. · 6.EE.B.7

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. n = 48 b. k = 10	Draw all positive groups, then undo the division and check the original statement.
2	r ÷ 5 = 3.5; r = 17.5 m	Draw all positive groups, then undo the division and check the original statement.
3	B — multiply both sides by 5	Ask the learner to show why B — multiply both sides by 5 is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Divides again or makes an unconditional total/share comparison..

Response: Draw all positive groups, then undo the division and check the original statement.

Also check: Dividing again instead of multiplying (h ÷ 5 = 20 gives 4).

Also check: Accepting a total that is smaller than one share.

If calculation alone is wrong, use Session 2 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 2 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

A total v divided among 4 containers gives 2.5 L each. Solve and check.

Teacher solution: v/4=2.5; v=10 L; 10/4=2.5.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: t/5=9; multiply both sides by 5: t=45. Five positive equal shares make the total exceed one share; this is a contextual condition, not a universal division rule.

Misconception response anchor: Divides again or makes an unconditional total/share comparison.. Use draw all positive groups, then undo the division and check the original statement.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The value or set ___ makes the statement true because ___. I check it by ___.