Lesson 8.4 Teaching Support Guide

Teach-tomorrow route

Print: current Guided Notes and Practice A for the class; Exit Tickets; optional Language Support and supported homework. Keep this guide and answer keys teacher-facing. Use the full-size model pages in the updated notes.

Phase	Planned minutes	Teaching move
Retrieve	5	Warm-Up items 1–4; note the missing prerequisite before launch.
Launch	7	Name the session target and invite a prediction from the conceptual task.
Model	10	Link a visual model to the worked example; rehearse the mathematical explanation.
Practice	18	Core: A #1, #2, #4, #6 and the error task. Choose remaining items from evidence.
Check	5	Exit Ticket; use the diagnostic page before assigning reteaching.

This is a planned 45-minute route, not a measured classroom duration. For a shorter lesson, keep the model and exit; reduce repeated practice. Form B is parallel practice or reassessment only when its items are unseen.

S1: Writing Inequalities · I can write an inequality that describes a constraint in a real situation.

S2: Representing Inequalities · I can represent an inequality with a set of solutions and describe them.

Spaced retrieval: revisit one item after 2 lessons and after approximately 1 week. Mix it with the next unit’s prerequisite check; do not announce the operation before students choose a method.

Session 1 · Writing Inequalities

I can write an inequality that describes a constraint in a real situation. · 6.EE.B.8

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. $x \leq 40$ b. $x > 6$	Test the exact boundary in the words before choosing the endpoint or symbol.
2	$c > 300$; no, $300 > 300$ is false	Test the exact boundary in the words before choosing the endpoint or symbol.
3	C — at least	Ask the learner to show why C — at least is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Confuses strict and inclusive boundaries..

Response: Test the exact boundary in the words before choosing the endpoint or symbol.

Also check: Using > for “at least,” which leaves out the boundary number.

Also check: Reversing the symbol ($x \leq 20$ for “at least 20”).

If calculation alone is wrong, use Session 1 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 1 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

A bag must weigh less than 8 kg. Write the inequality and test 7.5,8,8.5.

Teacher solution: w<8; only 7.5 satisfies.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: h≥120. 119 fails; 120 and 121 satisfy. At least includes equality.

Misconception response anchor: Confuses strict and inclusive boundaries.. Use test the exact boundary in the words before choosing the endpoint or symbol.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The value or set ___ makes the statement true because ___. I check it by ___.

Session 2 · Representing Inequalities

I can represent an inequality with a set of solutions and describe them. · 6.EE.B.8

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	x ≤ 1	Distinguish the inequality's numerical solutions from restrictions on what the quantity can represent.
2	a. yes b. no	Distinguish the inequality's numerical solutions from restrictions on what the quantity can represent.
3	A — open circle at 3, arrow right	Ask the learner to show why A — open circle at 3, arrow right is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Treats every real-number solution as feasible for a count context..

Response: Distinguish the inequality's numerical solutions from restrictions on what the quantity can represent.

Also check: Using a closed circle for < or > (the boundary is not a solution).

Also check: Drawing the arrow the wrong way, such as pointing right for ≤.

If calculation alone is wrong, use Session 2 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 2 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

At most 4 tickets may be bought. Write the inequality and feasible nonnegative whole-number values.

Teacher solution: $t \leq 4$; feasible values 0,1,2,3,4.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: $m > 5$; open boundary at 5, ray right. Actual feasible member counts are 6,7,8,...; 5.5 is numerically above 5 but not a whole-person count.

Misconception response anchor: Treats every real-number solution as feasible for a count context.. Use distinguish the inequality's numerical solutions from restrictions on what the quantity can represent.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The value or set ___ makes the statement true because ___. I check it by ___.