Lesson 9.1 Teaching Support Guide

Teach-tomorrow route

Print: current Guided Notes and Practice A for the class; Exit Tickets; optional Language Support and supported homework. Keep this guide and answer keys teacher-facing. Use the full-size model pages in the updated notes.

Phase	Planned minutes	Teaching move
Retrieve	5	Warm-Up items 1–4; note the missing prerequisite before launch.
Launch	7	Name the session target and invite a prediction from the conceptual task.
Model	10	Link a visual model to the worked example; rehearse the mathematical explanation.
Practice	18	Core: A #1, #2, #4, #6 and the error task. Choose remaining items from evidence.
Check	5	Exit Ticket; use the diagnostic page before assigning reteaching.

This is a planned 45-minute route, not a measured classroom duration. For a shorter lesson, keep the model and exit; reduce repeated practice. Form B is parallel practice or reassessment only when its items are unseen.

S1: Independent and Dependent Variables · I can name the independent and dependent variables in a relationship.

S2: Tables of Values · I can build a table of values for a relationship between two variables.

Spaced retrieval: revisit one item after 2 lessons and after approximately 1 week. Mix it with the next unit’s prerequisite check; do not announce the operation before students choose a method.

Session 1 · Independent and Dependent Variables

I can name the independent and dependent variables in a relationship. · 6.EE.C.9

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. hours worked b. hours studied	Require a new context, both quantity names, and a dependence sentence before accepting mastery.
2	a. pounds bought b. cost	Require a new context, both quantity names, and a dependence sentence before accepting mastery.
3	B — ice creams sold	Ask the learner to show why B — ice creams sold is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Answers only which axis a variable conventionally uses..

Response: Require a new context, both quantity names, and a dependence sentence before accepting mastery.

Also check: Choosing a variable by the size of its numbers (the bigger number is dependent).

Also check: Reversing the sentence test (“drinks sold depend on money collected”).

If calculation alone is wrong, use Session 1 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 1 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

A bicycle rental costs $4 per hour. Identify both variables and explain which depends on which.

Teacher solution: Hours is the independent input; rental cost is dependent because the model computes cost from hours.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: Length bought is input/independent; total cost is dependent on length. Costs $0,$6,$15. Variables must be identified from the model, not from their numerical size.

Misconception response anchor: Answers only which axis a variable conventionally uses.. Use require a new context, both quantity names, and a dependence sentence before accepting mastery.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The output ___ depends on ___ because the rule ___. Therefore ___.

Session 2 · Tables of Values

I can build a table of values for a relationship between two variables. · 6.EE.C.9

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	4, 12, 24	Find the input change first, then multiply it by the rate.
2	2 × 3 + 5 = $11	Find the input change first, then multiply it by the rate.
3	A — first column	Ask the learner to show why A — first column is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Adds one rate unit between table rows regardless of input jumps..

Response: Find the input change first, then multiply it by the rate.

Also check: Adding the fee before multiplying (5 + 3 = 8, then 8 × 4).

Also check: Putting the dependent variable in the first column, as in Tavon’s train table.

If calculation alone is wrong, use Session 2 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 2 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

Use y=3x+4 at x=0,3,7. Explain the fixed amount.

Teacher solution: 4,13,25; 4 is the starting amount.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: Outputs 5,9,15. The $5 fee appears at zero boxes. Input jumps 2 then 3, so outputs increase 4 then 6; per-box rate is 2.

Misconception response anchor: Adds one rate unit between table rows regardless of input jumps.. Use find the input change first, then multiply it by the rate.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The output ___ depends on ___ because the rule ___. Therefore ___.