Lesson 9.2 Teaching Support Guide

Teach-tomorrow route

Print: current Guided Notes and Practice A for the class; Exit Tickets; optional Language Support and supported homework. Keep this guide and answer keys teacher-facing. Use the full-size model pages in the updated notes.

Phase	Planned minutes	Teaching move
Retrieve	5	Warm-Up items 1–4; note the missing prerequisite before launch.
Launch	7	Name the session target and invite a prediction from the conceptual task.
Model	10	Link a visual model to the worked example; rehearse the mathematical explanation.
Practice	18	Core: A #1, #2, #4, #6 and the error task. Choose remaining items from evidence.
Check	5	Exit Ticket; use the diagnostic page before assigning reteaching.

This is a planned 45-minute route, not a measured classroom duration. For a shorter lesson, keep the model and exit; reduce repeated practice. Form B is parallel practice or reassessment only when its items are unseen.

S1: From Table to Graph · I can turn a table of values into points and plot them on a graph.

S2: Analyzing a Graph · I can read a relationship off a graph and describe the rate it shows.

Spaced retrieval: revisit one item after 2 lessons and after approximately 1 week. Mix it with the next unit’s prerequisite check; do not announce the operation before students choose a method.

Session 1 · From Table to Graph

I can turn a table of values into points and plot them on a graph. · 6.EE.C.9

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. (2, 18) b. (5, 0)	Label the input unit and determine which input values are permitted.
2	(1, 2), (3, 6), (4, 8)	Label the input unit and determine which input values are permitted.
3	B — straight line	Ask the learner to show why B — straight line is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Connects every intermediate point without considering the context..

Response: Label the input unit and determine which input values are permitted.

Also check: Switching x and y in an ordered pair (plotting (75, 3) instead of (3, 75)).

Also check: Using uneven spacing on an axis, so constant-rate points do not line up.

If calculation alone is wrong, use Session 1 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 1 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

A bag costs $6. Give and interpret the graph point for 4 bags.

Teacher solution: (4,24); four bags cost $24.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: Points (0,0),(1,4),(3,12),(5,20). (3,12) means three notebooks cost $12. (2.5,10) fits the numerical rule but not whole-notebook purchasing.

Misconception response anchor: Connects every intermediate point without considering the context.. Use label the input unit and determine which input values are permitted.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The output ___ depends on ___ because the rule ___. Therefore ___.

Session 2 · Analyzing a Graph

I can read a relationship off a graph and describe the rate it shows. · 6.EE.C.9

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. 8 b. 6	Separate starting amount from repeated rate and compare changes over the same interval.
2	(48 − 24) ÷ (6 − 3) = $8 per bag; 8 bags: 8 × 8 = $64	Separate starting amount from repeated rate and compare changes over the same interval.
3	B — 9	Ask the learner to show why B — 9 is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Uses y/x for a relationship with a nonzero starting amount..

Response: Separate starting amount from repeated rate and compare changes over the same interval.

Also check: Reading the y-coordinate of a point as the rate (100 steps in 2 minutes read as 100 per minute).

Also check: Dividing x by y instead of y by x.

If calculation alone is wrong, use Session 2 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 2 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

For c=4h+6, compare costs at h=1 and h=3 and find the charge per extra hour.

Teacher solution: Costs 10 and 18; increase 8 over 2 hours gives 4 dollars/hour.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: Points (0,5),(2,11),(4,17). Ratios 11/2=5.5 and 17/4=4.25 are not the $3 hourly rate because they include the fee. Output change 6 over 2 hours gives $3/hour.

Misconception response anchor: Uses y/x for a relationship with a nonzero starting amount.. Use separate starting amount from repeated rate and compare changes over the same interval.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The output ___ depends on ___ because the rule ___. Therefore ___.