Lesson 9.3 Teaching Support Guide

Teach-tomorrow route

Print: current Guided Notes and Practice A for the class; Exit Tickets; optional Language Support and supported homework. Keep this guide and answer keys teacher-facing. Use the full-size model pages in the updated notes.

Phase	Planned minutes	Teaching move
Retrieve	5	Warm-Up items 1–4; note the missing prerequisite before launch.
Launch	7	Name the session target and invite a prediction from the conceptual task.
Model	10	Link a visual model to the worked example; rehearse the mathematical explanation.
Practice	18	Core: A #1, #2, #4, #6 and the error task. Choose remaining items from evidence.
Check	5	Exit Ticket; use the diagnostic page before assigning reteaching.

This is a planned 45-minute route, not a measured classroom duration. For a shorter lesson, keep the model and exit; reduce repeated practice. Form B is parallel practice or reassessment only when its items are unseen.

S1: Equations from Tables · I can write an equation that matches a table of values.

S2: Equations from Situations · I can write an equation from a described situation and identify its variables.

Spaced retrieval: revisit one item after 2 lessons and after approximately 1 week. Mix it with the next unit’s prerequisite check; do not announce the operation before students choose a method.

Session 1 · Equations from Tables

I can write an equation that matches a table of values. · 6.EE.C.9

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. y = 4x b. y = x + 5	Use nonzero-input rows for ratios and inspect the zero-input row for a starting amount.
2	y = 5x; 5 × 13 = 65 cans	Use nonzero-input rows for ratios and inspect the zero-input row for a starting amount.
3	B — every row	Ask the learner to show why B — every row is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Confuses constant difference with constant ratio or divides by zero..

Response: Use nonzero-input rows for ratios and inspect the zero-input row for a starting amount.

Also check: Writing a rule that fits only the first row (y = x + 24 for x: 3, 5, 10 and y: 27, 45, 90).

Also check: Switching the variables (x = 7y instead of y = 7x).

If calculation alone is wrong, use Session 1 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 1 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

For (0,0),(3,12),(6,24), write and check a multiplicative rule.

Teacher solution: y=4x; reproduces all listed rows.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: A: y=5x. B: y=x+5. These rules fit the stated multiplicative/additive model families. Finite rows alone do not uniquely determine every conceivable rule.

Misconception response anchor: Confuses constant difference with constant ratio or divides by zero.. Use use nonzero-input rows for ratios and inspect the zero-input row for a starting amount.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The output ___ depends on ___ because the rule ___. Therefore ___.

Session 2 · Equations from Situations

I can write an equation from a described situation and identify its variables. · 6.EE.C.9

Observe and respond

Exit item	Expected evidence	Next prompt/model
1	a. c = 6t b. k = j + 4	Label repeated and one-time parts before writing the terms.
2	c = 35n; 35 × 9 = $315	Label repeated and one-time parts before writing the terms.
3	B — c = 10h + 25	Ask the learner to show why B — c = 10h + 25 is correct and reject a specific distractor using a model.

Distinguish the error

Conceptual signal: Multiplies the fixed fee by the number of items or leaves variables undefined..

Response: Label repeated and one-time parts before writing the terms.

Also check: Adding the rate instead of multiplying (c = n + 2 for buttons that cost $2 each).

Also check: Multiplying the fee by the variable (c = 75h + 30 instead of c = 30h + 75).

If calculation alone is wrong, use Session 2 Prerequisite Practice A for the matching skill, then return to the model. If the interpretation is wrong, label the quantities before reteaching the operation. Independent re-entry requires a correct setup and a connected explanation.

Session 2 · Fresh check and scoring

Reserve this check until after revision; it is distinct from the exit ticket. Do not show this teacher page to learners beforehand.

Write a cost equation for $6 per item plus one $4 fee and evaluate 5 items.

Teacher solution: c=6n+4; c=34 dollars.

Score the evidence

Score	Evidence	Next action
3	Valid representation, correct result/units, connected explanation.	Continue; fade a support next time.
2	Correct setup and meaning with a calculation/notation slip, or an incomplete explanation.	Brief targeted feedback, then another unseen check.
1	Some relevant facts but a model or interpretation error.	Use the named model and the corresponding prerequisite page.
0	No interpretable evidence yet.	Oral/diagram response to separate access needs from mathematics.

Complete response anchor: e=8v+5; v is visits, e dollars earned. The 8v term repeats per visit; 5 is added once. At v=3, e=29.

Misconception response anchor: Multiplies the fixed fee by the number of items or leaves variables undefined.. Use label repeated and one-time parts before writing the terms.

Language access: point/draw and label → oral rehearsal → relationship sentence → independent explanation. Offer the support needed for this task and fade it based on evidence. Suggested frame: The output ___ depends on ___ because the rule ___. Therefore ___.