👩‍🏫 **Teacher Copy — includes the Answer Key & Teacher Guide. Do not distribute to students.**

UNIT 2 · STANDARD 6.NOS.3

Divide Decimals Using an Algorithm

Lesson 2-7 · Teacher Copy

Name: Type your name **Date:** Today's date **Class:** Class period

My Notes Level 3 Enrichment

🎯 **TODAY'S OBJECTIVES**

Content Objective: I can divide with decimals by making the divisor a whole number first.

Language Objective: I can explain my work using the words dividend, divisor, quotient, and equivalent division.

📖 See **Learn It** for the explanation and worked examples, and the **Vocab** tab for the words. These are your notes to fill in and keep.

✏️ **Fill in each blank as we go. Use the Word Bank to help you.**

📚 **WORD BANK — FILL EACH BLANK WITH THE BEST WORD**

Dividend | Divisor | Quotient | Decimal Division Algorithm | Equivalent division | Annex a zero | Algorithm | Power of ten

☝️ *Tap any word to see its meaning and a picture.*

Level 3: try the blanks from memory first, then check the bank.

1. In a division problem, the total amount being divided is the _____.

2. In a division problem, the number of equal groups you divide into is the _____.

3. The answer to a division problem is the _____.

4. The steps that make the divisor whole before you divide are called the _____.

5 Multiplying both the dividend and divisor by the same power of 10 creates an _____ that is easier to solve.

6 Writing 7.2 as 7.20 is called _____ a zero.

7 Steps you follow the same way every time make an _____.

8 10, 100, and 1,000 are each a _____.

Write About the Math

How does decimal division help you figure out how many pieces you can cut?

¿Cómo te ayuda la división de decimales a averiguar cuántas piezas puedes cortar?

Say your answer to a partner first. Then write it, using at least two of these words:

- ☐ **Dividend**
  Dividendo
- ☐ **Divisor**
  Divisor
- ☐ **Quotient**
  Cociente
- ☐ **Decimal Division Algorithm**
  Algoritmo de división decimal
- ☐ **Equivalent division**
  División equivalente

Model: *Move both decimal points the same number of places so the value stays equal.* — Students rewrite 18.9 ÷ 6.3 as 189 ÷ 63 = 3, explaining moving both points one place keeps the division equivalent, so 3 pods are filled.

Start

Complete the frames. Use the word bank.

Completa las oraciones. Usa el banco de palabras.

- **I can cut ____ pieces because 16.8 ÷ 2.4 = ____.**
- **My answer is ____ because ____.**
  Mi respuesta es ____ porque ____.

Build

Write two connected sentences. Use because, so, or but.

Escribe dos oraciones conectadas. Usa porque, entonces o pero.

- **My claim is ____.**
  Mi afirmación es ____.
- **My evidence is ____, so ____.**
  Mi evidencia es ____, entonces ____.

Explain

Write a claim, give math evidence, and explain your reasoning.

Escribe una afirmación, da evidencia matemática y explica tu razonamiento.

- [ ] I answered the question.
- [ ] I used math evidence: numbers, an equation, or a model.
- [ ] I used at least two math words.

Writing Guide — Teacher Copy

- The answer to the math question is correct.
- The evidence is real lesson mathematics (numbers, equation, or model), not restated claim.
- The support level changed the language scaffolding, never the mathematical expectation.

Answer Key & Teacher Guide

1. **Notes 1:** Dividend
2. **Notes 2:** Divisor
3. **Notes 3:** Quotient
4. **Notes 4:** Decimal Division Algorithm
5. **Notes 5:** Equivalent division
6. **Notes 6:** Annex a zero
7. **Notes 7:** Algorithm
8. **Notes 8:** Power of ten
9. **Watch for this mistake:** *A common mistake in Divide Decimals is moving the decimal point in the divisor but forgetting to move it the same number of places in the dividend. For example, in 6.4 ÷ 0.8 a student changes 0.8 to 8 but leaves the dividend as 6.4, then divides 6.4 ÷ 8 = 0.8 instead of moving both points to get 64 ÷ 8 = 8. A second version of this mistake happens when the divisor has two decimal places, like 0.12: students move both points only 1 place instead of 2, turning 9.6 ÷ 0.12 into 96 ÷ 1.2 instead of the correct 960 ÷ 12. Count the divisor's decimal places first, then move BOTH points that same number of places.*
10. **Try It 1:** B. 3 batches — *9.6 ÷ 3.2. The divisor 3.2 has one decimal place, so multiply BOTH numbers by 10: 96 ÷ 32 = 3. The flour makes 3 batches.*
11. **Try It 2:** C. 9 strips — *Multiply both by 10: 81 ÷ 9 = 9 strips.*