#### Step to Generate SSH key for GIT:

## 1)Set the user variables:

Set User variables:


Variable Name: Path

Variable Value: C:\Program Files\Git\bin (Location where Git is installed)


Set User variables:

Variable Name: HOME

Variable Value: %USERPROFILE%




# 2)Go to TortoseGit→Settings




## 3)Go to General → Git.exe Path

Browse to the 'bin' folder of the installed Git.



## 4)Go to→Network→SSH Client


Browse to the ssh.exe file in the bin folder.



# 5)Go to →Git→Config

Fill up the fields 'Name' and 'Email'.

#### Check AutoCrlf.



#### 6)Go to command prompt →

Execute the command Bash from the prompt and press enter

Following 3 commands are required for Eclipse Environment Setup

Execute the command git init

Execute the command git config branch.master.rebase true

Execute the command git config --global branch.autosetuprebase always

Execute the command ssh-keygen -t rsa from the prompt and press enter

Leave it blank when prompt will ask for the filename or the passphrase.


```
C:\WINDOWS\system32\cmd.exe - bash


Microsoft Vindows XP [Version 5.1.26001
(C) Copyright 1985-2001 Microsoft Corp.

C:\Documents and Settings\244817\bash
bash-3.15 git init
Initialized empty Git repository in C:\Documents and Settings\244817\.git\
bash-3.15 git config branch.master.rebase true
bash-3.15 git config --global branch.autosetuprebase always
bash-3.15 shi-keygen t rsa
Generating public pritate rsa key pair.
Generating public pritate rsa key pair.
Greated directory 'c'\Documents and Settings\244817\.ssh'id_rsa\):
Created directory 'c'\Documents and Settings\244817\.ssh'id_rsa\):
Enter same passphrase again:
Your identification has been saved in \c\Documents and Settings\244817\.ssh'id_rsa\.
Your yublic key has been saved in \c\Documents and Settings\244817\.ssh'id_rsa\.
Your gingerprint is:
45:87:56:aa:96:6e:id:62:9b:59:03:ad:4e:6e:9d:7d 244817001HW186164

bash-3.15

### Provided The Provided Provi
```







Copy the **id\_rsa.pub** file to some other location (e.g. desktop) and rename the file in the new location to **ch\_empno.pub** where empno is your employee number.

Copy the ch\_empno.pub in the following location \\01hw156728\VSS\_Server\AXA-VSS\Exchange\Tushar Ghosh\GIT.