

Global Pathogen Analysis Service

Administrator Portal Guide



F74705-01
December 2022



Copyright © 2022, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Documentation accessibility	vi
Related Resources	vi
Diversity and Inclusion	vi

1 Learn more

Global Pathogen Analysis Service Administrator Portal	1-1
Get support	1-1

2 Get started

Get started with Global Pathogen Analysis Service	2-1
Activate your account	2-1
Two-factor authentication	2-2
Enable two-factor authentication with email	2-2
Enable two-factor authentication with a mobile app	2-3
Sign in to Global Pathogen Analysis Service Administrator Portal	2-3
Sign out of Global Pathogen Analysis Service Administrator Portal	2-4
Set up your user profile	2-4

3 View user data with dashboards

Dashboard	3-1
Filter dashboard data	3-2

4 Manage organizations

Organisations	4-1
Search for an organization	4-2
Create an organization	4-3
Edit organization details	4-4
Configure parameters for an organization	4-5

Configuration parameters	4-6
Manage notifications for an organization	4-6

5 Manage Global Pathogen Analysis Service roles

Roles	5-1
Search for a role	5-2
Create a role	5-3
Edit role details	5-3
Assign privileges	5-4
Assign users to roles	5-5
Delete a role	5-5

6 Manage Global Pathogen Analysis Service users

Users	6-1
Search for a user	6-2
Create a user	6-2
Edit user details	6-4
Assign tags to a user	6-5
Delete a user	6-6
Transfer samples	6-6
Manage notifications for a user	6-7

7 Manage Global Pathogen Analysis Service administrators

Administrators	7-1
Search for an administrator	7-2
Create an administrator account	7-3
Edit administrator details	7-3
Delete an administrator	7-4

8 Manage tags

Tags	8-1
Search for a tag	8-2
Edit tag details	8-2
Create a tag	8-3
Assign users to tags	8-4
Grant an organization access to a tag	8-4

9 View audit logs

Audit Log	9-1
Search for an audit log	9-2
Search for an audit log by date range	9-3

10 View buckets for organizations

Buckets	10-1
Search for a bucket	10-2

Preface

This preface contains the following sections:

- [Documentation accessibility](#)
- [Related Resources](#)
- [Diversity and Inclusion](#)

Documentation accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Related Resources

All documentation and other supporting materials are available on the [Oracle Help Center](#).

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

1

Learn more

Spend a few moments familiarizing yourself with Global Pathogen Analysis Service (GPAS) Administrator Portal.

This documentation is intended for GPAS system administrators.

- [Global Pathogen Analysis Service Administrator Portal](#)
GPAS Administrator Portal helps you perform administrative tasks for GPAS applications.
- [Get support](#)
You can get support for GPAS in one of the following ways:

Global Pathogen Analysis Service Administrator Portal

GPAS Administrator Portal helps you perform administrative tasks for GPAS applications.

The Global Pathogen Analysis Service (GPAS) is a global, cloud-based system for pathogen sequencing analysis. To use GPAS, you upload genomic sample data for SARS-CoV-2. You can view consensus sequences and downstream analysis. You can also view relatedness data for cluster analysis and new variant identification. Once the sample data runs through analysis, you can release it to a Shared Data Pool. The data in GPAS is visible in an interactive dashboard, and you can use it for local lab analysis and to make informed public health policy decisions.

Through GPAS Administrator Portal, you can manage GPAS users and administrators, organizations, roles, and tags. You can also view audit logs, buckets for GPAS organizations, and individual user data in an interactive dashboard.

For additional information on GPAS:

- For details on GPAS User Portal, see the *Global Pathogen Analysis Service User Portal Guide*.
- For details on enhancements and fixes for GPAS, see the *Global Pathogen Analysis Service Release Notes*.
- For details on the GPAS REST API, see the *REST APIs for Global Pathogen Analysis Service* documentation.

Get support

You can get support for GPAS in one of the following ways:

- Contact the **administrator who interacts with the GPAS expert**.
- Navigate to the **Oracle Support Portal** (<https://hsgbu.custhelp.com/>).
- In the GPAS Administrator Portal, select the **Help** icon to access Oracle Help Center.

2

Get started

Once your organization signs an agreement with Oracle, it submits a list of users who need to use the Global Pathogen Analysis Service (GPAS) Administrator Portal.

- [Get started with Global Pathogen Analysis Service](#)
After an administrator adds your account to GPAS, you receive an email with details on your account and how to activate it. This account uses Oracle Identity Cloud Service (IDCS) and two-factor authentication.
- [Activate your account](#)
When your organization adds you as a GPAS user, you receive an email that prompts you to activate your account.
- [Two-factor authentication](#)
The first time you sign in to GPAS, you must set up two-factor authentication. Two-factor authentication ensures the security of GPAS by requiring you to enter something you know (your password) and something you have (your one-time passcode).
- [Sign in to Global Pathogen Analysis Service Administrator Portal](#)
You sign in to GPAS through your web browser.
- [Set up your user profile](#)
You can set preferences in your user profile for Report Date Format, Report Time Format, Language, and Time Zone. This ensures the accuracy and relevance of the information you receive.

Get started with Global Pathogen Analysis Service

After an administrator adds your account to GPAS, you receive an email with details on your account and how to activate it. This account uses Oracle Identity Cloud Service (IDCS) and two-factor authentication.

To get started with GPAS:

1. Activate your GPAS user account, as described in [Activate your account](#).
2. Set up two-factor authentication (2FA), as described in [Two-factor authentication](#).
3. Sign in to your user account, as described in [Sign in to Global Pathogen Analysis Service Administrator Portal](#).

Activate your account

When your organization adds you as a GPAS user, you receive an email that prompts you to activate your account.

To activate your GPAS account:

1. In your email application, locate the Welcome message sent to you from Oracle.

 Note:

If you cannot find the Welcome email message, check your Junk folder in your email application. If you still cannot locate it, use the Oracle Support Portal to request a new message.

2. In the Welcome message, select **Activate Your Account**.

For security reasons, the link expires after 24 hours (your message contains exact details on the expiration range). If your link expires before you select it, contact support using the Oracle Support Portal.

3. In Oracle Identity Cloud Service (IDCS), enter a password and then confirm that password. When you are finished, select **Reset Password**.

A message displays, indicating your account has been activated. Sign in with your username and password. For more information, see [Sign in to Global Pathogen Analysis Service Administrator Portal](#).

Two-factor authentication

The first time you sign in to GPAS, you must set up two-factor authentication. Two-factor authentication ensures the security of GPAS by requiring you to enter something you know (your password) and something you have (your one-time passcode).

A one-time passcode is a random code you receive that changes or expires within a set period of time to ensure no one can guess it.

You can access your one-time passcode using email or through an authenticator app on your mobile device, such as Oracle Mobile Authenticator.

For more information on setting up two-factor authentication, see the following topics:

- [Enable two-factor authentication with email](#)
When you first sign in to GPAS, you can enable two-factor authentication using the email address for your account.
- [Enable two-factor authentication with a mobile app](#)
When you first sign in to GPAS, you can enable two-factor authentication using a mobile device.

Enable two-factor authentication with email

When you first sign in to GPAS, you can enable two-factor authentication using the email address for your account.

For details on signing in to GPAS, see [Sign in to Global Pathogen Analysis Service Administrator Portal](#).

To enable two-factor authentication with your email address:

1. Sign in to GPAS with your username and password.
2. In Oracle Identity Cloud Service (IDCS), select **Enable Secure Verification**.
3. Select **Email** to receive an email with a one-time passcode.
4. Enter the one-time passcode into the Code text field.

5. Select **Verify Email Address**.

You can now use your email account to access your passcode when you sign in again.

Enable two-factor authentication with a mobile app

When you first sign in to GPAS, you can enable two-factor authentication using a mobile device.

For details on signing in to GPAS, see [Sign in to Global Pathogen Analysis Service Administrator Portal](#).

To enable two-factor authentication with your mobile device:

1. Sign in to GPAS with your username and password.
2. In Oracle Identity Cloud Service (IDCS), select **Enable Secure Verification**.
3. Select **Mobile App**.
4. On the app store for your device, download and install one of the following:
 - The **Oracle Mobile Authenticator app**.
 - A third-party authenticator app, such as Google Authenticator™ or Microsoft® Authenticator.

 Note:

If you use a third-party authenticator app, make sure you select the **Offline Mode or Use Another Authenticator App** check box before scanning the QR code.

5. In the authenticator app on your mobile device, select the option to add an account.
6. When prompted, hold your mobile device up to the screen and scan the QR code.

 Note:

Make sure the authenticator app on your mobile device has permission to access your camera.

7. Once you see a message on your screen that indicates you have successfully enrolled the device you specified, click **Done** to continue to GPAS.

You can now use your mobile authenticator app to access your passcode when you sign in again.

Sign in to Global Pathogen Analysis Service Administrator Portal

You sign in to GPAS through your web browser.

To sign in to GPAS:

1. Open GPAS Administrator Portal by navigating to the URL in your browser. (Your administrator provided you with the URL when you activated your account.)
The sign in page opens.
2. Sign in to Oracle Identity Cloud Service (IDCS) with your username and password.
3. In the application launchpad, select **Administrator Portal** to access GPAS Administrator Portal.



Note:

If this is your first time signing in, GPAS prompts you to enable two-factor authentication. For more information, see [Two-factor authentication](#).

- [Sign out of Global Pathogen Analysis Service Administrator Portal](#)
GPAS automatically signs you out after a period of time. Once that time period expires, you need to sign back in. However, you can sign out at any time.

Sign out of Global Pathogen Analysis Service Administrator Portal

GPAS automatically signs you out after a period of time. Once that time period expires, you need to sign back in. However, you can sign out at any time.

To sign out of GPAS, select the profile icon on the top-right corner of the GPAS interface (the square icon with your username initials) and then select **Sign Out**.

Set up your user profile

You can set preferences in your user profile for Report Date Format, Report Time Format, Language, and Time Zone. This ensures the accuracy and relevance of the information you receive.

To set preferences in your user profile:

1. Select **Profile** from the profile icon on the top-right corner of the GPAS interface (the square icon with your username initials).
2. In the **Report Date Format** field, select a date format (for example, **DD-MON-YYYY**).
3. In the **Report Time Format** field, select a time format (for example, **HH24:MI:SS**).



Note:

The default report time format is HH:MI:SSPM. This format uses a 12-hour clock with AM and PM.

4. In the **Language** field, select one of the following options:
 - **English**
 - **French**
 - **Spanish**

5. In the **Time Zone** field, select your time zone (for example, **US Eastern Time (-05:00)**).
6. When you have finished setting your preferences, select **Save**.

3

View user data with dashboards

You can interact with dashboards to gain insight into Global Pathogen Analysis Service (GPAS) user data.

- [Dashboard](#)
You use the Dashboard page to view interactive data for the GPAS users in your organization.
- [Filter dashboard data](#)
When viewing a dashboard, you can filter the interactive data to show the information relevant to you.

Dashboard

You use the Dashboard page to view interactive data for the GPAS users in your organization.

The Dashboard page shows an aggregate view of user data so you can understand how your users work with GPAS. For example, you can see how many samples an individual user uploads within a 90 day period.




Note:

You can only see the users in your organization.

Dashboards contain category tiles that show dynamic summaries of GPAS user data, including Batches Uploaded, Samples Uploaded, and Users Created. Select a tile to see more details on the information. For example, you can see individual batches if you select **Batches Uploaded**.

Dashboards also contain charts that show Batches Uploaded per Day, Samples Uploaded per Day, and Samples Uploaded to the Shared Pool.

The following image shows an example of the Dashboard page.



You can filter dashboard data to view metrics for specific users. For more information, see [Filter dashboard data](#).

Filter dashboard data

When viewing a dashboard, you can filter the interactive data to show the information relevant to you.

To filter dashboard data:

1. In the search bar, select the drop-down menu and then select a user. Alternatively, when you select the drop-down menu, type the username into the search bar, press Enter, and then select the user.
2. Select the **Period** drop-down menu and select a time period.

The **Date from** and **Date to** calendar control date fields automatically update to display the date range.

Note:

If you select **Custom**, the date fields do not automatically update. You must select your custom dates in the calendar control date fields.

3. If you want to view a custom time period, select the **Date from** and **Date to** calendar controls and select your dates.
4. At the top of the dashboard, select **Go** to execute your filter.
5. To reset your dashboard, select **Reset**.

4

Manage organizations

If you are an organization administrator, you can manage some of the settings for your organization and your child organizations in Global Pathogen Analysis Service (GPAS). Only global administrators can manage and edit all fields for an organization.

- [Organisations](#)
You use the Organisations page to view your organization and your child organizations in GPAS. This includes organization information, ability to share data, active status, and more.
- [Search for an organization](#)
You can search for organizations that use GPAS on the Organisations page.
- [Create an organization](#)
You can create an organization that uses GPAS on the Organisations page.
- [Edit organization details](#)
You can edit details for an organization that uses GPAS on the Organisations page.
- [Configure parameters for an organization](#)
You can configure parameters for an organization that uses GPAS on the Organisations page.
- [Manage notifications for an organization](#)
You can manage notification recipients for your organization, using the Organisations page.

Organisations

You use the Organisations page to view your organization and your child organizations in GPAS. This includes organization information, ability to share data, active status, and more.

Organizations, such as government agencies, universities, scientific laboratories, hospital trusts, or similar use GPAS to upload sample data, identify lineages, mutations, and variants of concern (VoC), and release samples to the GPAS Shared Data Pool. They also manage subsidiary organizations and users. Every GPAS user can only belong to one organization.

You can use GPAS Administrator Portal to create and manage organizations, configure parameters, manage notifications, and create and manage tags specific to an organization.



Note:

If you are an organization administrator, you can manage some of the settings for your organization and your child organizations. Only global administrators can manage and edit all fields for an organization.

The following image shows an example of the Organisations page.

Name	Description	Country Name	Type	Share Data	Hidden	
New York City	New York City	New York	City	Yes	No	
New York State	New York State	New York	State	Yes	No	
New York State Office of General Services	New York State Office of General Services	New York	State	No	Yes	
New York State Office of Information and Public Relations	New York State Office of Information and Public Relations	New York	State	Yes	No	
New York State Office of Mental Health	New York State Office of Mental Health	New York	State	No	No	
New York State Office of Parks, Recreation and Historic Preservation	New York State Office of Parks, Recreation and Historic Preservation	New York	State	Yes	No	
New York State Office of Temporary and Disability Assistance	New York State Office of Temporary and Disability Assistance	New York	State	Yes	No	

For information on managing organizations:

- To search for organizations, see [Search for an organization](#).
- To create an organization in GPAS, see [Create an organization](#).
- To edit details for an organization, see [Edit organization details](#).
- To configure parameters for an organization, see [Configure parameters for an organization](#).
- To manage tags for organizations, see [Manage tags](#).
- To manage notifications for an organization, see [Manage notifications for an organization](#).

Search for an organization

You can search for organizations that use GPAS on the Organisations page.



Note:

If you are an organization administrator, you are only able to see your organization and your child organizations. Only global administrators can search for all organizations in GPAS.

To search for an organization:

1. On the Organisations page, select the **Search** menu and then select one of the following parameters:
 - **Name:** This is free text.
 - **Country Name:** This is free text.
 - **Share Data:** Available options include **No** or **Yes**.
 - **Hidden:** Available options include **No** or **Yes**.

- **Type:** Available options include **Not Defined**, **Laboratory**, **Public Repository**, **University**, **Private**, **Government Agency**, **Hospital Trust**, and **Multilateral**.
2. Press Enter.

Create an organization

You can create an organization that uses GPAS on the Organisations page.



Note:

You must have global administrator privileges to perform this task.

To create an organization in GPAS:

1. On the Organisations page, in the top-right corner of the screen, select **Create**.
2. On the Create Organisation page, enter the following fields and values:
 - **Name:** The name of the organization. GPAS sets this field.
 - **Country:** The country where the organization is based. GPAS sets this field.
 - **Parent Organisation:** The parent organization of the organization you are creating. This is only applicable if another organization is a parent entity to your organization. GPAS sets this field.
 - **Description:** A meaningful description of the organization. GPAS sets this field.
 - **Type:** Select the drop-down menu and then select an organization type. GPAS sets this field.
 - **Active:** Toggle this off or on to make your organization inactive or active. By default, the Active toggle switch is set to on. GPAS sets this field.



Note:

Inactive status means that organization data is secure, but users cannot sign in or download samples.

3. Select **Create** to create the organization in GPAS.

Edit organization details

You can edit details for an organization that uses GPAS on the Organisations page.

Note:

- If you are an organization administrator, you can only edit some of the fields for your organization. The GPAS Terms and Conditions set certain fields. Only global administrators can edit all fields.
- You can only edit organization details for your organization or your children organizations.

To edit organization details:

1. On the Organisations page, navigate to the organization you want to edit.

Note:

- You can search for a specific organization in GPAS by using the search functionality. For more information, see [Search for an organization](#).
- If you are an organization administrator, you can only search for your organization or your child organizations. Only global administrators can search for all organizations.

2. Select the **Edit** icon.
3. On the Edit Organisation page, edit the following fields:
 - **Name:** Enter the name of your organization.
 - **Country:** Select the drop-down menu and specify a country for your organization (for example, **United Kingdom**).
 - **Coordinator:** Select the drop-down menu and specify a coordinator for your organization. Available options include the administrators your organization specifies.
 - **Parent Organisation:** Select the drop-down menu and specify a parent organization for your organization (for example, **University of Oxford**).
 - **Description:** Enter a meaningful description for your organization.
 - **Type:** Select the drop-down menu and specify one of the following options: **Government Agency**, **Hospital Trust**, **Laboratory**, **Multilateral**, **Private**, **Public Repository**, or **University**.
 - **Active:** Toggle this off or on to make your organization inactive or active. By default, the Active toggle switch is set to on.

 Note:

Inactive status means that organization data is secure, but users cannot sign in or download samples.

4. On the top-right corner of the screen, select **Save**.

You can also manage configuration parameters, tags, and notifications from the Edit Organisation page. For more information, see the following topics:

- To configure parameters for your organization, see [Configure parameters for an organization](#).
- To request new tags or change tags for your organization, see [Edit tag details](#).
- To manage notifications for your organization, see [Manage notifications for an organization](#).

Configure parameters for an organization

You can configure parameters for an organization that uses GPAS on the Organisations page.

 Note:

If you are an organization administrator, you can only configure some of the parameters for your organization. Only global administrators can configure all parameters.

To configure parameters for an organization:

1. On the Organisations page, navigate to the organization you want to edit.

 Note:

You can search for a specific organization in GPAS by using the search functionality. For more information, see [Search for an organization](#).

2. Select the **Edit** icon.
3. On the Edit Organisation page, select the **Configuration** tab.
4. Navigate to the configuration parameter you want to manage and select the **Edit** icon.
For a list of default configuration parameters in GPAS, see [Configuration parameters](#).
5. In the Edit Organisation Configuration dialog box, perform the following actions:
 - Select the **Select Value** drop-down menu and specify a configuration option.
 - Enter a date range in the **Valid From** and **Valid To** date fields by selecting dates from the calendar controls or manually typing in a date value.
6. Select **Set**.

- [Configuration parameters](#)
The following table lists the default configuration parameters for GPAS.

Configuration parameters

The following table lists the default configuration parameters for GPAS.

Table 4-1 Configuration parameters

Configuration Parameter	Description
Hidden Organisation	Determines if an organization is hidden from other organizations in GPAS (for example, for top secret agencies).
Mask "Collection date"	Determines if an organization masks the collection date of samples in GPAS.
Preferred report paper size	Determines the paper size for Sample Summary PDF reports (for example, A4 or US Letter).
Remain incognito for selected days	Determines if samples for an organization are incognito for a period that the organization specifies.
Sample approve automatically	Determines if the run quality status of samples is automatically Pass.
Sample release automatically	Determines if statuses for samples automatically change from Unreleased to Released.
Sharing Organisation	Determines if an organization shares samples to the GPAS Shared Data Pool.

Manage notifications for an organization

You can manage notification recipients for your organization, using the Organisations page.



Note:

This task is intended for organization administrators.

To manage notifications for an organization:

1. On the Organisations page, navigate to the organization you want to edit.



Note:

You can search for a specific organization in GPAS by using the search functionality. For more information, see [Search for an organization](#).

2. Select the **Edit** icon.

3. On the Edit Organisation page, select the **Notification** tab.
4. Navigate to the notification topic you want to manage and select the **Edit** icon.
5. In the Edit Notification dialog box, perform the following actions:
 - Select the **Channel** drop-down menu and specify one of the following options: **Email** (to send an email to the user) or **System** (to send a notification within the application to the user).
 - In the Users field, begin typing the name of the user or users to whom you want to send the notification. Then, in the multiple select box, select one or more users and then select the arrow icons to move them between lists.
6. Select **Save**.

5

Manage Global Pathogen Analysis Service roles

You can manage Global Pathogen Analysis Service (GPAS) roles for your organization.

- [Roles](#)
You use the Roles page to manage your GPAS roles.
- [Search for a role](#)
You can search for GPAS roles on the Roles page.
- [Create a role](#)
You can create a GPAS role on the Roles page.
- [Edit role details](#)
You can edit details for GPAS roles on the Roles page.
- [Assign privileges](#)
You can assign privileges to GPAS roles on the Roles page.
- [Assign users to roles](#)
You can assign GPAS users to roles on the Roles page.
- [Delete a role](#)
You can delete GPAS roles on the Roles page.

Roles

You use the Roles page to manage your GPAS roles.

In GPAS, roles dictate which users can perform specific actions, such as uploading sample data, managing other users or organizations, and viewing reports.

You can use GPAS Administrator Portal to create and manage roles, assign privileges, and assign users to roles.



Note:

You must have global administrator privileges to create, edit, and delete roles, and assign privileges.

The following image shows an example of the Roles page.

Name	Key	Application ID	Application Name	Active	Users	Privileges	
			Public Health Dashboard	Yes			...
			User Portal	Yes			...
			Administrator Portal	Yes			...
			Administrator Portal	Yes			...
			Administrator Portal	Yes			...

For information on managing roles:

- To search for roles, see [Search for a role](#).
- To create a role in GPAS, see [Create a role](#).
- To edit role details, see [Edit role details](#).
- To assign privileges to a role, see [Assign privileges](#).
- To assign GPAS users to a role, see [Assign users to roles](#).
- To delete a role, see [Delete a role](#).

Search for a role

You can search for GPAS roles on the Roles page.

To search for a role:

1. On the Roles page, select the **Search** menu and then select one of the following parameters:
 - **Name:** Available options include the names of the roles your organization has in GPAS.
 - **Key:** Available options include the keys for roles your organization has in GPAS.
 - **App ID:** Available options include the application page numbers your organization can access in GPAS.
 - **Application Name:** Available options include the names of the GPAS applications your organization can access.
 - **Active:** Available options include **Yes** or **No**.
2. Press Enter.

Create a role

You can create a GPAS role on the Roles page.

**Note:**

You must have global administrator privileges to perform this task.

To create a role in GPAS:

1. On the Roles page, in the top-right corner of the screen, select **Create**.
2. In the Create Role dialog box, enter the following fields and values:
 - **Application:** Select the drop-down menu and then select **Public Health Dashboard** or **Administrator Portal**. This field is required.
 - **Parent Role:** Select the drop-down menu and then select the parent role for the role you are creating. Available options include the roles your organization defines. This field is optional.
 - **Name:** The name of the role. This is free text. This field is required.
 - **Key:** The unique identifier for the role. This is free text. This field is required.
 - **Active:** Toggle this off or on to make your role inactive or active. By default, the Active toggle switch is set to on. This field is required.

**Note:**

Inactive status means that the role exists in GPAS, but you cannot assign users to it.

3. Select **Create** to create the GPAS role.

Edit role details

You can edit details for GPAS roles on the Roles page.

**Note:**

You must have global administrator privileges to perform this task.

To edit role details:

1. On the Roles page, navigate to the role you want to edit.

 Note:

You can search for a specific GPAS role by using the search functionality. For more information, see [Search for a role](#).

2. Select the ellipsis icon (...) and then select **Edit**.
3. In the Edit Role dialog box, edit the following fields:
 - **Application:** Select the drop-down menu and then select **Public Health Dashboard** or **Administrator Portal**.
 - **Parent Role:** Select the drop-down menu and then select the parent role for the role you are creating. Available options include the roles your organization defines.
 - **Name:** The name of the role. This is free text.
 - **Key:** The unique identifier for the role. This is free text.
 - **Active:** Toggle this off or on to make your role inactive or active. By default, the Active toggle switch is set to on.
4. Select **Save**.

Assign privileges

You can assign privileges to GPAS roles on the Roles page.

 Note:

You must have global administrator privileges to perform this task.

To assign privileges to roles:

1. On the Roles page, navigate to the role where you want to assign privileges.

 Note:

You can search for a specific GPAS role by using the search functionality. For more information, see [Search for a role](#).

2. Select the ellipsis icon (...) and then select **Assign Privileges**.
3. In the Assign Privileges dialog box, select the check box next to each privilege you want to assign to your role.
4. Select **Assign**.

Assign users to roles

You can assign GPAS users to roles on the Roles page.



Note:

You can only assign one role to a user per application. If you assign another role to a user, this action unassigns the previous role.

To assign users to roles:

1. On the Roles page, navigate to the role to which you want to assign users.



Note:

You can search for a specific GPAS role by using the search functionality. For more information, see [Search for a role](#).

2. Select the ellipsis icon (...) and then select **Assign Users**.
3. In the Assign Users dialog box, select the check box next to each user you want to assign to your role.
4. Select **Assign**.

Delete a role

You can delete GPAS roles on the Roles page.



Note:

You must have global administrator privileges to perform this task.

To delete a GPAS role:

1. On the Roles page, navigate to the user you want to delete.



Note:

You can search for a specific GPAS role by using the search functionality. For more information, see [Search for a role](#).

2. Select the ellipsis icon (...) and then select **Edit**.
3. Select **Delete**. A dialog box opens, asking you to confirm this action.
4. Select **OK** to proceed or **Cancel** to cancel.

6

Manage Global Pathogen Analysis Service users

You can manage Global Pathogen Analysis Service (GPAS) users for your organization and your child organizations.

- [Users](#)
You use the Users page to manage your GPAS users.
- [Search for a user](#)
You can search for GPAS users on the Users page.
- [Create a user](#)
You can create a GPAS user on the Users page.
- [Edit user details](#)
You can edit GPAS user details on the Users page.
- [Assign tags to a user](#)
You can assign tags to a GPAS user on the Users page.
- [Delete a user](#)
You can delete GPAS users on the Users page.
- [Transfer samples](#)
You can transfer ownership of samples from one GPAS user to another on the Users page.
- [Manage notifications for a user](#)
You can manage the notifications a GPAS user receives on the Users page.

Users

You use the Users page to manage your GPAS users.

In GPAS, users interact with the User Portal and Public Health Dashboard applications. They upload sample data for the SARS-CoV-2 virus, verify the run quality status of batches, view sample details, and release samples to the GPAS Shared Data Pool. Users also view interactive dashboards to gain insights into information, such as collection dates, variants of concern (VoC), lineages, mutations, and geographic distribution, to make public health policy decisions.

You can use GPAS Administrator Portal to create and manage users in GPAS, assign tags to users, or transfer sample ownership from one user to another. Note that you can only perform these tasks for your organization or your child organizations.

The following image shows an example of the Users page.

User Name	First Name	Last Name	Organisation	Mobile Phone	Last Login	Active	Logins	Tags	Backup User
...	...	...	...	...	...	Yes	...	...	...
...	...	...	...	...	...	Yes	...	...	...
...	...	...	...	...	...	Yes	...	...	...
...	...	...	...	...	...	Yes	...	...	...
...	...	...	...	...	...	Yes	...	...	...
...	...	...	...	...	...	Yes	...	...	...
...	...	...	...	...	...	Yes	...	...	...

For information on managing users:

- To search for users, see [Search for a user](#).
- To create a user in GPAS, see [Create a user](#).
- To edit user details, see [Edit user details](#).
- To assign tags to a user, see [Assign tags to a user](#).
- To delete a user, see [Delete a user](#).
- To transfer samples from one user to another, see [Transfer samples](#).

Search for a user

You can search for GPAS users on the Users page.

To search for a user:

1. On the Users page, select the **Search** menu and then select one of the following parameters:
 - **Organisation:** Available options include organizations that your organization manages in GPAS.
 - **Email:** Available options include the email addresses of the users in your organization.
 - **Active:** Available options include **No** or **Yes**.
 - **Logins:** Enter a range, in numeric format, for the number of sign ins.
 - **Tags:** Enter a range, in numeric format, for the number of tags assigned to the user.
2. Press Enter.

Create a user

You can create a GPAS user on the Users page.

To create a user in GPAS:

1. On the Users page, in the top-right corner of the screen, select **Create**.
2. In the Create User dialog box, enter the following fields and values:
 - **Organisation:** Select the drop-down menu and navigate to the organization you want to set for your user. You can also type the organization name into the search bar and then select it. This field is required.

 Note:

Available options include the organizations that you have authorization to interact with (for example, your organization or your child organizations).

To see more organizations, scroll down and select **Load More Rows**.

- **User Name:** Enter the email address for the user. This field is required.
- **Active:** Toggle this off or on to make your user inactive or active. By default, the Active toggle switch is set to on. This field is required.

 Note:

Inactive status means that a user exists in GPAS, but cannot sign in to the applications, upload, or download samples.

- **First Name:** Enter the given name of the user.
- **Last Name:** Enter the last name of the user. This field is required.
- **Mobile Phone:** Enter the country code and telephone number of the user's mobile device.
- **Preferred Language:** Select the drop-down menu and specify one of the following options: **English**, **French**, or **Spanish**.
- **API Access:** Toggle this off or on to allow or deny the user permission to access the GPAS REST API.

 Note:

Toggling this option on is required for automated download of sample results.

For more information on APIs in GPAS, see the *REST APIs for Global Pathogen Analysis Service* documentation.

- **Copy tags from user:** You can copy a list of tags from an existing user with a similar role to the user you are creating. If you select this check box, a drop-down menu appears, where you can select a similar user from whom you want to copy tags. For more information on managing tags in GPAS, see [Manage tags](#).

For an in-depth explanation of how tags work in GPAS, see the *Global Pathogen Analysis Service User Portal Guide*.

- **Backup User:** Select the drop-down menu and specify a backup user for the samples this user owns.

A backup user can edit some metadata of the samples the primary user owns, including reviewing batches, viewing specific batch runs, confirming run qualities of batches, transferring ownership of samples, releasing samples, and assigning tags.

 Note:

You can only designate a backup user from the same organization as the user.

3. Select **Create** to create the GPAS user.

Edit user details

You can edit GPAS user details on the Users page.

To edit user details:

1. On the Users page, navigate to the user you want to edit.

 Note:

You can search for a specific GPAS user by using the search functionality. For more information, see [Search for a user](#).

2. Select the ellipsis icon (...) and then select **Edit**.
3. Edit the following fields:
 - **Organisation:** Select the drop-down menu and navigate to the organization you want to set for your user. You can also type the organization name into the search bar and then select it.
To see more organizations, scroll down and select **Load More Rows**.
 - **Active:** Toggle this off or on to make your user inactive or active. By default, the Active toggle switch is set to on.
 - **First Name:** Enter the given name of the user.
 - **Last Name:** Enter the last name of the user.
 - **Mobile Phone:** Enter the country code and telephone number of the user's mobile device.
 - **Preferred Language:** Select the drop-down menu and specify one of the following options: **English**, **French**, or **Spanish**.
 - **API Access:** Toggle this off or on to allow or deny the user permission to access the GPAS REST API.

 Note:

Toggling this option on is required for automated download of sample results.

For more information on APIs in GPAS, see the *REST APIs for Global Pathogen Analysis Service* documentation.

- **Copy tags from user:** You can copy a list of tags from an existing user with a similar role to the user you are creating. If you select this check box, a drop-down menu appears, where you can select a similar user from whom you want to copy tags. For more information on managing tags in GPAS, see [Manage tags](#).

For an in-depth explanation of how tags work in GPAS, see the *Global Pathogen Analysis Service User Portal Guide*.

- **Backup User:** Select the drop-down menu and specify a backup user for the samples this user owns.

A backup user can edit some metadata of the samples the primary user owns, including reviewing batches, viewing specific batch runs, confirming run qualities of batches, transferring ownership of samples, releasing samples, and assigning tags.

 Note:

You can only designate a backup user from the same organization as the user.

4. Select **Save**.

Assign tags to a user

You can assign tags to a GPAS user on the Users page.

For an in-depth explanation of how GPAS tags work, see the *Global Pathogen Analysis Service User Portal Guide*.

To assign tags to a user:

1. On the Users page, navigate to the user to whom you want to assign tags.

 Note:

You can search for a specific GPAS user by using the search functionality. For more information, see [Search for a user](#).

2. Select the ellipsis icon (...) and then select **Assign Tags**.
3. In the Assign Tags dialog box, select the check boxes next to the tags you want to assign to the user.

 Note:

You can also revoke user access to tags by clearing the check box next to the tag you want to remove.

4. When you are finished, select **Assign**.

Delete a user

You can delete GPAS users on the Users page.

To delete a GPAS user:

1. On the Users page, navigate to the user you want to delete.

 Note:

You can search for a specific GPAS user by using the search functionality. For more information, see [Search for a user](#).

2. Select the ellipsis icon (...) and then select **Delete User**.

 Note:

If a user owns samples, you must first transfer the samples. Select the **To User** drop-down menu and then select another user in your organization. If you do not do this, the option to delete the user is unavailable.

3. In the Delete User dialog box, select **Delete** to proceed or **Cancel** to cancel.

 Note:

When you delete a user account, that user can no longer sign in to GPAS, upload, or download samples, with immediate effect.

Transfer samples

You can transfer ownership of samples from one GPAS user to another on the Users page.

To transfer samples:

1. On the Users page, navigate to the user who owns the samples you want to transfer.

 Note:

You can search for a specific GPAS user by using the search functionality. For more information, see [Search for a user](#).

2. Select the ellipsis icon (...) and then select **Transfer Samples**.
3. In the Transfer Ownership of Samples dialog box, select the **To User** drop-down menu and then select the user to whom you want to transfer ownership.
4. Select **Transfer**.

 Note:

If the user you select does not own any samples, a banner displays indicating that the user does not own any samples, and the Transfer option is not available.

Manage notifications for a user

You can manage the notifications a GPAS user receives on the Users page.

To manage notifications:

1. On the Users page, navigate to the user you want to manage notifications for.

 Note:

You can search for a specific GPAS user by using the search functionality. For more information, see [Search for a user](#).

2. Select the ellipsis icon and then select **Manage Notifications**.
3. In the Subscriptions tab, select or clear the checkbox next to each notification type, depending on whether you want the user to receive it.
4. Select **Save**.

 Note:

- If you select the **History** tab, you can see a history of notifications your organization sent to the user.
- You can also view a notifications report for your organization or your child organizations by selecting **Notifications** from the main menu. Here, you can search by Name, Topic, Body, Created, Channel, Email, and Organisation.

7

Manage Global Pathogen Analysis Service administrators

You can manage Global Pathogen Analysis Service (GPAS) administrators for your organization.



Note:

You must have global administrator privileges to perform the tasks in the following topics.

- [Administrators](#)
You use the Administrators page to manage your GPAS administrators.
- [Search for an administrator](#)
You can search for GPAS administrators on the Administrators page.
- [Create an administrator account](#)
You can create a GPAS administrator account on the Administrators page.
- [Edit administrator details](#)
You can edit GPAS administrator details on the Administrators page.
- [Delete an administrator](#)
You can delete GPAS administrators on the Administrators page.

Administrators

You use the Administrators page to manage your GPAS administrators.



Note:

You must have global administrator privileges to view this page.

In GPAS, administrators interact with the Administrator Portal. They create and manage the users, administrators, tags, and roles for their organizations, manage subsidiary organizations, and view audit logs, storage buckets, and interactive user data.

You can use GPAS Administrator Portal to create and manage administrators for your organization.

The following image shows an example of the Administrators page.

Name ▾	User Name	Organisation	Role	Mobile Phone	Last Login	Active	Logins
...	...	...	...	...	...	Yes	...
...	...	...	...	...	...	Yes	...
...	...	...	...	...	...	Yes	...
...	...	...	...	...	...	Yes	...
...	...	...	...	...	...	Yes	...
...	...	...	...	...	...	Yes	...
...	...	...	...	...	...	Yes	...
...	...	...	...	...	...	Yes	...

For information on managing administrators:

- To search for administrators, see [Search for an administrator](#).
- To create an administrator account in GPAS, see [Create an administrator account](#).
- To edit administrator details, see [Edit administrator details](#).
- To delete an administrator, see [Delete an administrator](#).

Search for an administrator

You can search for GPAS administrators on the Administrators page.



Note:

You must have global administrator privileges to perform this task.

To search for an administrator:

1. On the Administrators page, select the **Search** menu and then select one of the following parameters:
 - **Organisation:** Available options include organizations that your organization manages in GPAS.
 - **Active:** Available options include **No** or **Yes**.
 - **Logins:** Enter a range, in numeric format, for the number of sign ins.
2. Press Enter.

Create an administrator account

You can create a GPAS administrator account on the Administrators page.



Note:

You must have global administrator privileges to perform this task.

To create an administrator in GPAS:

1. On the Administrators page, in the top-right corner of the screen, select **Create**.
2. In the Create Administrator dialog box, enter the following fields and values:
 - **Organisation:** Select the drop-down menu and navigate to the organization you want to set for your administrator. You can also type the organization name into the search bar and then select it.
To see more organizations, scroll down and select **Load More Rows**.
 - **User Name:** Enter the email address for the administrator.
 - **Active:** Toggle this off or on to make your administrator inactive or active. By default, the Active toggle switch is set to on.
 - **First Name:** Enter the given name of the administrator.
 - **Last Name:** Enter the last name of the administrator.
 - **Mobile Phone:** Enter the country code and telephone number of the administrator's mobile device.
 - **Language:** Select the drop-down menu and specify one of the following options: **English**, **French**, or **Spanish**.
 - **Role:** Select the drop-down list and specify a role for the administrator. Available options include the roles your organization determines. For more information on roles in GPAS, see [Manage Global Pathogen Analysis Service roles](#).
3. Select **Create** to create the GPAS administrator.

Edit administrator details

You can edit GPAS administrator details on the Administrators page.



Note:

You must have global administrator privileges to perform this task.

To edit administrator details:

1. On the Administrators page, navigate to the administrator you want to edit.

 Note:

You can search for a specific GPAS administrator by using the search functionality. For more information, see [Search for an administrator](#).

2. Select the **Edit** icon.
3. Edit the following fields:
 - **Active:** Toggle this off or on to make your administrator inactive or active. By default, the Active toggle switch is set to on.
 - **First Name:** Enter the given name of the administrator.
 - **Last Name:** Enter the last name of the administrator.
 - **Mobile Phone:** Enter the country code and telephone number of the administrator's mobile device.
 - **Language:** Select the drop-down menu and specify one of the following options: **English**, **French**, or **Spanish**.
 - **Role:** Select the drop-down menu and specify a role. Available options include the roles your organization determines. For more information on roles in GPAS, see [Manage Global Pathogen Analysis Service roles](#).
4. Select **Save**.

Delete an administrator

You can delete GPAS administrators on the Administrators page.

 Note:

You must have global administrator privileges to perform this task.

To delete a GPAS administrator:

1. On the Administrators page, navigate to the administrator you want to delete.

 Note:

You can search for a specific GPAS administrator by using the search functionality. For more information, see [Search for an administrator](#).

2. Select the ellipsis icon (...) and then select **Edit**.
3. Select **Delete**. A dialog box opens, asking you to confirm this action.
4. Select **OK** to proceed or **Cancel** to cancel.

8

Manage tags

You can manage tags that users and organizations use in Global Pathogen Analysis Service (GPAS).

- [Tags](#)
You use the Tags page to manage tags that your users and organizations can use in GPAS.
- [Search for a tag](#)
You can search for GPAS tags on the Tags page.
- [Edit tag details](#)
You can edit GPAS tag details on the Tags page.
- [Create a tag](#)
You can create a GPAS tag on the Tags page.
- [Assign users to tags](#)
You can assign GPAS users to tags on the Tags page.
- [Grant an organization access to a tag](#)
You can grant an organization access to a GPAS tag in the Tags page.

Tags

You use the Tags page to manage tags that your users and organizations can use in GPAS.

In GPAS, tags control who can access or view sample data in an organization. All samples have one or more tags that users manually assign, either when uploading to GPAS or when viewing sample data in the Samples page of GPAS User Portal.

For an in-depth explanation of how GPAS tags work, see the *Global Pathogen Analysis Service User Portal Guide*.

You can use GPAS Administrator Portal to create and manage tags for organizations, grant organizations access to tags, and assign users to individual tags.



Note:

To define tags, you must have global administrator privileges. Organization administrators can assign users to tags and grant organizations access to tags.

The following image shows an example of the Tags page.

Name	Description	Organisation	Access	Relatedness	Samples	Grants	Users	
...	...	...	Yes	No	...	...	...	...
...	...	...	No	Yes	...	...	...	...
...	...	...	No	No	...	...	...	...
...	...	...	No	No	...	...	...	...
...	...	...	Yes	No	...	...	...	...
...	...	...	Yes	Yes	...	...	...	...
...	...	...	No	No	...	...	...	...

For information on managing tags:

- To search for tags, see [Search for a tag](#).
- To edit tag details, see [Edit tag details](#).
- To create a tag, see [Create a tag](#).
- To assign GPAS users to tags, see [Assign users to tags](#).
- To grant GPAS organizations access to tags, see [Grant an organization access to a tag](#).

Search for a tag

You can search for GPAS tags on the Tags page.

To search for a tag:

1. On the Tags page, select the **Search** menu and then select one of the following parameters:
 - **Name:** This is free text.
 - **Description:** This is free text.
 - **Organisations:** This is free text.
 - **Access:** Available options include **Yes** or **No**.
 - **Relatedness:** Available options include **Yes** or **No**.
2. Press Enter.

Edit tag details

You can edit GPAS tag details on the Tags page.



Note:

You must have global administrator privileges to perform this task.

To edit tag details:

1. Do one of the following:

- On the Tags page, navigate to the tag you want to edit and select the **Edit** icon.

 Note:

You can search for a specific tag by using the search functionality. For more information, see [Search for a tag](#).

- On the Edit Organisations page, select the **Tags** tab, navigate to the tag you want to edit, and then select the **Edit** icon.

For more information about editing an organization, see [Edit organization details](#).

2. On the Edit Tags page, edit the following fields:

- **Name:** Enter a name for the tag.
- **Organisation:** Select the drop-down menu and navigate to the organization that you want to own the tag. You can also type the organization name into the search bar and then select it.

To see more organizations, scroll down and select **Load More Rows**.

- **Description:** Enter a meaningful description for your tag.
- **Access:** Toggle this off or on to make your tag available by granting access to other organizations. By default, the Access toggle switch is set to off.

For more information on granting organizations access to GPAS tags, see [Grant an organization access to a tag](#).

- **Relatedness:** Toggle this off or on to make your tag viewable by users in other sharing organizations. This also includes samples with this tag in the counts in the Relatedness tab of the Samples page in GPAS User Portal. By default, the Relatedness toggle switch is set to off.

For more information on sample relatedness, see the *Global Pathogen Analysis Service User Portal Guide*.

3. Select **Save**.

Create a tag

You can create a GPAS tag on the Tags page.

 Note:

You must have global administrator privileges to perform this task.

To create a tag in GPAS:

1. On the Tags page, in the top-right corner of the screen, select **Create**.
2. In the Create Tag dialog box, enter the following fields and values:
 - **Name:** Enter a name for the tag. This field is required.

- **Organisation:** Select the drop-down menu and navigate to the organization that you want to own the tag. You can also type the organization name into the search bar and then select it. This field is required.

To see more organizations, scroll down and select **Load More Rows**.

- **Description:** Enter a meaningful description for your tag.
- **Access:** Toggle this off or on to make your tag available by granting access to other organizations. By default, the Access toggle switch is set to off.

For more information on granting organizations access to GPAS tags, see [Grant an organization access to a tag](#).

- **Relatedness:** Toggle this off or on to make your sample viewable by users in other sharing organizations. This also includes samples with this tag in the counts in the Relatedness tab of the Samples page in GPAS User Portal. By default, the Relatedness toggle switch is set to off.

For more information on sample relatedness, see the *Global Pathogen Analysis Service User Portal Guide*.

3. Select **Create** to create the GPAS tag.

Assign users to tags

You can assign GPAS users to tags on the Tags page.

To assign users to tags:

1. On the Tags page, navigate to the tag to which you want to assign users.

Note:

You can search for a specific GPAS tags by using the search functionality. For more information, see [Search for a tag](#).

2. Select the ellipsis icon (...) and then select **Assign Users**.
3. In the Assign Users dialog box, select the check box next to each user that you want to assign to the tag.
4. Select **Assign**.

Grant an organization access to a tag

You can grant an organization access to a GPAS tag in the Tags page.

Note:

You can only interact with the tags your organization has permission to view, such as tags your organization owns or tags that other organizations grant to your organization.

To grant an organization access to a tag:

1. Do one of the following:

- On the Tags page, navigate to the tag you want to grant to an organization and select the **Edit** icon.

 Note:

You can search for a specific tag by using the search functionality. For more information, see [Search for a tag](#).

- On the Edit Organisations page, select the **Tags** tab, navigate to the tag you want to edit, and then select the **Edit** icon.
For more information about editing an organization, see [Edit organization details](#).

2. Select **Create Grant**.

3. In the Create Grant dialog box, begin typing the name of the organization or organizations that you want to grant access. Then, in the multiple select box, select one or more users and then select the arrow icons to move them between lists.
4. Enter a date range in the **Date From** and **Date To** date fields by selecting dates from the calendar controls or manually typing in a date value.
5. In the **Description** field, enter a description for the grant, such as a justification for sharing the tag with the organizations you specify.
6. Select **Create** to create the grant.

9

View audit logs

You can view audit logs for Global Pathogen Analysis Service (GPAS) tables.

- [Audit Log](#)
You use the Audit Log page to view audit logs for GPAS tables.
- [Search for an audit log](#)
You can search for audit logs for a GPAS organization using the search bar on the Audit Log page.
- [Search for an audit log by date range](#)
You can search for GPAS audit logs by date range on the Audit Log page.

Audit Log

You use the Audit Log page to view audit logs for GPAS tables.

Audit logs are records of all activity that occurs within GPAS for an organization. For example, if a user transfers samples to another user, GPAS creates a record that includes the table, record label, field, old and new values, action, date and time, user, and organization for the transfer.

You can use GPAS Administrator Portal to view the audit logs for your organization or your child organizations.



Note:

If you are an organization administrator, you can only view the audit logs for your organization and your child organizations. Only global administrators can view the audit logs for all organizations.

The following image shows an example of the Audit Log page.

The screenshot shows the 'Audit Log' interface. At the top, there are date range selectors for 'Date from' (25-JUL-2022 01:26:41PM) and 'Date to' (27-JUL-2022 01:26:41PM), with a 'GO' button. Below this, there are tabs for 'Audit Log' and 'Charts'. A search bar is present with the placeholder 'Search...'. Below the search bar, there are input fields for 'Table Name', 'Field Name', 'User Name', and 'Action'. The main content area displays '950K results' in a table format. The table has columns: Table Name, Record Label, Field Name, Old Value, New Value, Action, Time Stamp, User Name, and Organisation. The first few rows show 'insert' actions on 'Sample Tags' with various field values.

Table Name	Record Label	Field Name	Old Value	New Value	Action	Time Stamp	User Name	Organisation
Sample Tag	Sample Tag	Sample Tag			insert	27-JUL-2022 01:26:41PM	ADMINISTRATOR	GPAS
Sample Tag	Sample Tag	Sample Tag			insert	27-JUL-2022 01:26:41PM	ADMINISTRATOR	GPAS
Sample Tag	Sample Tag	Sample Tag			insert	27-JUL-2022 01:26:41PM	ADMINISTRATOR	GPAS
Sample Tag	Sample Tag	Sample Tag			insert	27-JUL-2022 01:26:41PM	ADMINISTRATOR	GPAS
Sample Tag	Sample Tag	Sample Tag			insert	27-JUL-2022 01:26:41PM	ADMINISTRATOR	GPAS
Sample Tag	Sample Tag	Sample Tag			insert	27-JUL-2022 01:26:41PM	ADMINISTRATOR	GPAS
Sample Tag	Sample Tag	Sample Tag			insert	27-JUL-2022 01:26:41PM	ADMINISTRATOR	GPAS

You can also switch between tabular view and chart view by selecting either the **Audit Log** or **Chart** tabs. Charts show histograms of the number of audit logs for your organization by table, operation, and date.

For information on searching for audit logs:

- To search for audit logs, see [Search for an audit log](#).
- To search for audit logs by date range, see [Search for an audit log by date range](#).

Search for an audit log

You can search for audit logs for a GPAS organization using the search bar on the Audit Log page.

To search for an audit log:

1. On the Audit Log page, select the **Search** menu and then select one of the following parameters:
 - **Table Name:** Available options include the following: **Samples, Sample Pipelines, Analysis, Sample Tags, PE Reads, GPAS Users, Sample Batches, SE Reads, Organisation Configuration, Access Tags, Sample Errors, Tags, OCI Buckets, and Organisations.**
 - **Field Name:** Select one of the available options (for example, **Sample, Active, Pipeline, Pipeline Version, Status,** and more).
 - **User Name:** Available options include the usernames for users in your organization.
 - **Action:** Available options include **insert, update, or delete.**
 - **Record Label:** Available options include labels within the GPAS table for which you want to view an audit log.
 - **Old Value:** This is free text.
 - **New Value:** This is free text.
2. Press Enter.

Search for an audit log by date range

You can search for GPAS audit logs by date range on the Audit Log page.

To search for an audit log by date range:

1. Select the **Date from** and **Date to** calendar controls and select your dates.
2. Select **Go**.

10

View buckets for organizations

You can view storage buckets for organizations that use Global Pathogen Analysis Service (GPAS).

- [Buckets](#)
You use the Buckets page to view cloud storage buckets for organizations that use GPAS.
- [Search for a bucket](#)
You can search for GPAS buckets on the Buckets page.

Buckets

You use the Buckets page to view cloud storage buckets for organizations that use GPAS.

In GPAS, buckets store all the sample data for an organization, including FASTQ and FASTA files for samples. Each organization has an input bucket and output bucket.

You use the Buckets page to search for and view the unique identifiers (alphanumeric strings) of storage buckets for an organization.



Note:

If you are an organization administrator, you can only view the buckets for your organization and your child organizations. Only global administrators can view buckets for all organizations.

The following image shows an example of the Buckets page.

Name	Type	Organisation Name	Objects	Created On
...	INPUT	...		...
...	INPUT	...		...
...	INPUT	...		...
...	OUTPUT	...		...
...	OUTPUT	...	10	...
...	OUTPUT	...		...
...	INPUT	...		...
...	OUTPUT	...		...
...	INPUT	...		...
...	INPUT	...	10	...

For more information on searching for buckets in GPAS, see [Search for a bucket](#).

Search for a bucket

You can search for GPAS buckets on the Buckets page.

To search for a bucket:

1. On the Buckets page, select the **Search** menu and then select one of the following parameters:
 - **Name:** This is free text.
 - **Type:** Available options include **INPUT** or **OUTPUT**.
 - **Organisations:** This is free text.
2. Press Enter.