

Global Pathogen Analysis Service

Analytics Guide



F59065-01
October 2022



Copyright © 2022, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Documentation accessibility	v
Related Resources	v
Diversity and Inclusion	v

1 Introduction

Overview	1-1
----------	-----

2 Tables

Tables overview	2-2
FN4 Neighbour Attributes	2-2
FN4 Neighbour Fact	2-2
Gen1 Attributes	2-3
Location	2-4
Organisation	2-4
Organisms	2-5
Sample Attributes	2-5
Sample Collection Date	2-8
Sample Fact	2-9
Sample Mutation Attributes	2-10
Sample Mutation Fact	2-11
Sample Read Attributes	2-12
Sample Read Fact	2-13
Statuses	2-14
VOC	2-14

3 Subject areas and metrics

Subject area overview	3-1
GPAS Sample Analysis subject area	3-1

4 Sample Reports

Reports overview	4-1
Access sample reports	4-2
Sample report: Scientists and Researchers	4-3
Sample report: Neighbours Analysis	4-3
Sample report: Public Health and Admin	4-4

Preface

This preface contains the following sections:

- [Documentation accessibility](#)
- [Related Resources](#)
- [Diversity and Inclusion](#)

Documentation accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Related Resources

All documentation and other supporting materials are available on the [Oracle Help Center](#).

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

1

Introduction

This chapter contains the following topic:

- [Overview](#)
This guide contains the information about Global Pathogen Analysis Service (GPAS) tables in Oracle Analytics. It also includes information about subject area and metric details.

Overview

This guide contains the information about Global Pathogen Analysis Service (GPAS) tables in Oracle Analytics. It also includes information about subject area and metric details.

You can use this information to build reports and analyze data on FN4 relatedness, pipeline components, locations, organizations, organisms, samples, sample statuses, and Variants of Concern (VoC). This guide contains samples of the types of reports you can build.

For details on how to use Oracle Analytics to build reports, see [Getting Started with Oracle Analytics Cloud](#) and [Connecting Oracle Analytics Cloud to Your Data](#). You can also contact your Customer Success manager to take Oracle Analytics training for GPAS.

2

Tables

This chapter contains the following topics:

- [Tables overview](#)
The Global Pathogen Analysis Service (GPAS) tables provide columns with details on FN4 relatedness, pipeline components, locations, organizations, organisms, samples, sample statuses, and Variants of Concern (VoC). The tables categorize the information you can analyze when you build reports from real data in Oracle Analytics. The fact tables include the numeric data on specific types of columns.
- [FN4 Neighbour Attributes](#)
The FN4 Neighbour Attributes table includes the columns related to the attributes of FindNeighbour4 analysis in GPAS.
- [FN4 Neighbour Fact](#)
The FN4 Neighbour Fact table includes the columns related to the facts of FindNeighbour4 analysis in GPAS.
- [Gen1 Attributes](#)
The Gen1 Attributes table contains the columns related to the attributes of the pipeline components in GPAS.
- [Location](#)
The Location table includes columns related to the locations created in GPAS.
- [Organisation](#)
The Organisation table includes columns related to the organizations created in GPAS.
- [Organisms](#)
The Organisms table includes columns related to the organisms created in GPAS.
- [Sample Attributes](#)
The Sample Attributes table includes columns related to the samples uploaded to GPAS.
- [Sample Collection Date](#)
The Sample Collection Date table includes columns related to the collection dates for samples uploaded to GPAS.
- [Sample Fact](#)
The Sample Fact table includes columns related to the facts on samples in GPAS.
- [Sample Mutation Attributes](#)
The Sample Mutation Attributes table includes columns related to the attributes of sample mutations in GPAS.
- [Sample Mutation Fact](#)
The Sample Mutation Fact table includes columns related to the facts of sample mutations in GPAS.
- [Sample Read Attributes](#)
The Sample Read Attributes table includes columns related to the attributes of sample reads in GPAS.

- [Sample Read Fact](#)
The Sample Read Fact table includes columns related to the facts of sample reads in GPAS.
- [Statuses](#)
The Statuses table includes columns related to statuses in GPAS.
- [VOC](#)
The VOC table includes columns related to Variants of Concern (VoC) in GPAS.

Tables overview

The Global Pathogen Analysis Service (GPAS) tables provide columns with details on FN4 relatedness, pipeline components, locations, organizations, organisms, samples, sample statuses, and Variants of Concern (VoC). The tables categorize the information you can analyze when you build reports from real data in Oracle Analytics. The fact tables include the numeric data on specific types of columns.

FN4 Neighbour Attributes

The FN4 Neighbour Attributes table includes the columns related to the attributes of FindNeighbour4 analysis in GPAS.

Details

Model: GPAS Business Model

Table 2-1 FN4 Neighbour Attributes Columns

Column	Description
Gen1 SNV	Similarity between the sample and gen1 neighbour

FN4 Neighbour Fact

The FN4 Neighbour Fact table includes the columns related to the facts of FindNeighbour4 analysis in GPAS.

Details

Model: GPAS Business Model

Table 2-2 FN4 Neighbour Fact Columns

Column	Description
# Identical	Number of identical (SNV=0) neighbours
# Samples	Number of samples
# Very Similar	Number of very similar (SNV=2) neighbours
# Similar	Number of similar (SNV=3) neighbours
# Gen1 Neighbour	Number of gen1 neighbours

Table 2-2 (Cont.) FN4 Neighbour Fact Columns

Column	Description
# Highly Similar	Number of highly similar (SNV=1) neighbours

Gen1 Attributes

The Gen1 Attributes table contains the columns related to the attributes of the pipeline components in GPAS.

Details

Model: GPAS Business Model

Table 2-3 Gen1 Attributes Columns

Column	Description
Gen1 Nextclade	Nextclade (i.e. 19A) of the gen1 neighbour
Gen1 Nextclade Extra	Nextclade extra (i.e. Omicron) of the gen1 neighbour
Gen1 Pango Conflict	Pango conflict of the gen1 neighbour
Gen1 Pangolin Version	Pangolin version used in the gen1 neighbour analysis
Gen1 Scorpio Conflict	Scorpio conflict of the gen1 neighbour
Gen1 Nextclade Version	Nextclade version used in the gen1 neighbour analysis
Gen1 Sample Name	Name of the gen1 neighbour
Gen1 Pango Lineage	Pango lineage (i.e. B.1.1.529) of the gen1 neighbour
Gen1 Pango Version	Pango version used in the gen1 neighbour analysis
Gen1 PLEARN Version	PLEARN version used in the gen1 neighbour analysis
Gen1 Scorpio Call	Scorpio call (i.e. Omicron (BA.2-like)) of the gen1 neighbour
Gen1 Scorpio Support	Scorpio support of the gen1 neighbour
Gen1 Scorpio WHO	Scorpio WHO (i.e. Omicron) of the gen1 neighbour
Gen1 VOC1 PHE Label	VOC1 PHE label (i.e. VOC-20DEC-02) of the gen1 neighbour
Gen1 VOC1 PHE Status	VOC1 PHE status of the gen1 neighbour

Table 2-3 (Cont.) Gen1 Attributes Columns

Column	Description
Gen1 Control Tag	Control tag of the gen1 neighbour
Gen1 FN4 Validity	FN4 validity of the gen1 neighbour
Gen1 Sample Collection Date	Date the gen1 neighbour was collected
Gen1 Active YN	Active flag of the gen1 neighbour
Gen1 Sample Id	Id of the gen1 neighbour

Location

The Location table includes columns related to the locations created in GPAS.

Details

Model: GPAS Business Model

Table 2-4 Location Columns

Column	Description
Country Name	Name of the country where the sample was collected
Country Code	ISO Country Code (i.e. GBR) where the sample was collected

Organisation

The Organisation table includes columns related to the organizations created in GPAS.

Details

Model: GPAS Business Model

Table 2-5 Organisation Columns

Column	Description
Organisation Name	Name of the organisation
Country Name	Name of the country where the organisation is located
Organisation Description	Description of the organisation
Coordination Email	Email address for the coordinator of the organisation
Country Code	ISO Country Code (i.e. GBR) where the organisation is located

Table 2-5 (Cont.) Organisation Columns

Column	Description
Organisation Type	Type of the organisation
Share Data YN	Share Data flag for the organisation

Organisms

The Organisms table includes columns related to the organisms created in GPAS.

Details

Model: GPAS Business Model

Table 2-6 Organisms Columns

Column	Description
Organism Name	Name of the organism

Sample Attributes

The Sample Attributes table includes columns related to the samples uploaded to GPAS.

Details

Model: GPAS Business Model

Table 2-7 Sample Attributes Columns

Column	Description
Substitutions	List of substitutions for the sample
Total Frame Shifts	Total number of frame shifts for the sample
Successful Amplicons	Number of successful amplicons for the sample
Total AA Substitutions	Total number of AA substitutions for the sample
Total Amplicons	Number of total amplicons for the sample
Total Deletions	Total number of deletions for the sample
Total AA Deletions	Total number of AA deletions for the sample
Owned By	Name of the user that uploaded the sample
Batch Number	Number of the sample batch
Batch Uploaded By	Name of the user that uploaded the sample batch

Table 2-7 (Cont.) Sample Attributes Columns

Column	Description
Comments	Comments for the sample
Consensus Genome	Consensus genome of the sample
Scorpio WHO	Scorpio WHO (i.e. Omicron) of the sample
Batch Uploaded On	Date the sample batch was uploaded
Control Tag	Control tag of the sample
Created On	Date when the sample was uploaded
Total Reads	Number of total reads for the sample
Scorpio Support	Scorpio support of the sample
Total AA Insertions	Total number of AA insertions for the sample
Total Insertions	Total number of insertions for the sample
Total Non ACGTNS	Total number of non-ACGTNS characters for the sample
Total PCR Primer Changes	Total number of PCR primer changes for the sample
Total Substitutions	Total number of substitutions for the sample
Unpaired Reads	Number of unpaired reads for the sample
VOC1 PHE Label	VOC1 PHE label (i.e. VOC-20DEC-02) of the sample
VOC1 PHE Status	VOC1 PHE status of the sample
VOC1 PHE UID	VOC1 PHE unique identifier of the sample
VOC2 PHE Label	VOC2 PHE label (i.e. VOC-20DEC-02) of the sample
VOC2 PHE Status	VOC2 PHE status of the sample
VOC2 PHE UID	VOC2 PHE unique identifier of the sample
VOC3 PHE Label	VOC3 PHE label (i.e. VOC-20DEC-02) of the sample
VOC3 PHE Status	VOC3 PHE status of the sample
VOC3 PHE UID	VOC3 PHE unique identifier of the sample
E484K PHE Label	E484K PHE label of the sample
E484K PHE Status	E484K PHE status of the sample
E484K PHE UID	E484K PHE unique identifier of the sample
Active YN	Active flag of the sample

Table 2-7 (Cont.) Sample Attributes Columns

Column	Description
Consensus N Count	Consensus N count of the sample
Deletions	List of deletions for the sample
Frame Shifts	List of frame shifts for the sample
Batch File Name	Name of the sample batch file
AA Deletions	List of amino acid deletions for the sample
AA Insertions	List of amino acid insertions for the sample
AA Substitutions	List of amino acid Substitutions for the sample
Alignment End	Sequence alignment end
Alignment Score	Alignment score of the sample
Alignment Start	Sequence alignment start
Ambiguity Score	Ambiguity score of the sample
Amplicon Scheme Name	Amplicon scheme used for sample analysis
Completeness	Genome sequence completeness of the sample
Consensus Length	Consensus length of the sample
Insertions	List of insertions for the sample
Mapped Reads	Number of mapped reads
Nextclade	Nextclade (i.e. 19A) of the sample
Nextclade WHO	Nextclade WHO (i.e. Omicron) of the sample
Nextclade Version	Nextclade version used in the sample analysis
Non ACGTNS	List of non-ACGTNS characters for the sample
Pango Conflict	Pango conflict of the sample
Pango Lineage	Pango lineage (i.e. B.1.1.529) of the sample
Pango Version	Pango version used in the sample analysis
Pangolin Version	Pangolin version used in the sample analysis
PCR Primer Changes	List of PCR primer changes for the sample
PLEARN Version	PLEARN version used in the sample analysis
QC Status	Quality control status of the sample
Reads1	Reads1 from the read and primer stats of the sample
Reads2	Reads2 from the read and primer stats of the sample
Reference Id	Id of reference genome used for sample analysis
Scorpio Call	Scorpio call (i.e. Omicron (BA.2-like)) of the sample
Scorpio Conflict	Scorpio conflict of the sample

Table 2-7 (Cont.) Sample Attributes Columns

Column	Description
Instrument Flowcell	Instrument flowcell used for the sample analysis
Instrument Model	Instrument model used for the sample analysis
Instrument Platform	Instrument platform used for the sample analysis
Release Date	Date the sample was released
Report Last Run	Date when the report was last run
Run Number	Run number of the sample
Run Quality Status	Run quality status of the sample
Sample Collection Date	Date the sample was collected
Sample Host	Host of the sample
Sample Name	Name of the sample
Specimen Source	Specimen source of the sample

Sample Collection Date

The Sample Collection Date table includes columns related to the collection dates for samples uploaded to GPAS.

Details

Model: GPAS Business Model

Table 2-8 Sample Collection Date Columns

Column	Description
Week Of Year	Week number within the year the sample was collected
Year	Four-digit year the sample was collected
Calendar Date	Date sample was collected
Canonical Date	Date sample was collected, in UK date format (i.e. 2022-01-01)
Day Name	Full name of the day of the week the sample was collected
Day Name Short	Abbreviated name of the day of the week the sample was collected
Day Of Month	Day of the month the sample was collected
Day Of The Week	Day of the week the sample was collected
Month Name	Full name of the month the sample was collected

Table 2-8 (Cont.) Sample Collection Date Columns

Column	Description
Month Name Short	Abbreviated name of the month the sample was collected
Month Two Digit	Two digit numeric code for the month number in the year (Jan = 01, Feb = 02 etc) the sample was collected
Quarter	Quarter number within the year (1,2,3,4) the sample was collected
Week Of Month	Week number within the month the sample was collected
Year Month	Year and month in YYYY-MM format (i.e, 2021-06) the sample was collected
Year Week	Year and week in YYYY-WW format (i.e., 2021-40) the sample was collected

Sample Fact

The Sample Fact table includes columns related to the facts on samples in GPAS.

Details

Model: GPAS Business Model

Table 2-9 Sample Fact Columns

Column	Description
# of Sample Batches	Number of sample batches
Total Deletions	Total number of deletions for the sample
Total Insertions	Total number of insertions for the sample
Total AA Deletions	Total number of amino acid deletions for the sample
# of Samples (Rank)	Rank of number of samples
# of Samples (7 Day Moving Average)	7 day moving average of number of samples
First Sample Date (Rank)	Rank of first sample collection date
# of Samples (Running Sum)	Running sum of number of samples
# of VOCs	Number of distinct VOCs in the samples
# of Lineages	Number of distinct lineages in the samples
# of Sample Batches (Last 7 Days)	Number of sample batches uploaded in the last 7 days
# of Sample Batches (Running Sum)	Running sum of number of sample batches

Table 2-9 (Cont.) Sample Fact Columns

Column	Description
# of Samples	Number of samples
# of Samples (Last 7 Days)	Number of samples uploaded in the last 7 days
% Change Last 7 Days	Percent change in number of samples in the last 7 days
Avg # of Samples per Batch	Average numbers of samples per sample batch
Days Since Last Upload	Days since last sample batch was uploaded
Duration	Duration of time between first and last sample collection dates
First Sample Date	First sample collection date
Last Sample Date	Last sample collection date
Most Recent Upload	Most recent date of sample batch upload
Total AA Insertions	Total number of amino acid insertions for the sample
Total AA Substitutions	Total number of amino acid substitutions for the sample
Total Frame Shifts	Total number of frame shifts for the sample
Total Missing	Total number of missing for the sample
Total PCR Primer Changes	Total number of PCR primer changes for the sample
Total Non ACGTNS	Total number of non-ACGTNS characters for the sample
Total Substitutions	Total number of substitutions for the sample

Sample Mutation Attributes

The Sample Mutation Attributes table includes columns related to the attributes of sample mutations in GPAS.

Details

Model: GPAS Business Model

Table 2-10 Sample Mutation Attributes Columns

Column	Description
Codon Nuc Range Begin	Codon nucleotide range start of the mutation
AA Change	Amino acid change (i.e. S:N501Y)
AA Nuc Type	Identifies whether this is an amino acid or nucleotide mutation
Alt Codon	Alt codon of the mutation
Character	Missing character
Codon	Codon of the amino acid mutation
Codon Nuc Range End	Codon nucleotide range end of the mutation
Context Nuc Range Begin	Context nucleotide range start of the mutation
Context Nuc Range End	Context nucleotide range end of the mutation
Gene	Gene affected by the mutation
Ins	Insertion details of the mutation
Length	Length of the mutation
Missing Begin	Missing start position
Missing End	Missing end position
Mutation Type	Type of the mutation
Pos	Position of the mutation
Query AA	Query amino acid of the mutation
Query Context	Query context of the mutation
Query Nuc	Query nucleotide of the mutation
Ref AA	Reference amino acid of the mutation
Ref Codon	Reference codon of the mutation
Ref Context	Reference context of the mutation
Ref Nuc	Reference nucleotide of the mutation
SNP	Single nucleotide polymorphism (i.e. aa:S:N501Y)
Triplet Number	Triplet number of the mutation
Variant Name	Name of variant

Sample Mutation Fact

The Sample Mutation Fact table includes columns related to the facts of sample mutations in GPAS.

Details

Model: GPAS Business Model

Table 2-11 Sample Mutation Fact Columns

Column	Description
# of AA Deletions	Number of amino acid deletions for the sample
# of AA Insertions	Number of amino acid insertions for the sample
# of Total AA Mutations	Total number of amino acid mutations for the sample
# of AA Substitutions	Number of amino acid substitutions for the sample
# of Nuc Deletions	Number of nucleotide deletions for the sample
# of Nuc Insertions	Number of nucleotide insertions for the sample
# of Nuc Missing	Number of nucleotide missing for the sample
# of Total Nuc Mutations	Total number of nucleotide mutations for the sample
# of Nuc Substitutions	Number of nucleotide substitutions for the sample
# of Samples	Number of samples

Sample Read Attributes

The Sample Read Attributes table includes columns related to the attributes of sample reads in GPAS.

Details

Model: GPAS Business Model

Table 2-12 Sample Read Attributes Columns

Column	Description
Total Mapped Bases	Number of total mapped bases
Gene	Gene of the sample read
Polished Masked Seq	Polished masked sequence of the sample read
Read Start	Start position of the sample read
Right Primer Length	Right primer length of the sample read
Amplicons	Number of amplicons in the sample read
Amplicon Scheme Name	Amplicon scheme used for sample analysis

Table 2-12 (Cont.) Sample Read Attributes Columns

Column	Description
Assemble Success	Assembly success of the sample read
Coverage For Polishing	Coverage for polishing of the sample read
Forward Strand	Forward strand of the sample read
Left Primer Length	Left primer length of the sample read
Polish Success	Polish success of the sample read
Polished Seq	Polished sequence of the sample read
Read End	End position of the sample read
Read Length	Length of the sample read
Read Name	Name of the sample read
Reads Used	Number of reads used
Reverse Strand	Reverse strand of the sample read
Sampled Bases	Number of sampled bases
Sampled Depth	Sampled depth of sample read

Sample Read Fact

The Sample Read Fact table includes columns related to the facts of sample reads in GPAS.

Details

Model: GPAS Business Model

Table 2-13 Sample Read Fact Columns

Column	Description
Total Mapped Bases	Number of total mapped bases
Coverage For Polishing	Coverage for polishing of the sample read
Read Length	Length of the sample read
Reverse Strand	Reverse strand of the sample read
Sampled Depth	Sampled depth of sample read
Amplicons	Number of amplicons in the sample read
Left Primer Length	Left primer length of the sample read
Reads Used	Number of reads used
Avg Amplicons by Scheme	Average number of amplicons by scheme

Table 2-13 (Cont.) Sample Read Fact Columns

Column	Description
Forward Strand	Forward strand of the sample read
Read End	End position of the sample read
Read Start	Start position of the sample read
Right Primer Length	Reverse strand of the sample read
Sampled Bases	Number of sampled bases
Total Depth	Total depth of sample read

Statuses

The Statuses table includes columns related to statuses in GPAS.

Details

Model: GPAS Business Model

Table 2-14 Statuses Columns

Column	Description
Batch Status	Status of the sample batch
Sample Status	Status of the sample

VOC

The VOC table includes columns related to Variants of Concern (VoC) in GPAS.

Details

Model: GPAS Business Model

Table 2-15 VOC Columns

Column	Description
PHE Label	PHE label of the variant of concern
PHE Status	PHE status of the variant of concern
PHE UID	PHE unique identifier of the variant of concern

3

Subject areas and metrics

This chapter contains the following topics:

- [Subject area overview](#)
You maintain subject area data in Global Pathogen Analysis Service (GPAS). Then, you can use the subject area and its corresponding data to create and edit analyses and reports. The subject area includes details on the type of information in a subject.
- [GPAS Sample Analysis subject area](#)
The GPAS Sample Analysis subject area provides a way for you to analyze sample data that users upload to GPAS User Portal.

Subject area overview

You maintain subject area data in Global Pathogen Analysis Service (GPAS). Then, you can use the subject area and its corresponding data to create and edit analyses and reports. The subject area includes details on the type of information in a subject.

The information for the subject area includes:

- Description of the subject area
- Key metrics available
- Special considerations and tips to create analysis and reports

GPAS Sample Analysis subject area

The GPAS Sample Analysis subject area provides a way for you to analyze sample data that users upload to GPAS User Portal.

The key metrics available are:

- Samples
- Sample Mutations
- Sample Reads

You can analyze this subject area by relevant dimensions such as:

- Sample Collection Date
- Location
- Organisation
- Classification
- Neighbours

4

Sample Reports

This chapter contains the following topics:

- [Reports overview](#)
Using data collected in Global Pathogen Analysis Service (GPAS), you can build reports to view trends and understand more about the subject areas that are important to you.
- [Access sample reports](#)
You can access sample reports of GPAS data in Oracle Analytics at any time. The data shown in these reports are for example only. It is not real-life data.
- [Sample report: Scientists and Researchers](#)
Oracle Analytics contains example reports so you can see how you can visualize GPAS data. For example, you may want to create a report to see details on genomic data for samples.
- [Sample report: Neighbours Analysis](#)
Oracle Analytics contains example reports so you can see how you can visualize GPAS data. For example, you may want to create a report to see details on FindNeighbour4 analysis for sample data.
- [Sample report: Public Health and Admin](#)
Oracle Analytics contains example reports so you can see how you can visualize GPAS data. For example, you may want to create a report to see details on sample data, such as lineages, variants, and the submitting organizations.

Reports overview

Using data collected in Global Pathogen Analysis Service (GPAS), you can build reports to view trends and understand more about the subject areas that are important to you.

Oracle Analytics comes with some sample visualization reports to help you see the type of reports you can build after you connect and prepare your GPAS data. Oracle updates these reports at different times to show you the latest types of reports you can build.



Note:

This guide only provides images of sample reports. For details on how to use Oracle Analytics to build reports with your GPAS data, see [Getting Started with Oracle Analytics Cloud](#) and [Connecting Oracle Analytics Cloud to Your Data](#). You can also contact your Customer Success manager to take Oracle Analytics training for GPAS.


Access sample reports

You can access sample reports of GPAS data in Oracle Analytics at any time. The data shown in these reports are for example only. It is not real-life data.


The example reports in Oracle Analytics are view-only reports. You can make changes to the view, but they are temporary. For example, you may want to change the date range to view data that occurred within another time range. But, any viewing changes you make do not get stored. The report reverts back to the original state as soon as you close it.

To access sample reports:

1. Sign in to Oracle Analytics and select **Catalog** from the main menu. For example:



2. Select the **Shared Folders** tab. You see folders with sample content. For example:



3. Select the folder with data you want to review. It opens to the last viewed report. For example, the Scientists and Researchers project folder contains example reports on batches, sample details, mutations, and more.
4. From the bottom row, select the tab with the data you want to review. You can scroll to the left or right to view more tabs.

View the sample reports to see how you can visualize data to understand how your system gets used.

Sample report: Scientists and Researchers


Oracle Analytics contains example reports so you can see how you can visualize GPAS data. For example, you may want to create a report to see details on genomic data for samples.

After accessing the sample reports from a Shared Folder, you can select the different tabs from the bottom row to review different types of data. The following report shows mutation charts that display mutations by lineage and variants by gene. The top tabs allow you to change the view. For example, you can select the **Calendar Date** tab from the top to change the date range.



Note:

Oracle Analytics does not save any changes you make to the view. After you close the report, it reverts back to the original sample data view.



Sample report: Neighbours Analysis


Oracle Analytics contains example reports so you can see how you can visualize GPAS data. For example, you may want to create a report to see details on FindNeighbour4 analysis for sample data.

After accessing the sample reports from a Shared Folder, you can select the different tabs from the bottom row to review different types of data. The following report shows analysis on sample lineages as relational maps. The top tabs allow you to change the view. For example, you can select the **Batch Number** tab and select one or more batch numbers to see a lineage map for specific batches.



Note:

Oracle Analytics does not save any changes you make to the view. After you close the report, it reverts back to the original sample data view.



Sample report: Public Health and Admin

Oracle Analytics contains example reports so you can see how you can visualize GPAS data. For example, you may want to create a report to see details on sample data, such as lineages, variants, and the submitting organizations.

After accessing the sample reports from a Shared Folder, you can select the different tabs from the bottom row to review different types of data. The following report shows two global maps with date of earliest sample and sample count by country. The top tabs allow you to change the view. For example, you can select the **Calendar Date** tab from the top to change the date range.



Note:

Oracle Analytics does not save any changes you make to the view. After you close the report, it reverts back to the original sample data view.

