

ORCHESTRATION AND HARDENING AUTOMATION OF LAMP STACK ON GOOGLE CLOUD PLATFORM

Abdullah Alhuwaish, Bandar Almutairi

SACRED HEART UNIVERSITY
SCHOOL OF COMPUTER SCIENCE AND ENGINEERING





SIMPLICITY

PRODUCTIVELY OPEN SOURCE





- Project Timeline
- Implementation Tasks & milestones



Project Timeline



submission







Ansible

- Ansible and Ansible Architecture.
- Ansible mechanics
- Learn YAML language which is used for ansible configuration.





MILESTONES ONE



An organized unit of scripts that defines work for a server configuration managed by Ansible



Playbooks

Templates

Modules

File which contains all your configuration parameters

Modules can
control system
resources, like
services,
packages, or
handle executing
system
commands





MILESTONES ONE (Cont.)

Use Ansible Galaxy
Structure


```
1. bandar@Bandar: ~/Desktop/Final Project /Code of Project/playbook_ssh (zsh)
bandar@Bandar
                 ~/Desktop/Final Project /Code of Project/playbook_ssh tree
  hosts
  - roles
    L-- ssh
          - README.md
          defaults
            L-- main.yml
          files
          - handlers
            L-- main.yml
          - meta
            L-- main.yml
          - tasks
            L-- main.yml

    templates

            L-- sshd_config.j2
          tests
            -- inventory
            L-- test.yml
        L-- vars
            L-- main.yml
  setup.sh
 - ssh.yml
10 directories, 12 files
 bandar@Bandar > ~/Desktop/Final Project /Code of Project/playbook_ssh > |
```











MILESTONES TWO

Shall Script to install Packages on GCP

- sudo apt-get -y install python
- 2 sudo apt-get -y update
- 3 sudo apt-get -y install python-pip python-dev build-essential
- 4 sudo apt-get -y update
- 5 sudo pip install --upgrade pip
- 6 pip install --upgrade virtualenv
- 7 sudo apt-get -y install software-properties-common
- 8 sudo apt-add-repository ppa:ansible/ansible -y
- 9 sudo apt-get -y update
- 10 sudo apt-get -y install ansible
- 11 sudo pip install apache-libcloud


RSA key 2048 bit and use GCP metadata















Apache Script Tasks

```
- name: i just want to install apache
  apt: pkg=apache2 state=latest update_cache=true
- name: install php
  ignore_errors: yes
  apt: pkg=php state=latest update_cache=true
- name: install php-mysql
 ignore errors: yes
  apt: pkg=php-mysql state=latest update_cache=true
- name: load config file
  template: src=dir.conf.j2 dest=/etc/apache2/mods-enabled/dir.conf
- name: load config file
  template: src=index.php.j2 dest=/var/www/html/index.php
- name: start apache service
  service: name=apache2 state=restarted
```



Load Balancer Script Tasks

```
1 ---
2 - name: i just want to install haproxy
3   become: yes
4   apt: pkg=haproxy state=latest update_cache=true
5   - name: copy config file 1
7   template: src=haproxy.j2 dest=/etc/default/haproxy
8   - name: copy config file 2
10   template: src=haproxy.cfg.j2 dest=/etc/haproxy/haproxy.cfg
11
12   notify:
13   - restart haproxy
```





SQL Script Tasks

```
- name: Installing python-mysqldb package
  apt: pkg=python-mysqldb state=latest update_cache=true
- name: Installing MariaDB
  apt: pkg=mariadb-server state=latest update_cache=true
    restart mysql
- name: change bind mysql remote address
  ini_file: dest=/etc/mysql/my.cnf
            option=bind-address
            value={{ ansible_eth0.ipv4.address }}
- name: Add new user
    name: world
    password: vagrant
    state: present
- name: Copy database world.sql
    src: ~/playbooks/roles/sql/templates/contacts.sql
    dest: /tmp
- name: Import world.sql into Database
    login_user: world
    login_password: vagrant
    target: /tmp/contacts.sql
```





SSH Script Tasks

```
1 ---
2 - name: load config file
3 template: src=sshd_config.j2 dest=/etc/ssh/sshd_config
4 notify:
5 - restart ssh
```





Iptables
Script roles

```
2 v - name: install iptables
      apt: pkg=iptables-persistent state=latest update_cache=true
        chain: INPUT
       chain: INPUT
       chain: INPUT
        chain: INPUT
        ctstate: ESTABLISHED,RELATED
        jump: ACCEPT
        chain: INPUT
        jump: DROP
       chain: OUTPUT
       ctstate: ESTABLISHED,RELATED
        jump: ACCEPT
        chain: OUTPUT
        jump: ACCEPT
        chain: FORWARD
        jump: DROP
46 v - name: Saving IPTables Rules using "sudo netfilter-persistent save"
      command: "sudo netfilter-persistent save"
```









- Ansible and Ansible Architecture.
- Ansible mechanics
- Learn YAML language which is used for ansible configuration.



SSH

- SSH configuration
- Hardening SSH configuration
- Write YAML file to automate SSH har dening
- key distribution



Servers

- LAMP servers & security configuration
- Write YAML file to automate security configuration for Servers.
- Backup ".conf" files
- Version of LAMP server configuration structure.




Implementation

- Implementation of ansible system.
- Orchestration
- Ansible hosts configuration.
- Test run of ansible play books







Version of LAMP server configuration

structure.











