

Sidekick before and after

clara-bw-391 | Portrait | 100% interface text

Native app renderer with real fonts and runtime chrome. Full simulator and physical hardware validation are separate.

BEFORE

9715304831eae95566758fd0aa6b8e6fc87ee3ee

09:41

Sidekick

Codex asks

shell · cobalt review · 192.168.1.20:9331

Which sections should remain?

Section 1

Preserve original behavior and make important actions easy to find.

Section 2

Preserve original behavior and make important actions easy to find.

Section 3

Preserve original behavior and make important actions easy to find.

Section 4

Preserve original behavior and make important actions easy to find.

Section 5

Preserve original behavior and make important actions easy to find.

Section 6

Preserve original behavior and make important actions easy to find.

Section 7

Preserve original behavior and make important actions easy to find.

AFTER

d7adae18bfa57014acdb9ee694394436f0163159

09:41

Sidekick

Codex asks

shell · cobalt review · 192.168.1.20:9331

Which sections should remain?

Section 1

Preserve original behavior and make important actions easy to find.

Section 2

Preserve original behavior and make important actions easy to find.

Section 3

Preserve original behavior and make important actions easy to find.

Section 4

Preserve original behavior and make important actions easy to find.

Send these answers

Leave it for the terminal

1 of 2

Sidekick before and after

clara-bw-395 | Portrait | 100% interface text

Native app renderer with real fonts and runtime chrome. Full simulator and physical hardware validation are separate.

BEFORE

9715304831eae95566758fd0aa6b8e6fc87ee3ee

09:41

Sidekick

Codex asks

shell · cobalt review · 192.168.1.20:9331

Which sections should remain?

Section 1

Preserve original behavior and make important actions easy to find.

Section 2

Preserve original behavior and make important actions easy to find.

Section 3

Preserve original behavior and make important actions easy to find.

Section 4

Preserve original behavior and make important actions easy to find.

Section 5

Preserve original behavior and make important actions easy to find.

Section 6

Preserve original behavior and make important actions easy to find.

Section 7

Preserve original behavior and make important actions easy to find.

AFTER

d7adae18bfa57014acdb9ee694394436f0163159

09:41

Sidekick

Codex asks

shell · cobalt review · 192.168.1.20:9331

Which sections should remain?

Section 1

Preserve original behavior and make important actions easy to find.

Section 2

Preserve original behavior and make important actions easy to find.

Section 3

Preserve original behavior and make important actions easy to find.

Section 4

Preserve original behavior and make important actions easy to find.

Send these answers

Leave it for the terminal

1 of 2

Sidekick before and after

clara-hd-376 | Portrait | 100% interface text

Native app renderer with real fonts and runtime chrome. Full simulator and physical hardware validation are separate.

BEFORE

9715304831eae95566758fd0aa6b8e6fc87ee3ee

09:41

Sidekick

Codex asks

shell · cobalt review · 192.168.1.20:9331

Which sections should remain?

Section 1

Preserve original behavior and make important actions easy to find.

Section 2

Preserve original behavior and make important actions easy to find.

Section 3

Preserve original behavior and make important actions easy to find.

Section 4

Preserve original behavior and make important actions easy to find.

Section 5

Preserve original behavior and make important actions easy to find.

Section 6

Preserve original behavior and make important actions easy to find.

Section 7

Preserve original behavior and make important actions easy to find.

AFTER

d7adae18bfa57014acdb9ee694394436f0163159

09:41

Sidekick

Codex asks

shell · cobalt review · 192.168.1.20:9331

Which sections should remain?

Section 1

Preserve original behavior and make important actions easy to find.

Section 2

Preserve original behavior and make important actions easy to find.

Section 3

Preserve original behavior and make important actions easy to find.

Section 4

Preserve original behavior and make important actions easy to find.

Send these answers

Leave it for the terminal

1 of 2

Sidekick before and after

clara-colour-393 | Portrait | 100% interface text

Native app renderer with real fonts and runtime chrome. Full simulator and physical hardware validation are separate.

BEFORE

9715304831eae95566758fd0aa6b8e6fc87ee3ee

09:41

<

Sidekick

Codex asks

shell · cobalt review · 192.168.1.20:9331

Which sections should remain?

Section 1

Preserve original behavior and make important actions easy to find.

Section 2

Preserve original behavior and make important actions easy to find.

Section 3

Preserve original behavior and make important actions easy to find.

Section 4

Preserve original behavior and make important actions easy to find.

Section 5

Preserve original behavior and make important actions easy to find.

Section 6

Preserve original behavior and make important actions easy to find.

Section 7

Preserve original behavior and make important actions easy to find.

AFTER

d7adae18bfa57014acdb9ee694394436f0163159

09:41

<

Sidekick

Codex asks

shell · cobalt review · 192.168.1.20:9331

Which sections should remain?

Section 1

Preserve original behavior and make important actions easy to find.

Section 2

Preserve original behavior and make important actions easy to find.

Section 3

Preserve original behavior and make important actions easy to find.

Section 4

Preserve original behavior and make important actions easy to find.

Send these answers

Leave it for the terminal

1 of 2

>

Original pixels are embedded at full resolution. Zoom in for text and controls; images were not retouched.
PR #239 | Baseline versus independent PR source tree | No combined integration source

4 / 9

Sidekick before and after

elipsa-2e-389 | Portrait | 100% interface text

Native app renderer with real fonts and runtime chrome. Full simulator and physical hardware validation are separate.

BEFORE

9715304831eae95566758fd0aa6b8e6fc87ee3ee

09:41

Sidekick

Codex asks

shell · cobalt review · 192.168.1.20:9331

Which sections should remain?

Section 1

Preserve original behavior and make important actions easy to find.

Section 2

Preserve original behavior and make important actions easy to find.

Section 3

Preserve original behavior and make important actions easy to find.

Section 4

Preserve original behavior and make important actions easy to find.

Section 5

Preserve original behavior and make important actions easy to find.

Section 6

Preserve original behavior and make important actions easy to find.

Section 7

Preserve original behavior and make important actions easy to find.

Section 8

Preserve original behavior and make important actions easy to find.

Send these answers

Leave it for the terminal

AFTER

d7adae18bfa57014acdb9ee694394436f0163159

09:41

Sidekick

Codex asks

shell · cobalt review · 192.168.1.20:9331

Which sections should remain?

Section 1

Preserve original behavior and make important actions easy to find.

Section 2

Preserve original behavior and make important actions easy to find.

Section 3

Preserve original behavior and make important actions easy to find.

Section 4

Preserve original behavior and make important actions easy to find.

Section 5

Preserve original behavior and make important actions easy to find.

Section 6

Preserve original behavior and make important actions easy to find.

Section 7

Preserve original behavior and make important actions easy to find.

Section 8

Preserve original behavior and make important actions easy to find.

Send these answers

Leave it for the terminal

Sidekick before and after

libra-2-388 | Portrait | 100% interface text

Native app renderer with real fonts and runtime chrome. Full simulator and physical hardware validation are separate.

BEFORE

9715304831eae95566758fd0aa6b8e6fc87ee3ee

09:41

<

Sidekick

Codex asks

shell · cobalt review · 192.168.1.20:9331

Which sections should remain?

Section 1

Preserve original behavior and make important actions easy to find.

Section 2

Preserve original behavior and make important actions easy to find.

Section 3

Preserve original behavior and make important actions easy to find.

Section 4

Preserve original behavior and make important actions easy to find.

Section 5

Preserve original behavior and make important actions easy to find.

Section 6

Preserve original behavior and make important actions easy to find.

Section 7

Preserve original behavior and make important actions easy to find.

Section 8

Preserve original behavior and make important actions easy to find.

AFTER

d7adae18bfa57014acdb9ee694394436f0163159

09:41

<

Sidekick

Codex asks

shell · cobalt review · 192.168.1.20:9331

Which sections should remain?

Section 1

Preserve original behavior and make important actions easy to find.

Section 2

Preserve original behavior and make important actions easy to find.

Section 3

Preserve original behavior and make important actions easy to find.

Section 4

Preserve original behavior and make important actions easy to find.

Section 5

Preserve original behavior and make important actions easy to find.

Section 6

Preserve original behavior and make important actions easy to find.

Send these answers

Leave it for the terminal

1 of 2

>

Original pixels are embedded at full resolution. Zoom in for text and controls; images were not retouched.
PR #239 | Baseline versus independent PR source tree | No combined integration source

6 / 9

Sidekick before and after

libra-colour-390 | Portrait | 100% interface text

Native app renderer with real fonts and runtime chrome. Full simulator and physical hardware validation are separate.

BEFORE

9715304831eae95566758fd0aa6b8e6fc87ee3ee

09:41

<

Sidekick

Codex asks

shell · cobalt review · 192.168.1.20:9331

Which sections should remain?

Section 1

Preserve original behavior and make important actions easy to find.

Section 2

Preserve original behavior and make important actions easy to find.

Section 3

Preserve original behavior and make important actions easy to find.

Section 4

Preserve original behavior and make important actions easy to find.

Section 5

Preserve original behavior and make important actions easy to find.

Section 6

Preserve original behavior and make important actions easy to find.

Section 7

Preserve original behavior and make important actions easy to find.

Section 8

Preserve original behavior and make important actions easy to find.

AFTER

d7adae18bfa57014acdb9ee694394436f0163159

09:41

<

Sidekick

Codex asks

shell · cobalt review · 192.168.1.20:9331

Which sections should remain?

Section 1

Preserve original behavior and make important actions easy to find.

Section 2

Preserve original behavior and make important actions easy to find.

Section 3

Preserve original behavior and make important actions easy to find.

Section 4

Preserve original behavior and make important actions easy to find.

Section 5

Preserve original behavior and make important actions easy to find.

Section 6

Preserve original behavior and make important actions easy to find.

Send these answers

Leave it for the terminal

1 of 2

>

Original pixels are embedded at full resolution. Zoom in for text and controls; images were not retouched.
PR #239 | Baseline versus independent PR source tree | No combined integration source

7 / 9

Sidekick before and after

libra-colour-390-4.46.23836 | Portrait | 100% interface text

Native app renderer with real fonts and runtime chrome. Full simulator and physical hardware validation are separate.

BEFORE

9715304831eae95566758fd0aa6b8e6fc87ee3ee

09:41

Sidekick

Codex asks

shell · cobalt review · 192.168.1.20:9331

Which sections should remain?

Section 1

Preserve original behavior and make important actions easy to find.

Section 2

Preserve original behavior and make important actions easy to find.

Section 3

Preserve original behavior and make important actions easy to find.

Section 4

Preserve original behavior and make important actions easy to find.

Section 5

Preserve original behavior and make important actions easy to find.

Section 6

Preserve original behavior and make important actions easy to find.

Section 7

Preserve original behavior and make important actions easy to find.

Section 8

Preserve original behavior and make important actions easy to find.

AFTER

d7adae18bfa57014acdb9ee694394436f0163159

09:41

Sidekick

Codex asks

shell · cobalt review · 192.168.1.20:9331

Which sections should remain?

Section 1

Preserve original behavior and make important actions easy to find.

Section 2

Preserve original behavior and make important actions easy to find.

Section 3

Preserve original behavior and make important actions easy to find.

Section 4

Preserve original behavior and make important actions easy to find.

Section 5

Preserve original behavior and make important actions easy to find.

Section 6

Preserve original behavior and make important actions easy to find.

Send these answers

Leave it for the terminal

1 of 2

Sidekick before and after

libra-h2o-384 | Portrait | 100% interface text

Native app renderer with real fonts and runtime chrome. Full simulator and physical hardware validation are separate.

BEFORE

9715304831eae95566758fd0aa6b8e6fc87ee3ee

09:41

<

Sidekick

Codex asks

shell · cobalt review · 192.168.1.20:9331

Which sections should remain?

Section 1

Preserve original behavior and make important actions easy to find.

Section 2

Preserve original behavior and make important actions easy to find.

Section 3

Preserve original behavior and make important actions easy to find.

Section 4

Preserve original behavior and make important actions easy to find.

Section 5

Preserve original behavior and make important actions easy to find.

Section 6

Preserve original behavior and make important actions easy to find.

Section 7

Preserve original behavior and make important actions easy to find.

Section 8

Preserve original behavior and make important actions easy to find.

AFTER

d7adae18bfa57014acdb9ee694394436f0163159

09:41

<

Sidekick

Codex asks

shell · cobalt review · 192.168.1.20:9331

Which sections should remain?

Section 1

Preserve original behavior and make important actions easy to find.

Section 2

Preserve original behavior and make important actions easy to find.

Section 3

Preserve original behavior and make important actions easy to find.

Section 4

Preserve original behavior and make important actions easy to find.

Section 5

Preserve original behavior and make important actions easy to find.

Section 6

Preserve original behavior and make important actions easy to find.

Send these answers

Leave it for the terminal

1 of 2

>

Original pixels are embedded at full resolution. Zoom in for text and controls; images were not retouched.
PR #239 | Baseline versus independent PR source tree | No combined integration source

9 / 9