Open a pull request

Create a new pull request by comparing changes across two branches. If you need to, you can also compare across forks.

| ↕ | base fork: oaktoncsclub/oaktoncsclub.... ▾ | base: master ▾ | ← | head fork: ApolloZhu/oaktoncsclub.git... ▾ | compare: master ▾ |

✓ **Able to merge.** These branches can be automatically merged.

AZ

Update 10/17 Meeting Location

| Write | Preview | | AA B *i* | " ⟨⟩ ⚭ | ☰ ☰ ☑ | @ 🔖 ↩▾ |

We should have done this earlier

Attach files by dragging & dropping, selecting them, or pasting from the clipboard.

☑ **Allow edits from maintainers.** Learn more

Create pull request

Reviewers ⚙

Suggestions

🦉 FriendlyAI   Request

Assignees ⚙

No one—assign yourself

Labels ⚙

None yet

Projects ⚙

None yet

Milestone ⚙

No milestone

Open a pull request

Create a new pull request by comparing changes across two branches. If you need to, you can also compare across forks.

⇅ | base fork: oaktoncsclub/oaktoncsclub.... ▾ | base: master ▾ | ← | head fork: ApolloZhu/oaktoncsclub.git... ▾ | compare: master ▾

✓ **Able to merge.** These branches can be automatically merged.

AZ

Update 10/17 Meeting Location

Write | Preview | AA B *i* ❝ <> 🔗 ☰ ☰ ☑ @ 🔖 ↩▾

We should have done this earlier

Attach files by dragging & dropping, selecting them, or pasting from the clipboard.

☑ **Allow edits from maintainers.** Learn more

Create pull request

Reviewers ⚙
Suggestions

🐱 FriendlyAI   Request

Assignees ⚙
No one—assign yourself

Labels ⚙
None yet

Projects ⚙
None yet

Milestone ⚙
No milestone

7. Revise based on maintainer's suggestion, get merged, done!